Ambient Monitoring System Station Summaries
NCDENR, Division of Water Quality
Basinwide Assessment Report

Location: N DEEP CRK AT SR 1510 NR YADKINVILLE

Station #: Q2120000 **Hydrologic Unit Code:** 03040101

Latitude: 36.12590 **Longitude:** -80.59183 **Stream class:** C

Agency: YPDRBA **NC stream index:** 12-84-1-(0.5)

Time period: 01/24/2005 to 12/14/2009

	# results	# ND	EL	Results not meeting EL #	%	%Conf	Min	Percentiles 10th	25th	50th	75th	90th	Max
Field													
D.O. (mg/L)	85	0	<4	0	0		5.9	6.5	6.7	8.1	10.2	11.3	12.3
	85	0	<5	0	0		5.9	6.5	6.7	8.1	10.2	11.3	12.3
pH (SU)	85	0	<6	0	0		6.4	6.8	6.9	7	7.1	7.2	7.4
	85	0	>9	0	0		6.4	6.8	6.9	7	7.1	7.2	7.4
Spec. conductance (umhos/cm at 25°C)	85	0	N/A				68	92	110	122	135	152	210
Water Temperature (°C)	85	0	>29	0	0		4.1	6.7	10.2	17.4	22.5	23.7	25.5
Other													
Turbidity (NTU)	60	0	>50	7	11.7	75.2	4.2	8.1	12	17.5	32.8	117.4	210

Fecal Coliform Screening(#/100mL)

# results:	Geomean:	# > 400:	% > 400:	%Conf:
60	61	0	0	

Key:
result: number of observations
ND: number of observations reported to be below detection level (non-detect)
EL: Evaluation Level; applicable numeric or narrative water quality standard or action level
Results not meeting EL: number and percentages of observations not meeting evaluation level
%Conf : States the percent statistical confidence that the actual percentage of exceedances is at least 10% (20% for Fecal Coliform)
Stations with less than 10 results for a given parameter were not evaluated for statistical confidence