Natural Heritage Program

NORTH CAROLINA NATURAL HERITAGE PROGRAM

2013 BIENNIAL PROTECTION PLAN
List of Significant Natural Heritage Areas

Office of Conservation, Planning, and Community Affairs
Department of Environment and Natural Resources
Raleigh, North Carolina
www.ncnhp.org

North Carolina Natural Heritage Program
SIGNIFICANT NATURAL HERITAGE AREAS
February 2013

Introduction

The North Carolina Natural Heritage Program (NCNHP) compiles the N.C. Department of Environment and Natural Resources' list of Significant Natural Heritage Areas (SNHAs) as required by the Nature Preserves Act (NCGS Chapter 113A-164 of Article 9A). The list is based on the program's inventory of the natural diversity in the state. SNHAs (also known as "sites") are evaluated on the basis of the occurrences of rare plant and animal species, rare or high quality natural communities, and special animal habitats, collectively termed the Elements of Natural Diversity. They represent the program's estimates of the best locations for supporting natural diversity in the state and are given priority ranks that indicate the degree of their importance for conservation. The complete list of SNHAs is available for free download at the publications page of the NCNHP website, http://www.ncnhp.org/. Inclusion on this list does not directly confer protection to a site. Instead, the information on SNHAs included in the Biennial Protection Plan is intended to help guide the conservation decisions affecting the state's biodiversity at multiple levels, including the actions of state agencies, local government planning offices, private conservation groups, and individual landowners. The list includes both protected and unprotected areas. Inclusion on this list does not mean that public access exists. Permission of the land owner is needed to access all lands not open to the public.

The list of SNHAs and their significance ratings are based on the best available information. All data used in our assessments are obtained from field surveys conducted in the SNHAs either by the staff of the Natural Heritage Program or by other field biologists. Only species, communities, and other features of biodiversity that were actually observed in the SNHA are used in our evaluations of their significance.

This information is compiled in the program's Biotics Database and conforms to standards established by the nationwide network of Natural Heritage Programs in partnership with NatureServe. These standards include the specifications for recording and evaluating individual occurrences of NCNHP elements, as well as guidelines for estimating the degree of imperilment of these elements at the state and global levels. All of this information is used in defining and prioritizing SNHAs.

Data used in our evaluations of SNHAs are acquired or updated on an ongoing basis. The Protection Plan is produced every two years. This list updates the set of known significant areas and their significance ratings, reflecting changes since the last list was published. Not all sites have been visited in this time period, and some of the ratings are based on older data. It is possible that some sites have been damaged or destroyed since they were last visited. More information on these natural areas may be obtained from the Natural Heritage Program. For contact information, as well as direct access to many of our datasets, please visit our website at www.ncnhp.org.

Natural Area Significance

Natural Heritage methodology is designed to address both species and natural communities as Elements of biodiversity. This standard methodology is used to describe the rarity of particular Natural Heritage Elements and to delineate individual occurrences of these elements across the landscape. In assigning priorities for conservation, NCNHP gives special emphasis to natural areas that support populations of rare species or rare or high quality natural communities. A natural area that meets these criteria is designated as a Significant Natural Heritage Area (SNHA). A key product resulting from this information is the assessment of conservation priorities for the natural areas that have been identified.

This year, NCNHP has revised its process for establishing conservation priorities among the more than 2,400 Significant Natural Heritage Areas that have been identified through field investigations. Each SNHA receives two significance ratings, which measure different values:

1. Element Collective Value rates each SNHA on the basis of the number and rarity of all the elements it contains.
2. Element Representational Value rates each SNHA on its importance in protecting the best occurrences of individual elements.

This paired rating system provides two distinct values for each site, one which reflects the biodiversity of the state and one which reflects the overall biodiversity of each SNHA. Each site is assigned two values, a Representational Rating (R1-R5) and a Collective Value Rating (C1-C5). The two ratings measure different and complementary qualities of each site.

Natural Area Significance Ratings

<u>Element Collective Value</u>
The Element Collective Value Rating for each site sums the number of elements at a given site, and the rarity of those elements, weighted by their degree of imperilment at both the global level (G-Rank) and state level, within North Carolina (S-Rank).

The imperilment scores are assigned to each viable element occurrence on a 10-point scale, based on their combination of G-Ranks and S-Ranks as shown in Table 1. The highest scores are given to elements that are considered critically imperiled at both the global (G1) and state (S1) levels with successively lower scores given to elements that are considered more secure (G5S5 being considered secure at both the global and state levels).

Table 1: Collective Value Point Scoring for each G-Rank and S-Rank Combination

G-Rank	S-Rank	Element Score
G1	S1	10
G2	S1	9
G2	S2	8
G3	S1	7
G3	S2	6
G3	S3	5

G-Rank	S-Rank	Element Score
G4/G5	S1	4
G4/G5	S2	3
G4/G5	S3	2
G4/G5	S4/S5	1

For each site, the scores for occurrences of each element are added to give the final "Collective Value Score" for the site. (For example, if a site has four elements: a G2S2, a G3S1, a G5S1, and a G5S3, it scores: 8 + 7 + 4 + 2 = 21 points.) The total scores are divided into five categories of "site significance": Outstanding (C1 rating), Very High (C2 rating), High (C3 rating), Moderate (C4 rating), and General (C5 rating).

Table 2: Collective Value Ratings

Collective Value Rating	Collective Value Score	Minimum Number of Elements
Outstanding (C1)	91 and above	10
Very High (C2)	61-90	7
High (C3)	31-60	4
Moderate (C4)	11-30	2
General (C5)	1-10	1

Element Representational

NCNHP uses Element Occurrence ranks to determine the SNHAs containing the 10-12 best occurrences of each element. Data used to determine the best EOs include (in order of importance): viability, condition, acreage, landscape context, aggregate acreage of community EOs at the site, total number of EOs at the site, and last observation date. The relative rating for each occurrence is assigned using the categories listed in Table 3. When there are more than 12 occurrences of a G1-G2 element or ten occurrences of a G3-G5 element, the remaining sites containing occurrences are assigned to the General category (R5), as described below. Information about these sites and the element occurrences is maintained in the database.

Collectively, these SNHAs will make up a portfolio representing the best sites for each element tracked by NCNHP. Each of the SNHAs is rated according to the importance of the Element Occurrences contained within the site.

The NCNHP database is queried for occurrences for each element. The query sorts the EOs from best to worst using data in the database, and then assigns them to categories. The initial sorting is by EO rank, which summarizes information on viability and value for conservation, incorporating condition, size, and landscape context. The EOs are then further sorted to clarify which ones are the best within the same EO rank, breaking ties to determine which will be selected for the portfolio of highest quality occurrences. Data used to help determine the best EOs include (in order of importance): viability, condition, acreage, landscape context, aggregate acreage of community EOs at the site, and total number of EOs at the site. The fields that are most accurate for the purpose of identifying the best EOs are used first, and if they are unavailable or result in ties, the next most desirable fields are used. Use of all the fields in the hierarchy effectively eliminates ties and provides an unambiguous calculation of which EOs are

best to meet the conservation goals. It should be noted that if the ratings returned by this query seem unreasonable or inaccurate, a more detailed analysis of the data is performed. In cases where the algorithm does not measure the most important ecological features of a site, NCNHP staff can override the calculated results and record justification comments in the database.

After EOs are sorted and ranked from 1-12 for each element, SNHAs are rated on the basis of the quality of the EOs they contain. The highest element importance in the site determines the SNHA significance rating. This value is entered into the site record in the NCNHP database.

Table 3: Representational Value Ratings for SNHAs Based on Element Occurrences

Representational Rating	Definition	Defining EO Importance	
		G1-G2	G3-G5
Outstanding (R1)	Site contains one of the best two examples of G1 or G2 Elements.	1st or 2nd	--
Very High (R2)	Site contains the 3rd or 4th best examples in the state of G1-G2 Elements, and/or one of the best two examples of other Elements.	3rd or 4th	1st or 2nd
High (R3)	Site contains the 5th to 8th best examples in the state of G1-G2 Elements and/or the 3rd to 6th best occurrences of any G3-G5 Element within it.	5th to 8th	3rd to 6th
Moderate (R4)	Site contains the 9th to12th best examples in the state of G1-G2 Elements within it and/or the 7th to 10th best occurrences of any G3-G5 Element within it.	9th to 12th	7th to 10th
General (R5)	Site contains one or more viable occurrences that are not among the 12 best of G1-G2 Elements and/or one or more viable Element occurrences that are not among the ten best for G3-G5 Elements.	>12th	>10th

Organization of the List

Significant Natural Heritage Area (SNHA) Name
The list of North Carolina's most significant natural areas is organized by county, and then alphabetically by natural area name.

Acres
The number of acres included within the Significant Natural Heritage Area boundary (rounded off to the nearest whole number).

County
SNHAs are listed in separate rows for each county in which they occur; thus, SNHAs occurring in multiple counties are repeated in this list.

Representational Value	Collective Value
Outstanding (R1)	Outstanding (C1)
Very High (R2)	Very High (C2)
High (R3)	High (C3)
Moderate (R4)	Moderate (C4)
General (R5)	General (C5)

Occurrences of Highest Significance within the SNHA

Rare species and high quality natural communities of highest significance within the SNHA are listed. The occurrences listed here determine the Representational Value score of the SNHA. Only the most significant occurrences for the SNHA are listed; therefore, this is not a comprehensive list of all the occurrences for each SNHA.

Some of the species we track are subject to poaching or harassment. To protect these species from harm, names of these sensitive species have been removed. Records for the Blue Ridge Parkway are also removed from the list, in honor of the terms of the NCNHP-Blue Ridge Parkway data sharing agreement. In cases where information has been removed from the list, we have indicated "Contact Natural Heritage Program for more information."

Examples

Altamahaw Alluvial Forest in Alamance County (the first SNHA on the list) has a Representational Value of R5, because the Piedmont Alluvial Forest is of General conservation significance, but is not among the best ten occurrences of this community in North Carolina. The SNHA has a Collective Value of C5, because it supports one apparently secure natural community, of General biodiversity significance.

At the other end of the list, Woods Mountain/Singecat Ridge in Yancey County (the last SNHA on the list) has a Representational Value of R1, due to the Very High significance of one or more rare species, which are among the best populations of these species in North Carolina. Because the species may be harmed by poaching or harassment, we recommend that you contact NCNHP staff for more information. The SNHA also has a Collective Value of C3, due to the high number of elements present there (two rare plants, ranging from critically imperiled to imperiled, two rare animals considered imperiled to vulnerable, and one vulnerable natural community).

For more information about Significant Natural Heritage Areas, species and natural communities tracked by the North Carolina Natural Heritage Program, updated data, or other questions, contact Natural Heritage Program Staff or visit our website at www.ncnhp.org.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Altamahaw Alluvial Forest	115	Alamance	R5	C5	Piedmont Alluvial Forest
Box Elder Bottomlands	111	Alamance	R5	C5	Piedmont Levee Forest (Typic Subtype)
Cane Creek Mountains/Observatory Woods	728	Alamance	R5	C4	Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Low Elevation Seep (Typic Subtype), Piedmont Boggy Streamhead, Piedmont Monadnock Forest (Typic Subtype)
Cedarock Park	441	Alamance	R4	C5	Ruellia purshiana
Eli Whitney Rich Slopes	166	Alamance	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Haw River Aquatic Habitat	918	Alamance	R2	C3	Gomphus septima, Notropis mekistocholas
Jordan Creek Alluvial Forest	96	Alamance	R5	C5	Piedmont Alluvial Forest
Kimesville Road Basic Forest	66	Alamance	R5	C5	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype)
Major Hill Monadnock Forest	158	Alamance	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
Pine Hill Xeric Woodlands	104	Alamance	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Rock Creek Upland Depressions	52	Alamance	R5	C4	Mixed Moisture Hardpan Forest, Upland Depression Swamp Forest
Saxapahaw Sloughs and Slopes	378	Alamance	R5	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Floodplain Pool, Piedmont Levee Forest (Typic Subtype)
Stony Creek Forest	245	Alamance	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Stony Creek Mountain	180	Alamance	R3	C4	Xeric Hardpan Forest (Basic Rocky Subtype)
Asbury Mountain	325	Alexander	R3	C4	Allium cuthbertii, Fleischmannia incarnata, Orthotrichum keeverae
Bald Rock Mountain	179	Alexander	R4	C4	Fleischmannia incarnata, Low Elevation Basic Glade (Brushy Mountain Subtype), Orthotrichum keeverae
Barrett Mountain	595	Alexander	R5	C5	Chestnut Oak Forest (Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Brushy Mountains/Rocky Creek	224	Alexander	R5	C5	Hillside Seepage Bog
Brushy Mountains/Vannoy Ridge	1,517	Alexander	R3	C4	Low Elevation Basic Glade (Brushy Mountain Subtype)
Buck Knob/Fox Mountain	196	Alexander	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Herb Subtype)
Buzzard Dome/Prickley-Pear Mountain	167	Alexander	R2	C3	Low Elevation Basic Glade (Brushy Mountain Subtype)
Catawba River Corridor	501	Alexander	R5	C5	Colonial Wading Bird Colony, Low Elevation Seep (Floodplain Subtype), contact Natural Heritage Program for more information.
Chestnut Mountain	49	Alexander	R3	C3	Low Elevation Basic Glade (Brushy Mountain Subtype), Orthotrichum keeverae
Gwaltneys Outcrops	240	Alexander	R2	C4	Fleischmannia incarnata
Joe/Little Joe Mountains	165	Alexander	R1	C3	Low Elevation Basic Glade (Brushy Mountain Subtype), Montane Red Cedar-Hardwood Woodland, Orthotrichum keeverae
Little Mountain	45	Alexander	R1	C3	Granitic Dome Basic Woodland, Orthotrichum keeverae
Little Sugarloaf Mountain	127	Alexander	R5	C5	Low Elevation Granitic Dome
Lookout Shoals Rich Slopes	112	Alexander	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Millsaps Outcrops	25	Alexander	R4	C5	Allium cuthbertii, Fleischmannia incarnata
Rocky Face Mountain	377	Alexander	R2	C3	Allium cuthbertii, Low Elevation Basic Glade (Brushy Mountain Subtype), Megathymus cofaqui cofaqui, Orthotrichum keeverae, Papilio cresphontes, Spiraea corymbosa
Round Top Mountain/Taylorsville	36	Alexander	R3	C4	Spiraea corymbosa

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Sugarloaf Mountain	378	Alexander	R1	C3	Granitic Dome Basic Woodland, Low Elevation Basic Glade (Brushy Mountain Subtype)
Third Creek Rare Plant Site	33	Alexander	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Hexastylis naniflora
Upper Fork Little River/Brushy Mountains	1,106	Alexander	R3	C4	Allium cuthbertii, Lysimachia tonsa, Trichostema setaceum
Alleghany County Fairgrounds	93	Alleghany	R4	C4	Low Elevation Acidic Glade (Grass Subtype)
Amelia Woods and Slopes	247	Alleghany	R2	C4	Hackelia virginiana, Heuchera hispida, Silphium perfoliatum
Bakers Ridge	281	Alleghany	R5	C4	Montane Cliff (Acidic Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype), contact Natural Heritage Program for more information.
Bald Knob	317	Alleghany	R3	C4	Chenopodium simplex, Hackelia virginiana
Betsy's Peak Rich Slope and Seeps	151	Alleghany	R5	C5	Low Elevation Seep (Montane Subtype)
Big Pine Creek Bog	44	Alleghany	R2	C3	Contact Natural Heritage Program for more information.
Brush Creek Bog	21	Alleghany	R2	C3	Carex vesicaria
Bullhead Mountain	1,069	Alleghany	R1	C2	Contact Natural Heritage Program for more information.
Cheek Mountain	1,496	Alleghany	R3	C4	Scutellaria saxatilis
Chestnut Creek Swamp Forest-Bog Complex	43	Alleghany	R2	C4	Contact Natural Heritage Program for more information.
Cumberland Knob Recreation Area	1,303	Alleghany	R2	C4	Contact Natural Heritage Program for more information.
Doughton Park Natural Area	5,203	Alleghany	R1	C3	Contact Natural Heritage Program for more information.
Edmonds Meadow Bog	10	Alleghany	R2	C4	Carex utriculata
Elk Creek/New River Bluffs	98	Alleghany	R3	C3	Adlumia fungosa, Caulophyllum giganteum, Scutellaria saxatilis
Ennice Meadow Bog	27	Alleghany	R3	C3	Calamagrostis canadensis var. canadensis, Veronica americana
Laurel Branch Bog	16	Alleghany	R3	C4	Contact Natural Heritage Program for more information.
Laurel Fork Bog	55	Alleghany	R3	C3	Contact Natural Heritage Program for more information.
Little Glade Creek Robin Runaway Site	59	Alleghany	R2	C4	Contact Natural Heritage Program for more information.
Little Glade Millpond	48	Alleghany	R2	C4	Contact Natural Heritage Program for more information.
Little River (Alleghany) Aquatic Habitat	327	Alleghany	R2	C3	Contact Natural Heritage Program for more information.
Little River Slopes	378	Alleghany	R3	C4	Hackelia virginiana
Meadow Fork Meadow Bog	31	Alleghany	R2	C3	Contact Natural Heritage Program for more information.
Mitchell River Headwaters	5,714	Alleghany	R3	C4	Quercus ilicifolia
New River (Ashe/Alleghany) Aquatic Habitat	406	Alleghany	R2	C2	Cyclonaias tuberculata, Etheostoma kanawhae, Leptoxis dilatata, Notropis sp. 1, Notropis volucellus, Ophiogomphus aspersus, Ophiogomphus howei, Ophiogomphus rupinsulensis, Percina oxyrhynchus, Phenacobius teretulus, Vireo gilvus
New River Heights/Prathers Creek Mafic Site	221	Alleghany	R2	C3	Carex trichocarpa, Silphium connatum
New River/Alleghany Access	395	Alleghany	R2	C3	Carex trichocarpa, Caulophyllum giganteum
Old Mans Meadow Bog	8	Alleghany	R3	C3	Carex baileyi
Oliver House Bluffs	157	Alleghany	R2	C3	Chenopodium simplex, Heuchera hispida

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Pine Swamp Forest-Bog	23	Alleghany	R5	C4	Contact Natural Heritage Program for more information.
Saddle Mountain	2,205	Alleghany	R2	C4	Quercus ilicifolia, contact Natural Heritage Program for more information.
Saddle Mountain Meadow Bog	36	Alleghany	R5	C4	Contact Natural Heritage Program for more information.
Savannah Church Bog and Seep	23	Alleghany	R1	C3	Carex sp. 2, Southern Appalachian Bog (Skunk Cabbage Subtype)
Sheep Rock	21	Alleghany	R5	C5	Low Elevation Granitic Dome, Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Skunk Cabbage Bogs	301	Alleghany	R1	C2	Contact Natural Heritage Program for more information.
South Fork New River Aquatic Habitat	1,385	Alleghany	R2	C2	Attaneuria ruralis, Bolotoperla rossi, Ceraclea slossonae, Cyclonaias tuberculata, Elliptio dilatata, Etheostoma kanawhae, Exoglossum laurae, Leptoxis dilatata, Notropis sp. 1, Ophiogomphus aspersus, Ophiogomphus howei, Percina caprodes, Percina oxyrhynchus, Phenacobius teretulus, Vireo gilvus, contact Natural Heritage Program for more information.
Sparta Bog	229	Alleghany	R2	C1	Chelone cuthbertii, Cuscuta cephalanthi, Glyceria laxa, Low Elevation Seep (Montane Subtype), Polites mystic, Sceptridium multifidum, Stenanthium gramineum var. robustum, contact Natural Heritage Program for more information.
Stone Mountain State Park	14,689	Alleghany	R1	C2	Contact Natural Heritage Program for more information.
Susan's Bog	7	Alleghany	R5	C4	Contact Natural Heritage Program for more information.
Twin Oaks Mountain	1,088	Alleghany	R5	C4	Chestnut Oak Forest (Mesic Subtype), Montane Cliff (Acidic Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype), Rich Cove Forest (Montane Rich Subtype)
US 21 Bypass Meadow Bog	33	Alleghany	R5	C4	Contact Natural Heritage Program for more information.
Waterfalls Creek Meadow Bog	54	Alleghany	R5	C5	Lilium grayi
Waterfalls Creek Slopes	164	Alleghany	R5	C5	Acidic Cove Forest (Typic Subtype), Montane Oak--Hickory Forest (Acidic Subtype), contact Natural Heritage Program for more information.
Whitehead Meadow Bog	40	Alleghany	R3	C4	Carex buxbaumii
Woods Meadow Bog	45	Alleghany	R2	C4	Stenanthium gramineum var. robustum
Beaver Pond Road Longleaf Pine Forest	83	Anson	R1	C4	Wet Piedmont Longleaf Pine Forest
Bennett Bridge Diabase Dike	4	Anson	R3	C4	Baptisia alba
Blewett Falls Lake Basic Mesic Forest	18	Anson	R5	C4	Basic Mesic Forest (Piedmont Subtype), Cardamine dissecta, Eurybia mirabilis
Deep Bottom Branch Bluffs	71	Anson	R2	C4	Eurybia mirabilis, Helianthus laevigatus
Flat Rock Church Outcrop	16	Anson	R1	C3	Panicum lithophilum
Grassy Islands/Smith Lake	2,242	Anson	R1	C2	Piedmont Cliff (Basic Subtype)
Griffen Hunt Preserve	7	Anson	R3	C5	Helianthus schweinitzii
Hightower Flatrocks	52	Anson	R1	C3	Panicum lithophilum
Ingram Mountain Hardwoods	1,455	Anson	R2	C3	Carex impressinervia, Carex superata, Euphorbia mercurialina, Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest, Salvia azurea

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Lower Brown Creek Swamp	2,023	Anson	R1	C3	Piedmont Bottomland Forest (Typic Low Subtype)
Lower Little River (Richmond) Corridor	1,704	Anson	R2	C4	Piedmont Bottomland Forest (High Subtype), Piedmont Bottomland Forest (Typic Low Subtype)
Lower Pee Dee River Aquatic Habitat	1,552	Anson	R1	C1	Cyprinella sp. 1, Elliptio folliculata, Moxostoma robustum, Moxostoma sp. 3, Villosa vaughaniana
Middle Pee Dee River Aquatic Habitat	1,460	Anson	R3	C3	Anodonta implicata, Elliptio folliculata, Ligumia nasuta, Moxostoma sp. 3
Millseat Outcrop	10	Anson	R2	C4	Sedum pusillum
North Fork Smith Creek Slopes and Ravines	105	Anson	R2	C4	Carex superata
Plank Road Slopes	82	Anson	R3	C4	Boechera missouriensis
Railroad Island	471	Anson	R3	C4	Euphorbia mercurialina
Richardson Creek Slopes	30	Anson	R2	C3	Boechera missouriensis, Piedmont Cliff (Basic Subtype), Piedmont/Coastal Plain Heath Bluff, Quercus austrina
Savannah Church Diabase Dike	41	Anson	R4	C4	Dry Basic Oak--Hickory Forest, Euphorbia mercurialina
Thoroughfare Creek Wetlands	202	Anson	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype)
Upper Brown Creek Swamp	3,037	Anson	R3	C4	Piedmont Swamp Forest, Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Bina Rich Slope	39	Ashe	R3	C4	Meehania cordata
Bluff Mountain	3,181	Ashe	R1	C1	Carex roanensis, Cladonia psoromica, High Elevation Mafic Glade, High Elevation Red Oak Forest (Rich Subtype), High Elevation Rocky Summit (Ninebark Basic Subtype), Southern Appalachian Fen (Bluff Mountain Subtype)
Bluff Valley Wetlands	25	Ashe	R3	C4	Parnassia grandifolia
Bowlin Meadow Bog	31	Ashe	R5	C5	Contact Natural Heritage Program for more information.
Buffalo Creek Bog	10	Ashe	R5	C5	Contact Natural Heritage Program for more information.
Canoe Gap Natural Area	140	Ashe	R5	C5	Chestnut Oak Forest (Dry Heath Subtype)
Cranberry Mash	12	Ashe	R5	C5	Southern Appalachian Bog (Low Elevation Subtype)
Cut Laurel Knob	317	Ashe	R5	C5	Acidic Cove Forest (Typic Subtype), High Elevation Red Oak Forest (Typic Herb Subtype), Rich Montane Seep
Dairy Bog	14	Ashe	R5	C4	Carex baileyi, Southern Appalachian Bog (Low Elevation Subtype)
Glendale Springs Swamp Forest-Bog Complex	53	Ashe	R3	C4	Contact Natural Heritage Program for more information.
Idlewild Bogs	48	Ashe	R4	C4	Contact Natural Heritage Program for more information.
Laurel Fork Bog	55	Ashe	R3	C3	Contact Natural Heritage Program for more information.
Little Peak	239	Ashe	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Chestnut Oak Forest (Mesic Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Little Phoenix Forests and Glade	89	Ashe	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Low Elevation Basic Glade (Montane Subtype)
Little Phoenix Mountain Forests	401	Ashe	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Basic Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Long Hope Valley/Elk Knob/The Peak	8,678	Ashe	R1	C1	High Elevation Rocky Summit (Typic Subtype), Northern Hardwood Forest (Beech Gap Subtype), Southern Appalachian Bog (Long Hope Valley Subtype), contact Natural Heritage Program for more information.
Mount Jefferson State Natural Area and Vicinity	1,065	Ashe	R1	C1	Carex roanensis, High Elevation Mafic Glade
Muddy Branch Road Seep	8	Ashe	R3	C5	Cardamine rotundifolia
Mulatto Mountain	63	Ashe	R5	C4	Aconitum reclinatum, Montane Oak--Hickory Forest (Basic Subtype), Rich Cove Forest (Montane Rich Subtype)
Nettle Knob	110	Ashe	R5	C5	High Elevation Red Oak Forest (Typic Herb Subtype)
New River (Ashe/Alleghany) Aquatic Habitat	406	Ashe	R2	C2	Cyclonaias tuberculata, Etheostoma kanawhae, Leptoxis dilatata, Notropis sp. 1, Notropis volucellus, Ophiogomphus aspersus, Ophiogomphus howei, Ophiogomphus rupinsulensis, Percina oxyrhynchus, Phenacobius teretulus, Vireo gilvus
New River Heights/Prathers Creek Mafic Site	221	Ashe	R2	C3	Carex trichocarpa, Silphium connatum
New River State Park/Wagoner Road Cove Forest	141	Ashe	R2	C4	Vermivora cyanoptera
New River Virginia Spiraea Site 1	2	Ashe	R4	C5	Spiraea virginiana
New River Virginia Spiraea Site 2	3	Ashe	R4	C5	Spiraea virginiana
New River Virginia Spiraea Site 3	1	Ashe	R4	C5	Spiraea virginiana
North Fork New River Aquatic Habitat	517	Ashe	R2	C3	Ceraclea slossonae, Exoglossum laurae
Obids Creek Bog	13	Ashe	R3	C4	Campanula aparinoides
Oliver House Bluffs	157	Ashe	R2	C3	Chenopodium simplex, Heuchera hispida
Paddy Mountain	440	Ashe	R2	C2	Allium allegheniense, High Elevation Rocky Summit (Little Bluestem Basic Subtype), Liatris helleri, Rich Cove Forest (Boulderfield Subtype)
Peak Creek Meadow Bog	55	Ashe	R4	C4	Carex buxbaumii
Phoenix Mountain	1,768	Ashe	R1	C1	High Elevation Rocky Summit (Little Bluestem Basic Subtype)
Pond Mountain	3,186	Ashe	R2	C4	Anthoxanthum hirtum
South Beaver Creek Bog	7	Ashe	R2	C5	Caltha palustris var. palustris
South Fork New River Aquatic Habitat	1,385	Ashe	R2	C2	Attaneuria ruralis, Bolotoperla rossi, Ceraclea slossonae, Cyclonaias tuberculata, Elliptio dilatata, Etheostoma kanawhae, Exoglossum laurae, Leptoxis dilatata, Notropis sp. 1, Ophiogomphus aspersus, Ophiogomphus howei, Percina caprodes, Percina oxyrhynchus, Phenacobius teretulus, Vireo gilvus, contact Natural Heritage Program for more information.
Third Knob	125	Ashe	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Basic Subtype)
Three Top Mountain	6,372	Ashe	R1	C1	Geum radiatum, High Elevation Rocky Summit (Little Bluestem Basic Subtype)
Anthony Creek Swamp Forest-Bog Complex	4	Avery	R4	C5	Contact Natural Heritage Program for more information.
Beech Creek Bog Natural Area	201	Avery	R1	C2	Paravitrea andrewsae, Southern Appalachian Bog (Typic Subtype), contact Natural Heritage Program for more information.
Belview Mountain Slopes	123	Avery	R5	C5	Aconitum reclinatum, Rich Cove Forest (Montane Intermediate Subtype)
Big Yellow Mountain	2,342	Avery	R1	C1	Grassy Bald (Grass Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Brier Knob	111	Avery	R4	C5	Rich Cove Forest (Boulderfield Subtype)
Cranberry Iron Mine Bat Habitat	6	Avery	R2	C5	Contact Natural Heritage Program for more information.
Dun Vegan Mountain	308	Avery	R3	C3	Cetraria arenaria
Flat Rock Mountain	127	Avery	R2	C3	Contact Natural Heritage Program for more information.
Gragg Forests	277	Avery	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Grandfather Mountain	6,367	Avery	R1	C1	Contact Natural Heritage Program for more information.
Hanging Rock Mountain	774	Avery	R1	C2	Houstonia montana
Harper Creek/Yellow Buck Mountain	428	Avery	R5	C4	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Chestnut Oak Forest (Mesic Subtype), Low Elevation Rocky Summit (Acidic Subtype), Montane Cliff (Acidic Herb Subtype), Pine--Oak / Heath (Typic Subtype), Spray Cliff
Hemlock Hill	174	Avery	R3	C4	Glyceria laxa, Heath Bald (Low Elevation Subtype)
High Haven Natural Area	113	Avery	R4	C4	Southern Appalachian Bog (Typic Subtype)
Hughes Marsh	3	Avery	R5	C4	Campanula aparinoides, Southern Appalachian Bog (Typic Subtype)
Linville Gap Bog	15	Avery	R2	C3	Carex projecta, Poa paludigena, Vaccinium macrocarpon
Linville River Swamp Forest-Bog Complex	32	Avery	R4	C5	Contact Natural Heritage Program for more information.
Little Buck Hill Forests and Seep	194	Avery	R2	C4	Sphagnum subsecundum
Little Tablerock Mountain	391	Avery	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Little Yellow Mountain and Hawk Mountain	1,892	Avery	R2	C2	Acidic Cove Forest (High Elevation Subtype), Lilium philadelphicum var. philadelphicum
Lost Cove Cliffs	691	Avery	R2	C3	Warnstorfia fluitans
Lutherock Natural Area	821	Avery	R2	C3	Plethodon welleri
Pineola Bog	116	Avery	R2	C2	Dicranum undulatum, Poa paludigena, Southern Appalachian Bog (Typic Subtype), Thelypteris simulata
Pineola Bog South	14	Avery	R3	C4	Contact Natural Heritage Program for more information.
Pyatte Bog	3	Avery	R3	C4	Carex trisperma
Roan Mountain Massif	12,172	Avery	R1	C1	Alnus viridis ssp. crispa, Geum geniculatum, Geum radiatum, Grassy Bald (Alder Subtype), Grassy Bald (Grass Subtype), Grassy Bald (Sedge Subtype), High Elevation Rocky Summit (High Peak Subtype), Leptodontium excelsum, Paravitrea varidens, Solidago spithamaea, Thryomanes bewickii altus
Sassafras Creek Forests	570	Avery	R3	C4	Acidic Cove Forest (High Elevation Subtype)
Squirrel Creek Meadow/Shrub Bog	3	Avery	R5	C5	Southern Appalachian Bog (Low Elevation Subtype)
Sugar Mountain Natural Area	203	Avery	R1	C2	Southern Appalachian Bog (Typic Subtype)
Walker Hollow Ridge	617	Avery	R4	C4	Neotoma magister
Watauga River Aquatic Habitat	169	Avery	R2	C4	Eurycea longicauda
West Fork Forest and Swamp Forest Bog	332	Avery	R3	C4	Acidic Cove Forest (High Elevation Subtype)
Wilson Creek Aquatic Habitat	130	Avery	R1	C4	Contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Wilson Creek Slopes/Lost Cove Creek/Thorps Creek	1,738	Avery	R2	C4	Montane Alluvial Forest (Small River Subtype)
Yellow Mountain/Raven Cliffs	4,487	Avery	R2	C1	High Elevation Red Oak Forest (Rich Subtype)
Bonnerton Road Wet Hardwood Forest and Seeps	261	Beaufort	R2	C4	Nonriverine Wet Hardwood Forest (Oak-Gum Slough Subtype)
Broad Creek Marshes and Forests	882	Beaufort	R5	C5	Tidal Freshwater Marsh (Cattail Subtype), Tidal Freshwater Marsh (Sawgrass Subtype), Tidal Swamp (Cypress--Gum Subtype), contact Natural Heritage Program for more information.
Chocowinity Creek Natural Area	632	Beaufort	R4	C4	Tidal Freshwater Marsh (Threesquare Subtype)
Drinkwater Creek Wet Hardwood Forest	117	Beaufort	R5	C5	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Eastern Gum Swamp	2,127	Beaufort	R2	C4	Nonriverine Swamp Forest (Sweetgum Subtype)
Goose Creek Marshes and Forests	2,455	Beaufort	R1	C4	Northern Wet Pine Savanna
Goose Creek State Park and Vicinity	2,053	Beaufort	R2	C3	Tidal Red Cedar Forest
Haw Creek Meanders	1,316	Beaufort	R4	C4	Brownwater Bottomland Hardwoods (Swamp Transition Subtype)
Hell Swamp Wet Hardwood Forest	70	Beaufort	R3	C5	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Hills Creek/Camp Hardee Woods	207	Beaufort	R5	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype), Tidal Swamp (Cypress--Gum Subtype), contact Natural Heritage Program for more information.
Indian Island	41	Beaufort	R3	C5	Estuarine Fringe Pine Forest (Pond Pine Subtype)
Jackson Swamp Remnants	21	Beaufort	R5	C5	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Lower Tar River Aquatic Habitat	2,082	Beaufort	R1	C1	Necturus lewisi, Noturus furiosus
Lower Tar River Marshes and Swamp	5,455	Beaufort	R2	C4	Orconectes carolinensis
Nevil Creek Natural Area	792	Beaufort	R4	C4	Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype), Tidal Freshwater Marsh (Cattail Subtype), Tidal Freshwater Marsh (Threesquare Subtype)
Northwest Pocosin	10,767	Beaufort	R4	C5	High Pocosin (Evergreen Subtype)
Pantego Swamp and Pocosins	5,260	Beaufort	R3	C4	Dichanthelium fusiforme, Northern Wet Pine Savanna
Pantego Wetlands	1,832	Beaufort	R5	C4	Estuarine Fringe Pine Forest (Loblolly Pine Subtype), Nerodia sipedon williamengelsi, Tidal Freshwater Marsh (Giant Cordgrass Subtype), Tidal Freshwater Marsh (Needlerush Subtype), Tidal Freshwater Marsh (Sawgrass Subtype)
Sophie Island Natural Area	963	Beaufort	R1	C4	Northern Wet Pine Savanna
Sparrow Road Wet Hardwood Forest	125	Beaufort	R3	C4	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
St. Clair Creek Natural Area	449	Beaufort	R5	C5	Coastal Plain Small Stream Swamp, Tidal Freshwater Marsh (Cattail Subtype), Tidal Freshwater Marsh (Sawgrass Subtype)
Suffolk Scarp Bogs	1,034	Beaufort	R5	C3	Lysimachia asperulifolia, Mesic Pine Savanna (Coastal Plain Subtype), Pond Pine Woodland (Typic Subtype), Sandhill Seep (Very Wet Subtype), Wet Pine Flatwoods (Typic Subtype), contact Natural Heritage Program for more information.
Upper Pungo River Wetlands	2,910	Beaufort	R2	C3	Tidal Freshwater Marsh (Mixed Freshwater Subtype), Tidal Freshwater Marsh (Needlerush Subtype), Tidal Freshwater Marsh (Shrub Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Van Swamp	3,667	Beaufort	R3	C4	Nonriverine Swamp Forest (Cypress-Gum Subtype)
Voice of America Site A	2,801	Beaufort	R2	C5	Ammodramus henslowii
Western Gum Swamp Remnants	1,264	Beaufort	R5	C5	Nonriverine Swamp Forest (Mixed Subtype)
Black Walnut Swamp	636	Bertie	R4	C5	Cypress--Gum Swamp (Intermediate Subtype)
Broadneck Swamp	4,857	Bertie	R2	C3	Brownwater Levee Forest (High Levee Subtype), Carex cherokeensis, Myotis austroriparius
Burdens Millpond	171	Bertie	R5	C5	Coastal Plain Small Stream Swamp
Buzzard Point/Ventosa Plantation	5,237	Bertie	R2	C3	Carya laciniosa, Urtica chamaedryoides
Cashie River Aquatic Habitat	543	Bertie	R3	C4	Anodonta implicata
Cashie River Swamp	4,681	Bertie	R3	C5	Nonriverine Swamp Forest (Mixed Subtype), Tidal Swamp (Cypress--Gum Subtype)
Chowan River Aquatic Habitat	27,339	Bertie	R3	C4	Acipenser brevirostrum, Anodonta implicata, Leptodea ochracea, Ligumia nasuta
Colerain/Cow Island Swamp and Slopes	4,157	Bertie	R3	C4	Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype)
Company Swamp	1,478	Bertie	R4	C4	Brownwater Levee Forest (Medium Levee Subtype), Cypress--Gum Swamp (Brownwater Subtype), Myotis austroriparius, contact Natural Heritage Program for more information.
Conine High Terrace Forest	171	Bertie	R3	C5	Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype)
Conine Island	5,277	Bertie	R2	C4	Brownwater Levee Forest (Low Levee Subtype), Colonial Wading Bird Colony, Stachys tenuifolia
Coniott Cherrybark Oak Ridge	141	Bertie	R3	C5	Brownwater Bottomland Hardwoods (High Subtype)
Cypress Swamp/Sandy Run Floodplain Forest	7,565	Bertie	R2	C3	Brownwater Levee Forest (Medium Levee Subtype), Ruellia strepens
Indian Woods/Broadneck Swamp	302	Bertie	R3	C4	Brownwater Bottomland Hardwoods (High Subtype), Brownwater Bottomland Hardwoods (Swamp Transition Subtype), Carex lupuliformis
Jamesville Island	9,224	Bertie	R2	C5	Cypress--Gum Swamp (Brownwater Subtype), Ranunculus flabellaris
Lower Roanoke River Aquatic Habitat	2,005	Bertie	R2	C4	Anodonta implicata, Leptodea ochracea, Orconectes virginiensis
Rascoe Millpond	430	Bertie	R4	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype), Coastal Plain Semipermanent Impoundment (Open Water Subtype)
Roanoke River Delta Islands	11,141	Bertie	R4	C5	Brownwater Bottomland Hardwoods (Swamp Transition Subtype), contact Natural Heritage Program for more information.
Roanoke River/NC 11 Alluvial Flats	1,723	Bertie	R3	C4	Stachys tenuifolia
Roquist Creek Swamp	106	Bertie	R4	C5	Coastal Plain Small Stream Swamp
Roquist Pocosin	5,846	Bertie	R1	C4	Nonriverine Swamp Forest (Cypress-Gum Subtype), Nonriverine Wet Hardwood Forest (Oak Flat Subtype), Nonriverine Wet Hardwood Forest (Oak-Gum Slough Subtype)
Salmon Creek Swamp	1,095	Bertie	R2	C5	Cypress--Gum Swamp (Intermediate Subtype)
Wading Place Creek and Swamps	356	Bertie	R3	C4	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype)
Addie Barnes Pine Natural Area	306	Bladen	R4	C3	Mesic Pine Savanna (Coastal Plain Subtype)
Ashwood Bluffs	343	Bladen	R4	C4	Brownwater Levee Forest (Medium Levee Subtype)
Bakers Lake Carolina Bay	933	Bladen	R3	C3	Low Pocosin (Gallberry-Fetterbush Subtype), Natural Lake Shoreline Swamp (Cypress Subtype), Sand Barren (Typic Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Barbeque Pine Forest	68	Bladen	R2	C5	Hypoxis juncea
Bay Tree Lake State Park and Vicinity	906	Bladen	R2	C2	Crataegus munda, Small Depression Pocosin (Blueberry Subtype)
Bethel Flatwoods	125	Bladen	R5	C4	Pond Pine Woodland (Typic Subtype), Small Depression Pocosin (Typic Subtype), Wet Pine Flatwoods (Typic Subtype)
Big Colly Swamp	9,499	Bladen	R4	C4	Luziola fluitans
Big Swamp/NC 211	2,416	Bladen	R4	C5	Blackwater Bottomland Hardwoods (Low Subtype)
Big Swamp/Old Whiteville Road	556	Bladen	R2	C4	Blackwater Bottomland Hardwoods (High Subtype)
Black River Aquatic Habitat	387	Bladen	R2	C3	Elliptio marsupiobesa, Noturus sp. 2, Sagittaria filiformis
Black River Cypress Swamp	2,582	Bladen	R1	C3	Cypress--Gum Swamp (Blackwater Subtype), Epidendrum magnoliae, Gratiola aurea, Phanopyrum gymnocarpon, Sagittaria filiformis
Bushy Bay Sand Ridge	24	Bladen	R5	C5	Xeric Sandhill Scrub (Typic Subtype)
Cape Fear River Lowlands	59	Bladen	R3	C4	Oplismenus hirtellus ssp. setarius, Phanopyrum gymnocarpon
Cape Fear River Terraces	507	Bladen	R5	C4	Brownwater Bottomland Hardwoods (High Subtype), Brownwater Levee Forest (High Levee Subtype), Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Cape Fear River/Whitehall Floodplain Forest	775	Bladen	R5	C5	Brownwater Levee Forest (High Levee Subtype)
Cape Fear Sloughs	104	Bladen	R5	C5	Cypress--Gum Swamp (Brownwater Subtype)
Cedar Bay Longleaf Site	46	Bladen	R5	C5	Pine/Scrub Oak Sandhill (Mixed Oak Subtype)
Cedar Swamp Seep	1,291	Bladen	R2	C4	Coastal Plain Depression Swamp (Pocosin Subtype)
Charlie Long Millpond/Big Colly Bay	3,385	Bladen	R1	C3	High Pocosin (Deciduous Subtype)
Conkill Bay Complex	7,434	Bladen	R2	C4	Xeric Sandhill Scrub (Coastal Fringe Subtype)
Cotton Head Sand Ridge	375	Bladen	R5	C4	Pond Pine Woodland (Typic Subtype), Sand Barren (Typic Subtype), Wet Pine Flatwoods (Typic Subtype)
David Gam Bay	1,156	Bladen	R5	C4	High Pocosin (Evergreen Subtype), Nonriverine Swamp Forest (Mixed Subtype), Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype)
Fred Poole Trail Flatwoods	111	Bladen	R5	C5	Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype)
Georgia Branch Beaver Pond	54	Bladen	R5	C5	Coastal Plain Semipermanent Impoundment (Open Water Subtype)
Horseshoe Lake (Suggs Mill Pond) and Marshy Bay	13,681	Bladen	R1	C1	High Pocosin (Deciduous Subtype)
Jenny Strand Pine Natural Area	176	Bladen	R5	C5	Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype)
Johnson Mill Bay	888	Bladen	R1	C4	Catocala grisatra
Johnsontown Road Flatwoods	64	Bladen	R5	C5	Wet Pine Flatwoods (Typic Subtype)
Jones Blueberry Longleaf Woods	555	Bladen	R5	C5	Pine/Scrub Oak Sandhill (Mixed Oak Subtype), Wet Pine Flatwoods (Typic Subtype)
Jones Lake/Salters Lake and Vicinity	2,412	Bladen	R1	C1	Natural Lake Shoreline Marsh (Typic Subtype), Sand Barren (Typic Subtype)
Little Singletary Lake	1,866	Bladen	R3	C4	Natural Lake Shoreline Swamp (Cypress Subtype)
Maple Bay Flatwoods	5	Bladen	R5	C5	Wet Pine Flatwoods (Typic Subtype)
Meares Millpond	136	Bladen	R2	C4	Coastal Plain Semipermanent Impoundment (Open Water Subtype)
Mill Bay Natural Area	1,629	Bladen	R2	C3	Low Pocosin (Gallberry-Fetterbush Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Murphytown Sand Ridge	584	Bladen	R5	C5	Pine/Scrub Oak Sandhill (Mixed Oak Subtype)
Natmore Sandhills	120	Bladen	R2	C4	Euphorbia cordifolia
Otter Slide Limesink Complex	463	Bladen	R3	C4	Small Depression Drawdown Meadow (Boggy Pool Subtype)
Rosindale Longleaf Pine Forest	387	Bladen	R1	C2	Balduina atropurpurea
Singletary Lake State Park and Vicinity	1,669	Bladen	R1	C3	Sand Barren (Typic Subtype)
Smith Bay Flatwoods	155	Bladen	R5	C5	Wet Pine Flatwoods (Typic Subtype), Xeric Sandhill Scrub (Typic Subtype)
Smith Bay Sand Ridge	29	Bladen	R5	C5	Xeric Sandhill Scrub (Typic Subtype)
South River Aquatic Habitat	413	Bladen	R2	C4	Cyprinella sp. 1
South River Swamp Forest	3,120	Bladen	R4	C5	Blackwater Bottomland Hardwoods (Swamp Transition Subtype)
Spring Bay Bay Forest	296	Bladen	R3	C5	Bay Forest
Sugar Loaf Springs	59	Bladen	R3	C4	Low Elevation Seep (Floodplain Subtype), Tridens chapmanii
Suzy Hill Natural Area	18	Bladen	R3	C5	Crataegus munda
Tatum Millpond Bay/Cypress Bay	2,744	Bladen	R2	C3	High Pocosin (Deciduous Subtype)
Turnbull Creek Swamp	647	Bladen	R3	C5	Coastal Plain Small Stream Swamp
Tussock Bay Complex	8,793	Bladen	R2	C4	High Pocosin (Deciduous Subtype)
Upper Black River Bottomlands	5,365	Bladen	R1	C3	Isoetes microvela
Walkers Bluff	37	Bladen	R3	C4	Asplenium heteroresiliens, Coastal Plain Marl Outcrop (Bluff Subtype)
White Oak Pondberry Site	5	Bladen	R5	C5	Litsea aestivalis
Alligator Branch Sandhill and Flatwoods	921	Brunswick	R5	C5	Pine/Scrub Oak Sandhill (Mixed Oak Subtype), Wet Pine Flatwoods (Typic Subtype)
Bald Head Island	1,322	Brunswick	R1	C1	Maritime Evergreen Forest (South Atlantic Subtype), Trichostema sp. 1
Battery Island	137	Brunswick	R2	C3	Egretta tricolor, Maritime Evergreen Forest (South Atlantic Subtype)
Battle Royal Bay	941	Brunswick	R3	C4	Amorpha confusa
Big Cypress Bay and Ponds	186	Brunswick	R2	C4	Cyperus lecontei
Big Neck Road at Millpond Bay	11	Brunswick	R2	C4	Xyris stricta
Bird Island	274	Brunswick	R2	C3	Amaranthus pumilus
Blue Pond/Allen Creek	8,445	Brunswick	R3	C3	Cypress--Gum Swamp (Blackwater Subtype)
Bluff Island and East Beach	4,408	Brunswick	R1	C1	Maritime Evergreen Forest (South Atlantic Subtype)
Boiling Spring Lakes Limesink Complex	2,056	Brunswick	R2	C1	Eleocharis elongata, Ludwigia suffruticosa, Platanthera integra
Boiling Spring Lakes Wetland Complex	28,238	Brunswick	R1	C1	Melanoplus nubilus, Pine/Scrub Oak Sandhill (Coastal Fringe Subtype), Spartiniphaga carterae, Wet Pine Flatwoods (Sand Myrtle Subtype)
Bonaparte Landing Maritime Forest	55	Brunswick	R5	C5	Coastal Fringe Evergreen Forest (Typic Subtype)
Brantley Island	174	Brunswick	R1	C4	Coastal Fringe Evergreen Forest (Typic Subtype)
Brunswick River/Cape Fear River Marshes	3,811	Brunswick	R1	C2	Ptilimnium ahlesii, contact Natural Heritage Program for more information.
Bryant Mill (Greenbank) Bluff	382	Brunswick	R1	C3	Coastal Plain Cliff
Camp Branch Savanna Remnant	86	Brunswick	R2	C2	Andropogon mohrii, Helenium vernale
Clarendon Plantation Limesinks	318	Brunswick	R3	C4	Small Depression Pond (Typic Marsh Subtype)
Colkins Neck Remnant	66	Brunswick	R1	C5	Calcareous Coastal Fringe Forest (Southern Subtype)
Cumbee Pond and Sandhills	84	Brunswick	R5	C4	Pine/Scrub Oak Sandhill (Coastal Fringe Subtype), Small Depression Pond (Open Lily Pond Subtype), Small Depression Pond (Typic Marsh Subtype), Small Depression Shrub Border

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Fall Swamp/Middle River Limesink Complex	388	Brunswick	R5	C3	Litsea aestivalis, Rhynchospora pleiantha, Small Depression Drawdown Meadow (Typic Subtype), Small Depression Pocosin (Typic Subtype), Small Depression Pond (Open Lily Pond Subtype), Small Depression Pond (Typic Marsh Subtype), Small Depression Shrub Border, Xeric Sandhill Scrub (Coastal Fringe Subtype), contact Natural Heritage Program for more information.
Firetower Sandhill	363	Brunswick	R4	C5	Pine/Scrub Oak Sandhill (Coastal Fringe Subtype)
Fort Caswell Dunes and Marshes	1,306	Brunswick	R2	C4	Amaranthus pumilus, Caretta caretta, Ipomoea imperati, Yucca gloriosa
Funston Bays	1,769	Brunswick	R3	C2	Platanthera nivea, Sandy Pine Savanna (Rush Featherling Subtype), Wet Pine Flatwoods (Sand Myrtle Subtype)
Gause Savanna	121	Brunswick	R5	C5	Mesic Pine Savanna (Coastal Plain Subtype)
Goose Pond Limesinks	645	Brunswick	R2	C3	Coastal Plain Depression Swamp (Cypress Dome Subtype), Helianthus floridanus
Green Swamp	18,569	Brunswick	R1	C1	Cirsium lecontei, Condylura cristata pop. 1, Floating Bog, Melanoplus nubilus, Pocosin Opening (Pitcher Plant Subtype), Pocosin Opening (Sedge-Fern Subtype), Sandy Pine Savanna (Rush Featherling Subtype), Spiranthes floridana, Triodopsis soelneri, Wet Loamy Pine Savanna
Henrytown Savanna	330	Brunswick	R5	C4	Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype), Xeric Sandhill Scrub (Typic Subtype), contact Natural Heritage Program for more information.
Hog Branch Ponds	295	Brunswick	R2	C2	Coastal Plain Depression Swamp (Cypress Dome Subtype), Small Depression Drawdown Meadow (Typic Subtype)
Hood Creek Floodplain and Slopes	633	Brunswick	R3	C4	Brownwater Levee Forest (Low Levee Subtype), Epidendrum magnoliae, Solidago villosicarpa
Juniper Bay Savanna	195	Brunswick	R2	C3	Cirsium lecontei, Scleria baldwinii
Juniper Creek Floodplain	21,254	Brunswick	R1	C2	Blackwater Bottomland Hardwoods (Evergreen Subtype)
Juniper Creek/Driving Creek Aquatic Habitat	100	Brunswick	R1	C5	Elassoma boehlkei
Little Green Swamp	270	Brunswick	R5	C4	Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype), Xeric Sandhill Scrub (Typic Subtype)
Lockwoods Folly River Tidal Wetlands	2,758	Brunswick	R1	C3	Tidal Freshwater Marsh (Mixed Freshwater Subtype)
Long Bays Savanna and Carolina Bays	849	Brunswick	R5	C3	Asclepias pedicellata, Peucaea aestivalis, Picoides borealis, Pine/Scrub Oak Sandhill (Coastal Fringe Subtype), Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype), contact Natural Heritage Program for more information.
Long Beach Maritime Forest	11	Brunswick	R2	C4	Maritime Evergreen Forest (South Atlantic Subtype)
Lower Black River Swamp	10,466	Brunswick	R2	C4	Bacopa rotundifolia, Carex socialis
Lower Cape Fear River Aquatic Habitat	22,509	Brunswick	R2	C4	Acipenser brevirostrum
Lower Cape Fear River Bird Nesting Islands	524	Brunswick	R3	C4	Egretta thula, Gull-Tern-Skimmer Colony, Haematopus palliatus, Pelecanus occidentalis
Middle Island	1,043	Brunswick	R2	C5	Salt Marsh (Carolinian Subtype)
Middle Swamp	43	Brunswick	R5	C5	Nonriverine Swamp Forest (Mixed Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
MOTSU Brunswick Forest Natural Area	22	Brunswick	R5	C4	Coastal Fringe Evergreen Forest (Typic Subtype), Pine/Scrub Oak Sandhill (Coastal Fringe Subtype)
MOTSU Governors Creek Natural Area	1,479	Brunswick	R1	C1	Sand Barren (Coastal Fringe Subtype), Xeric Sandhill Scrub (Coastal Fringe Subtype)
MOTSU Northwest Natural Area	1,778	Brunswick	R2	C2	Hemipachnobia subporphyrea
MOTSU Three Ponds Natural Area	25	Brunswick	R2	C3	Paspalum dissectum
Myrtle Head Savanna	72	Brunswick	R1	C1	Sporobolus teretifolius, Thalictrum cooleyi
Neils Eddy Landing	138	Brunswick	R2	C4	Carex socialis, Coastal Plain Cliff
Orton Pond Aquatic Habitat	695	Brunswick	R5	C5	Colonial Wading Bird Colony
Orton Powerline Loosestrife Site	3	Brunswick	R5	C5	Lysimachia asperulifolia, contact Natural Heritage Program for more information.
Orton Sandhills and Limesinks	5,063	Brunswick	R2	C2	Utricularia olivacea
Pleasant Oaks/Goose Landing Plantations	3,087	Brunswick	R2	C3	Carex decomposita, Rhynchospora tracyi, contact Natural Heritage Program for more information.
Pretty Pond Limesink Complex	318	Brunswick	R2	C2	Cyperus lecontei, Eleocharis elongata, Eupatorium leptophyllum, Lachnocaulon minus, Ludwigia suffruticosa, Rhynchospora pleiantha
Prospect Ridge White Cedar Forest	81	Brunswick	R5	C5	Peatland Atlantic White Cedar Forest
Rabontown Limesinks	1,062	Brunswick	R2	C4	Carex verrucosa, Cypress Savanna (Acid Subtype)
Rattlesnake Branch Sandhills	276	Brunswick	R5	C4	Asclepias pedicellata, Pine/Scrub Oak Sandhill (Mixed Oak Subtype), Small Depression Drawdown Meadow (Typic Subtype), Small Depression Shrub Border, Xeric Sandhill Scrub (Typic Subtype)
Regan Ridge-and-Swale Boggy Openings	135	Brunswick	R2	C4	Ludwigia linifolia, Oldenlandia boscii
Royal Oak Swamp Marl Outcrop	150	Brunswick	R1	C3	Zephyranthes simpsonii
Sandy Branch Sand Ridge and Bay Complex	1,032	Brunswick	R4	C4	Xeric Sandhill Scrub (Coastal Fringe Subtype)
Scippio Swamp Ridge-and-Swale Boggy Openings	361	Brunswick	R3	C4	Helenium vernale, Lophiola aurea, Sabatia kennedyana
Secession Maritime Forest	64	Brunswick	R5	C4	Coastal Fringe Evergreen Forest (Typic Subtype), Pine/Scrub Oak Sandhill (Coastal Fringe Subtype)
Shallotte Creek Sandhills	416	Brunswick	R4	C4	Pine/Scrub Oak Sandhill (Coastal Fringe Subtype)
Southport Ferry Landing Forest	185	Brunswick	R2	C4	Coastal Fringe Evergreen Forest (Typic Subtype)
Stanly Road Coastal Fringe Forest	285	Brunswick	R1	C4	Calcareous Coastal Fringe Forest (Southern Subtype)
Sturgeon Creek Tidal Wetlands	373	Brunswick	R2	C4	Oenothera riparia
Sunset Beach Wood Stork Ponds	554	Brunswick	R1	C4	Zephyranthes simpsonii
Sunset Harbor/Ash Swamp	366	Brunswick	R2	C4	Coastal Fringe Evergreen Forest (Typic Subtype), Pine/Scrub Oak Sandhill (Coastal Fringe Subtype)
Town Creek Aquatic Habitat	323	Brunswick	R1	C3	Elliptio folliculata, Tidal Freshwater Marsh (Mixed Freshwater Subtype)
Town Creek Marshes and Swamp	3,401	Brunswick	R2	C3	Carex lupuliformis, Coreopsis helianthoides, Myriophyllum pinnatum, Potamogeton amplifolius, Tidal Freshwater Marsh (Cattail Subtype), Tidal Freshwater Marsh (Threesquare Subtype)
Turkey Branch Sandhill	16	Brunswick	R5	C5	Xeric Sandhill Scrub (Typic Subtype)
Waccamaw Island Savanna and Bottomlands	1,586	Brunswick	R1	C1	Sand and Mud Bar (Blackwater Drawdown Bar Subtype)
Waccamaw River Aquatic Habitat	494	Brunswick	R1	C1	Elassoma boehlkei, Elliptio waccamawensis, Etheostoma perlongum, Fimbristylis perpusilla, Hymenocallis pygmaea, Menidia extensa, Noturus sp. 2
Waccamaw River Cross Swamp Bottomlands	648	Brunswick	R1	C4	Blackwater Bottomland Hardwoods (Evergreen Subtype), Hymenocallis pygmaea

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Waccamaw River Oxbow Site	1,477	Brunswick	R1	C2	Ludwigia brevipes, Sand and Mud Bar (Blackwater Sand Bar Subtype)
Waccamaw River Reeves and Gore Lake Bottomlands	747	Brunswick	R1	C3	Fimbristylis perpusilla, Sand and Mud Bar (Blackwater Drawdown Bar Subtype)
Waccamaw River Ridge-and-Swale Boggy Openings	74	Brunswick	R2	C4	Pityopsis graminifolia var. graminifolia, contact Natural Heritage Program for more information.
Wards Lake	46	Brunswick	R2	C3	Hymenocallis pygmaea, Sand and Mud Bar (Blackwater Drawdown Bar Subtype)
White Spring Ponds Complex	1,119	Brunswick	R3	C2	Amorpha confusa, Lachnocaulon minus, Rhynchospora pleiantha, Small Depression Drawdown Meadow (Typic Subtype), Vaccinium virgatum
Winnabow Savanna and Sandhill	418	Brunswick	R3	C3	Carex verrucosa, Litsea aestivalis
Zekes Island Estuarine Sanctuary	2,335	Brunswick	R2	C3	Chelonia mydas
Alexander Cliffs and Slopes	295	Buncombe	R4	C4	Adlumia fungosa, Draba ramosissima, contact Natural Heritage Program for more information.
Bens Ridge and Coves	571	Buncombe	R3	C4	Carex hitchcockiana
Bent Creek Heartleaf Natural Area	23	Buncombe	R2	C5	Hexastylis rhombiformis
Blue Ridge Assembly Natural Area	1,078	Buncombe	R4	C4	Thermopsis fraxinifolia
Broad River Natural Area	72	Buncombe	R2	C4	Montane Alluvial Forest (Small River Subtype), Rocky Bar and Shore (Alder-Yellowroot Subtype)
Broad River Rare Plant Site	113	Buncombe	R2	C5	Hexastylis contracta
Brush Fence Ridge/Point Misery	1,006	Buncombe	R1	C1	Contact Natural Heritage Program for more information.
Cane River Upper Watershed	10,499	Buncombe	R1	C1	Contact Natural Heritage Program for more information.
Cedar Cliff Knob	252	Buncombe	R2	C3	Rudbeckia triloba var. pinnatiloba
Cedar Cliff/Little Cedar Mountain	1,239	Buncombe	R2	C3	Draba ramosissima, Euphorbia commutata, Rudbeckia triloba var. pinnatiloba
Christmount Natural Area	383	Buncombe	R5	C5	Low Elevation Rocky Summit (Acidic Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Cross Mountain	487	Buncombe	R3	C5	Chestnut Oak Forest (Mesic Subtype)
Elk Mountain/Roaring Gap	16	Buncombe	R2	C4	Contact Natural Heritage Program for more information.
Face Rock/Bearwallow Mountain	594	Buncombe	R3	C3	Montane Cliff (Mafic Subtype), Plethodon amplus
Flat Creek Serpentine Dike	22	Buncombe	R4	C4	Montane Alluvial Forest (Large River Subtype)
Flat Top Mountain/Swannanoa Cove	1,175	Buncombe	R4	C4	Euphorbia purpurea
Grove Stone Natural Area	119	Buncombe	R5	C4	Primula meadia, Rich Cove Forest (Montane Rich Subtype), Silene ovata
High Knob/Sugarhouse Cove	1,203	Buncombe	R2	C3	Carex hitchcockiana, Rich Cove Forest (Montane Rich Subtype)
High Swan/Bull Mountain	1,487	Buncombe	R2	C1	Contact Natural Heritage Program for more information.
Ivy Creek Sugar Maple/Chestnut Oak Slope	47	Buncombe	R2	C4	Discus bryanti
Ivy Knob	239	Buncombe	R3	C4	Rudbeckia triloba var. pinnatiloba
Little Pisgah Slopes	523	Buncombe	R2	C4	Rich Cove Forest (Foothills Intermediate Subtype)
Locust Ridge Outcrop	13	Buncombe	R5	C4	Low Elevation Granitic Dome, Packera millefolium

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Lower French Broad River Aquatic Habitat	1,505	Buncombe	R2	C1	Apalone spinifera spinifera, Aplodinotus grunniens, Cambarus reburrus, Carpiodes carpio, Carpiodes cyprinus, Cottus carolinae, Erimystax insignis eristigma, Etheostoma simoterum, Hiodon tergisus, Ichthyomyzon bdellium, Ictiobus bubalus, Ictiobus niger, Lampetra appendix, Moxostoma breviceps, Necturus maculosus, Notropis micropteryx, Notropis volucellus, Noturus eleutherus, Noturus flavus, Percina caprodes, Percina squamata, Potamilus alatus, Pteronarcys comstocki, Sander canadensis, Sternotherus minor, Trachemys scripta troostii, contact Natural Heritage Program for more information.
Montreat Watershed	2,095	Buncombe	R3	C3	Melanelia stygia, Thermopsis fraxinifolia
Mount Pisgah	731	Buncombe	R1	C2	Contact Natural Heritage Program for more information.
Newfound Mountain/Rockyface Mountain	52	Buncombe	R3	C3	Euphorbia commutata, Pine--Oak / Heath (High Elevation Subtype)
North Fork Ivy Creek Cove	17	Buncombe	R5	C5	Rich Cove Forest (Montane Rich Subtype)
North Fork Watershed	5,663	Buncombe	R2	C1	Contact Natural Heritage Program for more information.
Ogle Meadows	23	Buncombe	R2	C4	Crocanthemum propinquum
Panther Cliffs	39	Buncombe	R5	C5	Montane Cliff (Mafic Subtype)
Pinnacle Mountain/Mill Creek	1,460	Buncombe	R2	C3	Contact Natural Heritage Program for more information.
Pisgah Highway Oak-Hickory Forest	265	Buncombe	R5	C5	Contact Natural Heritage Program for more information.
Price Creek/Coxcomb Mountain	694	Buncombe	R3	C3	Aconitum reclinatum, Lonicera canadensis, Northern Hardwood Forest (Rich Subtype)
Rattlesnake Knob	150	Buncombe	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Pine--Oak / Heath (Typic Subtype)
Reems Creek Gorge	61	Buncombe	R5	C5	Adlumia fungosa
Richmond Hill Forest	242	Buncombe	R3	C4	Montane Alluvial Forest (Large River Subtype), Plethodon ventralis
Rumbling Bald/Shumont Mountain/Cedar Knob	2,276	Buncombe	R1	C1	Low Elevation Granitic Dome, Plethodon yonahlossee pop. 1
Sandy Bottom	25	Buncombe	R2	C4	Contact Natural Heritage Program for more information.
Sandymush Creek/Turkey Creek Gorge	303	Buncombe	R2	C3	Buckleya distichophylla
Sawmill Branch	155	Buncombe	R5	C5	Hydrastis canadensis, Rich Cove Forest (Montane Rich Subtype)
Snowball Mountain	181	Buncombe	R4	C4	Contact Natural Heritage Program for more information.
Spring Mountain/Pisgah View	314	Buncombe	R5	C5	Low Elevation Rocky Summit (Acidic Subtype)
Stony Bald	123	Buncombe	R3	C5	Contact Natural Heritage Program for more information.
The Craggies	2,841	Buncombe	R1	C1	Contact Natural Heritage Program for more information.
Walker Cove	421	Buncombe	R2	C4	Aconitum reclinatum, Neotoma magister, Northern Hardwood Forest (Rich Subtype)
Weed Patch Mountain/Joel Ridge	3,463	Buncombe	R5	C4	Montane Oak--Hickory Forest (Acidic Subtype), Pine--Oak / Heath (Typic Subtype), contact Natural Heritage Program for more information.
Williams Branch Slope	65	Buncombe	R3	C5	Hydrastis canadensis
Woodfin Watershed/Camp Sequoyah	1,482	Buncombe	R1	C5	Contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Brindletown Forests	446	Burke	R3	C4	Liatris turgida
Bristol Creek Wetlands	34	Burke	R2	C5	Platanthera flava var. herbiola
Broughton Hospital/Keller Knob	461	Burke	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Brown Mountain Greenstone Forests	324	Burke	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Pine--Oak / Heath (Typic Subtype), contact Natural Heritage Program for more information.
Burkemont Mountain	133	Burke	R4	C5	Helianthus laevigatus
Camp Creek Bluff	13	Burke	R5	C5	Hexastylis naniflora
Clear Creek Watershed Natural Area	2,157	Burke	R2	C2	Frullania appalachiana, Low Elevation Basic Glade (Montane Subtype), Rich Cove Forest (Foothills Rich Subtype)
Cranberry Knob Bogs and Swamp Forest	25	Burke	R3	C4	Sphagnum fallax
Deaf School Watershed	273	Burke	R4	C4	Low Elevation Basic Glade (Montane Subtype)
Duggers Creek Forests	163	Burke	R4	C5	Contact Natural Heritage Program for more information.
Hall Knob	357	Burke	R1	C4	Plethodon meridianus
Hildebran Mountain	274	Burke	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Hildebran/Henry River Slopes	103	Burke	R4	C4	Piedmont Cliff (Basic Subtype)
Island Creek Heath Bluff	46	Burke	R2	C5	Hexastylis naniflora
Jimmy Knob	151	Burke	R5	C4	Micranthes caroliniana, Rich Cove Forest (Foothills Rich Subtype), Trillium simile
Johns River/Mulberry Creek Aquatic Habitat	196	Burke	R2	C4	Alasmidonta varicosa
Jonas Ridge Bog	19	Burke	R3	C4	Southern Appalachian Bog (Typic Subtype)
Linville Falls	261	Burke	R2	C3	Contact Natural Heritage Program for more information.
Linville Gorge	10,316	Burke	R1	C1	Carolina Hemlock Forest (Mesic Subtype), Chiloscyphus appalachianus, Drepanolejeunea appalachiana, Heath Bald (Carolina Rhododendron Subtype), Hudsonia montana, Lejeunea blomquistii, Liatris helleri, Low Elevation Rocky Summit (Quartzite Ledge Subtype), Plagiochila sullivantii var. sullivantii, Porella wataugensis, Upland Pool (Mountain Subtype)
Linville River Aquatic Habitat	131	Burke	R2	C4	Cambarus johni
Rollins/South Mountains Natural Area	17,533	Burke	R1	C1	Low Elevation Rocky Summit (Basic Subtype), Plethodon meridianus
Shoal Creek Watershed	210	Burke	R5	C4	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Basic Subtype), Spray Cliff
Simms Hill/Little River Uplands	433	Burke	R3	C4	Quercus ilicifolia
Smith Cliff/Henry Fork River	217	Burke	R1	C1	Marsupella emarginata var. latiloba, Nardia scalaris ssp. botryoidea
Smith Mountain	1,439	Burke	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Pine--Oak / Heath (Typic Subtype), contact Natural Heritage Program for more information.
South Mountains Henry Fork Watershed	6,320	Burke	R1	C2	Contact Natural Heritage Program for more information.
South Mountains Jacob Fork Watershed	7,318	Burke	R2	C2	Fothergilla major, Liatris turgida, Montane Oak--Hickory Forest (White Pine Subtype), contact Natural Heritage Program for more information.
Upper Creek Aquatic Habitat	68	Burke	R1	C3	Ophiogomphus edmundo
Upper Creek Falls Forest	112	Burke	R5	C5	Chestnut Oak Forest (White Pine Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Vulcan/Rhodhiss Slopes	44	Burke	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Wilson Creek Gorge	6,296	Burke	R2	C3	Chestnut Oak Forest (Dry Heath Subtype), Monotropsis odorata, Rocky Bar and Shore (Mixed Bar Subtype), Thermopsis mollis
Yellow Mountain/Ironmonger Mountain	369	Burke	R2	C4	Sceptridium jenmanii
Back Creek Gabbro Hill	29	Cabarrus	R5	C4	Dry Basic Oak--Hickory Forest, Hexalectris spicata
Big Bear Creek Aquatic Habitat	73	Cabarrus	R4	C4	Baptisia alba
Blackwelder Hill Rare Plant Site	27	Cabarrus	R5	C5	Hexalectris spicata
Butcher Branch Forest	72	Cabarrus	R5	C5	Dry Basic Oak--Hickory Forest
Charity Church Hardwood Forest	337	Cabarrus	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Clarke Creek Heron Rookery	236	Cabarrus	R4	C5	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Coddle Creek Reservoir	1,286	Cabarrus	R5	C5	Acmispon helleri
Concord Ring Dike/Jackson School Natural Area	16	Cabarrus	R4	C4	Portulaca smallii
Dutch Buffalo Creek Aquatic Habitat	67	Cabarrus	R5	C4	Etheostoma collis, Villosa constricta, Villosa delumbis, Villosa vaughaniana
Dutch Buffalo Creek Dam	757	Cabarrus	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Georgeville Sunflower Site	5	Cabarrus	R4	C5	Acmispon helleri
Hartsell Road Mesic Forest	15	Cabarrus	R2	C5	Lilium canadense var. canadense
Jesse Slagle Knoll	29	Cabarrus	R5	C4	Dry Basic Oak--Hickory Forest, Hexalectris spicata
Lentz Harness Shop Road Upland Depression	53	Cabarrus	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Upland Depression Swamp Forest
Lower Butcher Branch Depression Swamps	180	Cabarrus	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Upland Depression Swamp Forest
McLaughlin Road Basic Forest	40	Cabarrus	R5	C5	Dry Basic Oak--Hickory Forest
Miami Church Hill Rare Plant Site	435	Cabarrus	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Helianthus schweinitzii
Mount Pleasant Road Roadside	7	Cabarrus	R2	C4	Baptisia alba
New Testament Baptist Church Knoll and Seep	77	Cabarrus	R4	C5	Low Elevation Seep (Floodplain Subtype)
Old Bell Mission Church Forest	49	Cabarrus	R5	C5	Hexalectris spicata, Mesic Mixed Hardwood Forest (Piedmont Subtype)
Pine Bluff Church Road Roadside	8	Cabarrus	R4	C5	Baptisia alba
Reed Gold Mine Forests	831	Cabarrus	R5	C5	Baptisia alba, Dry Oak--Hickory Forest (Piedmont Subtype)
Reedy Creek Knoll and Beaver Pond	81	Cabarrus	R5	C4	Basic Mesic Forest (Piedmont Subtype), Dry Basic Oak--Hickory Forest
Rocky River Corridor	156	Cabarrus	R5	C5	Colonial Wading Bird Colony, Piedmont Levee Forest (Typic Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Stephens Church Forest	11	Cabarrus	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Suther Prairie	6	Cabarrus	R2	C4	Scirpus pendulus
Walker Road Hardpan Forest	12	Cabarrus	R5	C5	Xeric Hardpan Forest (Basic Hardpan Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Backbone Ridge	42	Caldwell	R4	C4	Low Elevation Rocky Summit (Acidic Subtype)
Blowing Rock Cliffs	24	Caldwell	R3	C3	Allium allegheniense, Liatris helleri, Rhytidium rugosum
Boone Fork/Johnnys Knob	1,320	Caldwell	R2	C4	Hexastylis contracta
Buffalo Cove Forests	10,254	Caldwell	R3	C4	Eumeces anthracinus, Hexastylis contracta
Buffalo Creek Gorge	968	Caldwell	R3	C4	Chestnut Oak Forest (White Pine Subtype), Low Elevation Acidic Glade (Grass Subtype), Low Mountain Pine Forest (Montane Pine Subtype)
Ginger Cascades	339	Caldwell	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (White Pine Subtype)
Globe Mountain/Tate Mountain	1,591	Caldwell	R5	C4	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Low Elevation Rocky Summit (Acidic Subtype), Montane Cliff (Acidic Herb Subtype), Pine--Oak / Heath (Typic Subtype), Spray Cliff
Gragg Forests	277	Caldwell	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Grandfather Mountain	6,367	Caldwell	R1	C1	Contact Natural Heritage Program for more information.
Green Mountain/Zacks Fork	1,358	Caldwell	R5	C4	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Montane Cliff (Acidic Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Pine--Oak / Heath (Typic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Guys Creek Rare Plant Site	119	Caldwell	R3	C5	Hexastylis contracta
Harper Creek/Yellow Buck Mountain	428	Caldwell	R5	C4	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Chestnut Oak Forest (Mesic Subtype), Low Elevation Rocky Summit (Acidic Subtype), Montane Cliff (Acidic Herb Subtype), Pine--Oak / Heath (Typic Subtype), Spray Cliff
Hibriten Mountain	157	Caldwell	R3	C4	Low Elevation Rocky Summit (Basic Subtype), Minuartia groenlandica, Papilio cresphontes
Jerry Mountain	343	Caldwell	R3	C4	Montane Oak--Hickory Forest (White Pine Subtype)
Johns River/Mulberry Creek Aquatic Habitat	196	Caldwell	R2	C4	Alasmidonta varicosa
Little Gunpowder Creek Rare Plant Site 1	4	Caldwell	R5	C5	Hexastylis naniflora
Little Gunpowder Creek Rare Plant Site 2	4	Caldwell	R5	C5	Hexastylis naniflora
Mills Knob	401	Caldwell	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Pine--Oak / Heath (Typic Subtype)
Mulberry Creek Rare Plant Site	167	Caldwell	R3	C5	Hexastylis contracta
Pack Hill/Thunderhole Creek	1,095	Caldwell	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Pine--Oak / Heath (Typic Subtype)
Patterson Bog	7	Caldwell	R3	C4	Epilobium ciliatum
Peaked Top Rare Plant Site	377	Caldwell	R3	C5	Hexastylis naniflora
Playmore Beach Rare Plant Site	148	Caldwell	R4	C5	Hexastylis contracta
Racket Creek Slopes	398	Caldwell	R4	C5	Acidic Cove Forest (Typic Subtype)
Rock Creek Rare Plant Site	9	Caldwell	R3	C5	Quercus prinoides
Rocky Knob	1,545	Caldwell	R3	C3	Acidic Cove Forest (Typic Subtype), Carolina Hemlock Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Neotoma magister

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Round Top Mountain	49	Caldwell	R3	C5	Hackelia virginiana
Upper Yadkin/Stone Mountain Outcrop	183	Caldwell	R5	C4	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Low Elevation Granitic Dome, Minuartia groenlandica, Pine--Oak / Heath (Typic Subtype)
Walker Hollow Ridge	617	Caldwell	R4	C4	Neotoma magister
Wilson Creek Aquatic Habitat	130	Caldwell	R1	C4	Contact Natural Heritage Program for more information.
Wilson Creek Gorge	6,296	Caldwell	R2	C3	Chestnut Oak Forest (Dry Heath Subtype), Monotropsis odorata, Rocky Bar and Shore (Mixed Bar Subtype), Thermopsis mollis
Wilson Creek Slopes/Lost Cove Creek/Thorps Creek	1,738	Caldwell	R2	C4	Montane Alluvial Forest (Small River Subtype)
Dismal Swamp State Park	15,036	Camden	R1	C3	Pond Pine Woodland (Northern Subtype)
Great Dismal Swamp National Wildlife Refuge and Vicinity	31,414	Camden	R3	C3	Callophrys hesseli, Nonriverine Swamp Forest (Cypress-Gum Subtype), Setophaga virens waynei, Trillium pusillum var. virginianum
Hunting Creek Pocosin and Marsh	4,516	Camden	R3	C3	Tidal Freshwater Marsh (Broadleaf Pondlily Subtype)
Indiantown Creek/North River Cypress Forest	1,947	Camden	R1	C3	Nonriverine Swamp Forest (Cypress-Gum Subtype)
North River/Crooked Creek Wetlands	2,960	Camden	R3	C4	Peatland Atlantic White Cedar Forest
North River/Great Creek Marshes and Swamp	3,427	Camden	R5	C5	Picoides borealis, Tidal Freshwater Marsh (Cattail Subtype), Tidal Freshwater Marsh (Sawgrass Subtype), Tidal Freshwater Marsh (Shrub Subtype)
Pasquotank River/Canal Junction Swamp	996	Camden	R5	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype), Nonriverine Swamp Forest (Mixed Subtype)
Shipyard Landing Natural Area	2,521	Camden	R5	C5	Peatland Atlantic White Cedar Forest, Tidal Swamp (Cypress--Gum Subtype)
The Green Sea	8,072	Camden	R2	C5	Pond Pine Woodland (Northern Subtype)
Whitehall Shores Hardwood Forest	85	Camden	R5	C4	Mesic Mixed Hardwood Forest (Coastal Plain Subtype), Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Atlantic Natural Area	8,263	Carteret	R1	C1	Ludwigia ravenii
Bogue Inlet/Bogue Sound Bird Nesting Islands	4,386	Carteret	R3	C4	Egretta tricolor, Sternula antillarum
Browns Island	672	Carteret	R3	C4	Pine/Scrub Oak Sandhill (Coastal Fringe Subtype)
Cedar Island Flatwoods and Bays	3,094	Carteret	R3	C3	Campylopus carolinae
Cedar Island Marshes	10,465	Carteret	R2	C4	Botaurus lentiginosus, Brackish Marsh (Salt Meadow Cordgrass Subtype), Circus cyaneus, Laterallus jamaicensis
Cedar Island/North Bay Barrier Strand	606	Carteret	R3	C3	Brackish Marsh (Needlerush Subtype), Maritime Dry Grassland (Typic Subtype), Maritime Shrub (Stunted Tree Subtype)
Cedar Point/White Oak River Marshes	347	Carteret	R4	C4	Coastal Fringe Evergreen Forest (Typic Subtype)
Cherry Point Piney Island	12,160	Carteret	R2	C3	Brackish Marsh (Salt Meadow Cordgrass Subtype), Circus cyaneus, Egretta thula, Eleocharis cellulosa, Gull-Tern-Skimmer Colony, Himantopus mexicanus, Laterallus jamaicensis, Malaclemys terrapin, Nerodia sipedon williamengelsi, Paspalum vaginatum, Plegadis falcinellus
Core Banks and Portsmouth Island	22,327	Carteret	R1	C1	Dermochelys coriacea, contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Core Sound (Wainwright) Bird Nesting Islands	18	Carteret	R3	C4	Pelecanus occidentalis
Emerald Isle Woods	38	Carteret	R3	C4	Interdune Pond, Maritime Evergreen Forest (Mid Atlantic Subtype)
Emerald Isle/West End Beach	159	Carteret	R2	C4	Contact Natural Heritage Program for more information.
Fort Macon State Park/Brandt Island	676	Carteret	R1	C2	Amaranthus pumilus, contact Natural Heritage Program for more information.
Hadnot Creek Natural Area	457	Carteret	R5	C5	Brackish Marsh (Needlerush Subtype)
Hadnot Creek Ponds and Longleaf Pine Woods	585	Carteret	R4	C2	Small Depression Pond (Open Lily Pond Subtype), Small Depression Shrub Border
Hibbs Road Pine Ridges	2,803	Carteret	R3	C3	Contact Natural Heritage Program for more information.
Hidden Savanna	61	Carteret	R3	C4	Calephelis virginiensis, contact Natural Heritage Program for more information.
Hoop Hole Creek Maritime Forest	25	Carteret	R2	C4	Oplismenus hirtellus ssp. setarius
Huggins/Dudley Island	1,248	Carteret	R2	C2	Arenaria lanuginosa var. lanuginosa, Parietaria praetermissa, Sageretia minutiflora, Solanum pseudogracile
Hunters Creek Flatwoods	424	Carteret	R4	C3	Dichanthelium sp. 9, Mesic Pine Savanna (Coastal Plain Subtype)
Hunters Creek Upland Forest	165	Carteret	R3	C4	Ponthieva racemosa, Scirpus lineatus
Jones Island/White Oak River	27	Carteret	R3	C5	Coastal Fringe Evergreen Forest (Typic Subtype), Solanum pseudogracile
Lake Ellis Simon	1,866	Carteret	R2	C3	Natural Lake Shoreline Swamp (Sweetgum Subtype), Phalacrocorax auritus
Masontown Pocosin	3,644	Carteret	R3	C4	Low Pocosin (Titi Subtype), Pocosin Opening (Sedge-Fern Subtype)
Millis Road Savannas and Pocosins	1,393	Carteret	R1	C1	Agrotis carolina, Hemipachnobia subporphyrea, Melanoplus decorus, contact Natural Heritage Program for more information.
Millis Swamp Road Pinewoods	346	Carteret	R2	C3	Melanoplus decorus
New Dump Island Bird Nesting Colony	11	Carteret	R3	C4	Gull-Tern-Skimmer Colony, Pelecanus occidentalis
Newport River Marsh	457	Carteret	R5	C5	Salt Marsh (Carolinian Subtype)
Nine Foot Road/Broad Creek Pinewoods	660	Carteret	R3	C2	Asclepias pedicellata, Hemipachnobia subporphyrea, Wet Pine Flatwoods (Typic Subtype)
Nine Foot Road/Roberts Road Limesink Ponds	736	Carteret	R2	C3	Litsea aestivalis
North River Brackish Marshes	2,050	Carteret	R3	C4	Himantopus mexicanus, Laterallus jamaicensis
Ocracoke Inlet Bird Nesting Islands	101	Carteret	R3	C4	Sterna hirundo
Patsy Pond Limesink Complex	712	Carteret	R1	C1	Pine/Scrub Oak Sandhill (Coastal Fringe Subtype), Small Depression Drawdown Meadow (Typic Subtype), Xeric Sandhill Scrub (Coastal Fringe Subtype)
Pettiford Creek Open Flatwoods	4,466	Carteret	R2	C1	Franclemontia interrogans
Phillips and Annex Islands	46	Carteret	R5	C4	Charadrius wilsonia, Colonial Wading Bird Colony, Gull-Tern-Skimmer Colony, Haematopus palliatus, Rynchops niger, Sterna hirundo
Pocosin Wilderness	18,938	Carteret	R2	C3	Natural Lake Shoreline Marsh (Typic Subtype)
Pringle Road Bay Rims	2,454	Carteret	R1	C2	Agrotis carolina
Rachel Carson Estuarine Research Reserve	1,954	Carteret	R2	C2	Charadrius melodus, Polygonum glaucum, Sesuvium portulacastrum, Tortula plinthobia
Radio Island	143	Carteret	R3	C5	Contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Salter Path Dunes Natural Area	32	Carteret	R2	C4	Amaranthus pumilus, contact Natural Heritage Program for more information.
Salter Path Maritime Forest	30	Carteret	R1	C4	Maritime Shrub Swamp (Dogwood Subtype)
Sand Bag Island Bird Nesting Colony	8	Carteret	R4	C5	Gull-Tern-Skimmer Colony
Sea Gate Woods	122	Carteret	R5	C5	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Shackleford Banks	5,466	Carteret	R2	C1	Dune Grass (Southern Subtype), Egretta caerulea, Gelochelidon nilotica, Interdune Marsh, Rynchops niger
Theodore Roosevelt State Natural Area	301	Carteret	R1	C3	Maritime Evergreen Forest (Mid Atlantic Subtype), Maritime Swamp Forest (Typic Subtype)
Union Point Pocosin	5,747	Carteret	R4	C4	High Pocosin (Evergreen Subtype), Low Pocosin (Titi Subtype)
Walkers Millpond and Black Creek	767	Carteret	R5	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype), Coastal Plain Semipermanent Impoundment (Open Water Subtype), Tidal Swamp (Cypress--Gum Subtype)
White Oak River Marshes and Swamps	3,788	Carteret	R1	C4	Tidal Red Cedar Forest
Bigelow Road Slopes	316	Caswell	R2	C3	Celastrus scandens, Hyla versicolor
Brumley Impoundment Mafic Slopes	37	Caswell	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Cane Creek Slopes	17	Caswell	R4	C5	Hyla versicolor
Caswell Upland Hardwood Forest	3,132	Caswell	R2	C3	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Country Line Creek Aquatic Habitat	149	Caswell	R3	C4	Etheostoma podostemone
Country Line Creek Bluffs	61	Caswell	R5	C5	Basic Mesic Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Country Line Creek Natural Area	2,306	Caswell	R2	C3	Basic Mesic Forest (Piedmont Subtype), Ranunculus micranthus
Country Line Creek/Milton Slopes	50	Caswell	R2	C5	Low Elevation Seep (Floodplain Subtype)
Dan River/Blanch Levee and Slopes	49	Caswell	R5	C4	Basic Mesic Forest (Piedmont Subtype), Phacelia covillei, Piedmont Bottomland Forest (Typic Low Subtype), Piedmont Levee Forest (Typic Subtype)
Dan River/Caswell Swamp and Levee	73	Caswell	R4	C4	Piedmont Swamp Forest
Dan River/Milton Floodplain and Slopes	75	Caswell	R5	C4	Basic Mesic Forest (Piedmont Subtype), Piedmont Bottomland Forest (Typic Low Subtype), Piedmont Levee Forest (Typic Subtype)
Frogsboro Flats	463	Caswell	R1	C3	Pycnanthemum torreyi, Xeric Hardpan Forest (Basic Hardpan Subtype)
Griers Church Road Ultramafic Forest	988	Caswell	R2	C4	Basic Mesic Forest (Piedmont Subtype), Lysimachia tonsa, Trifolium reflexum
Hogans Creek Floodplain and Slopes	941	Caswell	R4	C4	Piedmont Levee Forest (Typic Subtype)
Hogans Creek/NC 86 Hardwood Forest	110	Caswell	R3	C4	Hyla versicolor
Hyco Creek Slopes	249	Caswell	R5	C5	Dry Basic Oak--Hickory Forest, Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Alluvial Forest
Hyco Lake Slopes	199	Caswell	R5	C4	Basic Mesic Forest (Piedmont Subtype), Enemion biternatum, Ruellia purshiana
Hyco Lake Ultramafic Ravines	100	Caswell	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Long Road Mafic Uplands	64	Caswell	R3	C4	Hyla versicolor
Lynch Creek Hardwood Forest	60	Caswell	R3	C5	Agastache nepetoides

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Massey Road Hardpan Forest	201	Caswell	R2	C4	Mixed Moisture Hardpan Forest
River Bend Road Mafic Slopes	64	Caswell	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Russell Loop Road Dry Forest	64	Caswell	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
St. James Church Flats	160	Caswell	R3	C4	Hyla versicolor
Stony Creek Flats	121	Caswell	R4	C4	Xeric Hardpan Forest (Basic Hardpan Subtype)
Stony Creek Mountain	180	Caswell	R3	C4	Xeric Hardpan Forest (Basic Rocky Subtype)
Wolf Island Creek/Dan River Slopes	45	Caswell	R2	C4	Erigenia bulbosa
Baker Mountain	944	Catawba	R1	C3	Low Elevation Seep (Montane Subtype)
Catawba River Corridor	501	Catawba	R5	C5	Colonial Wading Bird Colony, Low Elevation Seep (Floodplain Subtype), contact Natural Heritage Program for more information.
Henry Fork River Slopes	39	Catawba	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Jacob Fork East Corridor	236	Catawba	R5	C4	Berberis canadensis, Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Levee Forest (Typic Subtype)
Jacob Fork West Corridor	738	Catawba	R3	C4	Stewartia ovata
Lake Norman Slopes and Shoreline	285	Catawba	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), contact Natural Heritage Program for more information.
Lake Norman State Park Natural Areas	89	Catawba	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Alluvial Forest, Piedmont Monadnock Forest (Typic Subtype)
Lyle Creek Corridor	108	Catawba	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Alluvial Forest
Murrays Mill/Upper Balls Creek Natural Area	101	Catawba	R4	C5	Hexastylis naniflora
Terrapin Creek Corridor	61	Catawba	R5	C5	Piedmont Alluvial Forest
Bear Creek (Chatham) Aquatic Habitat	48	Chatham	R3	C3	Gomphus septima
Bennett Mountain	84	Chatham	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Big Woods Road Upland Forests	2,116	Chatham	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Boothe Hill	117	Chatham	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Monotropsis odorata
Bush Creek Marshes	217	Chatham	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype), contact Natural Heritage Program for more information.
Cape Fear River/Buckhorn Levees	418	Chatham	R3	C4	Phacelia covillei, Piedmont Levee Forest (Typic Subtype)
Cape Fear River/McKay Island Floodplain	1,141	Chatham	R5	C4	Colonial Wading Bird Colony, Phacelia covillei, Piedmont Bottomland Forest (Typic Low Subtype), Piedmont Levee Forest (Typic Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Carbonton Diabase Sill	104	Chatham	R2	C5	Scutellaria leonardii
Collins Mountain	236	Chatham	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Cub Creek Bottomlands and Beaver Ponds	103	Chatham	R5	C5	Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Donnelley Hardpan Bog	81	Chatham	R1	C4	Upland Pool (Typic Piedmont Subtype)
Gulf Diabase Forest	7	Chatham	R2	C4	Collinsonia tuberosa
Gum Springs Church Road Slopes	285	Chatham	R5	C5	Dry Basic Oak--Hickory Forest, Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Haw River Aquatic Habitat	918	Chatham	R2	C3	Gomphus septima, Notropis mekistocholas
Haw River Dicentra Slopes	16	Chatham	R4	C5	Phacelia covillei
Haw River Levees and Bluffs	1,074	Chatham	R2	C4	Phacelia covillei
Herndon Creek Ravine	147	Chatham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Indian Creek Diabase Slope	16	Chatham	R3	C4	Collinsonia tuberosa
Kit Creek Slopes and Floodplain	55	Chatham	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Lagrange Diabase Bog	47	Chatham	R5	C5	Low Elevation Seep (Typic Subtype)
Lessler Montmorillonite Forest	70	Chatham	R4	C4	Xeric Hardpan Forest (Acidic Hardpan Subtype)
Little Indian Creek Galax Bluff	103	Chatham	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Little Terrells Creek Bottomland Forest	165	Chatham	R5	C5	Piedmont Alluvial Forest
Lower Deep River Slopes	611	Chatham	R3	C4	Piedmont Acidic Glade
Lower New Hope Creek Floodplain Forest and Slopes	1,831	Chatham	R3	C3	Low Elevation Seep (Typic Subtype), Piedmont Bottomland Forest (Typic Low Subtype)
Lower Rocky River/Lower Deep River Aquatic Habitat	397	Chatham	R1	C3	Notropis mekistocholas
Middle Deep River Aquatic Habitat	1,451	Chatham	R1	C1	Notropis mekistocholas, Toxolasma pullus
Moncure Boggy Streamheads	269	Chatham	R4	C5	Piedmont Boggy Streamhead
Morgan Creek Floodplain Forest	1,589	Chatham	R2	C3	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
NC 902 Laurel Bluffs	473	Chatham	R3	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
New Hope Overlook Bluff and Slopes	406	Chatham	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
North Edwards Ridge	120	Chatham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Northeast Creek Floodplain Forest	984	Chatham	R4	C4	Gillenia stipulata
Northeast Creek/Panther Creek Dikes and Bottomlands	499	Chatham	R4	C4	Piedmont Bottomland Forest (High Subtype)
Ore Hill	185	Chatham	R1	C4	Xeric Hardpan Forest (Acidic Hardpan Subtype)
Parkers Creek Ridges	227	Chatham	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Pittsboro Wilderness	1,831	Chatham	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Poes Ridge/Dam Road Upland Forests	178	Chatham	R4	C4	Phacelia covillei
Robeson Creek Depression and Hardpan	33	Chatham	R5	C4	Dry Oak--Hickory Forest (Piedmont Subtype), Mixed Moisture Hardpan Forest, Upland Depression Swamp Forest
Robeson Creek Slopes	140	Chatham	R5	C5	Basic Mesic Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Rock Rest Mafic Islands and Shore	764	Chatham	R5	C5	Phacelia covillei, Piedmont Alluvial Forest
Rocky River Basalt Bluffs and Levees	655	Chatham	R3	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Rocky Bar and Shore (Water Willow Subtype)
Rocky River Dragonfly Riffles	262	Chatham	R3	C5	Piedmont Alluvial Forest
Shaddox Creek Swamp	23	Chatham	R5	C5	Piedmont Swamp Forest
Terrells Creek Galax Bluffs	71	Chatham	R5	C5	Piedmont/Coastal Plain Heath Bluff, contact Natural Heritage Program for more information.
Terrells Mountain	189	Chatham	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Upper Cape Fear River Aquatic Habitat	1,885	Chatham	R1	C1	Moxostoma sp. 3
Upper Rocky River Aquatic Habitat	239	Chatham	R1	C3	Gomphus septima
Weaver Creek Pine Forest	582	Chatham	R5	C5	Dry Piedmont Longleaf Pine Forest
White Oak Creek Floodplain	614	Chatham	R2	C4	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
White Pines Natural Area	539	Chatham	R1	C3	Ptilimnium nodosum
Wood's Mill Bend	230	Chatham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Big Choga Creek Slopes	798	Cherokee	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), High Elevation Red Oak Forest (Typic Herb Subtype), Northern Hardwood Forest (Typic Subtype)
Big Peachtree Bald	1,015	Cherokee	R4	C4	Carex purpurifera
Brasstown Creek Aquatic Habitat	62	Cherokee	R1	C4	Moxostoma sp. 2, Villosa iris
Buck Knob	227	Cherokee	R2	C3	Carex purpurifera
Die Bend/Crowder Bluff	59	Cherokee	R1	C4	Montane Alluvial Forest (Large River Subtype)
Farmer Top	302	Cherokee	R3	C4	Montane Oak--Hickory Forest (Low Dry Subtype)
Fires Creek Watershed	13,373	Cherokee	R2	C4	Stewartia ovata
Gipp Creek Watershed	4,594	Cherokee	R5	C5	Montane Oak--Hickory Forest (Acidic Subtype)
Hamby Bend (Lake Appalachia)	612	Cherokee	R4	C4	Low Mountain Pine Forest (Montane Pine Subtype), Stewartia ovata
Hanging Dog Creek Aquatic Habitat	32	Cherokee	R3	C4	Moxostoma sp. 2
Hanging Dog Mountain (High Top/Rocky Top)	194	Cherokee	R3	C4	Trientalis borealis
Hiwassee Church Bluffs	48	Cherokee	R3	C5	Montane Cliff (Acidic Herb Subtype)
Hiwassee Lake Rare Plant Site	360	Cherokee	R2	C4	Spigelia marilandica
Lake Appalachia Old-Growth Site	81	Cherokee	R4	C4	Low Mountain Pine Forest (Montane Pine Subtype), Montane Oak--Hickory Forest (Low Dry Subtype)
Long Ridge/Unicoi Mountains	2,081	Cherokee	R2	C4	Symphyotrichum shortii
Lower Hiwassee River Aquatic Habitat	37	Cherokee	R1	C3	Elimia christyi, Fusconaia barnesiana, Villosa trabalis
North Shoal Creek Falls	23	Cherokee	R2	C4	Chiloscyphus appalachianus
Pack Mountain	341	Cherokee	R5	C5	Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Peels High Top/Cantrell Top (Unicois)	1,523	Cherokee	R2	C4	Symphyotrichum shortii
Piercy Bald/London Bald	846	Cherokee	R5	C5	Acidic Cove Forest (Typic Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Montane Oak--Hickory Forest (Basic Subtype)
Piercy Range/Kennedy Top	1,156	Cherokee	R4	C5	Low Mountain Pine Forest (Montane Pine Subtype)
Rocky Knob (Cherokee County)	963	Cherokee	R3	C3	Trientalis borealis
Shuler Creek Wetland Complex	183	Cherokee	R3	C4	Low Elevation Seep (Piedmont/Mountain Springhead Subtype), White Pine Forest

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Turner Top	928	Cherokee	R3	C4	Symphyotrichum shortii
Upper Hiwassee River Aquatic Habitat	405	Cherokee	R1	C3	Elimia christyi, Pleurobema oviforme
Valley River Aquatic Habitat	216	Cherokee	R2	C3	Moxostoma sp. 2
Weatherman Bald	549	Cherokee	R3	C4	High Elevation Red Oak Forest (Orchard Forest Subtype)
White Oak Mountain	1,562	Cherokee	R5	C4	Montane Oak--Hickory Forest (Acidic Subtype), Northern Hardwood Forest (Typic Subtype), Pine--Oak / Heath (Typic Subtype), Rich Cove Forest (Montane Rich Subtype), Rich Montane Seep
Will Scott Mountain	243	Cherokee	R2	C4	Montane Oak--Hickory Forest (Low Dry Subtype)
Cherry Point Woods	191	Chowan	R5	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Chowan River Aquatic Habitat	27,339	Chowan	R3	C4	Acipenser brevirostrum, Anodonta implicata, Leptodea ochracea, Ligumia nasuta
Chowan Swamp	24,622	Chowan	R3	C3	Tidal Freshwater Marsh (Mixed Freshwater Subtype)
Drummond Point Woods	389	Chowan	R2	C5	Ceratophyllum australe
Gallberry Swamp	320	Chowan	R5	C5	Nonriverine Swamp Forest (Mixed Subtype)
Holiday Island	182	Chowan	R4	C5	Carex decomposita
Lower Indian Creek Swamp and Ravine	249	Chowan	R3	C4	Malaxis spicata
Reedy Point Swamp	2,773	Chowan	R5	C5	Pond Pine Woodland (Typic Subtype), contact Natural Heritage Program for more information.
Rocky Hock Swamp Forest	92	Chowan	R5	C5	Nonriverine Swamp Forest (Mixed Subtype)
Snow Hill Bay	193	Chowan	R5	C5	Nonriverine Swamp Forest (Mixed Subtype)
Warwick Creek Oak Flats and Slopes	448	Chowan	R3	C5	Cypress--Gum Swamp (Intermediate Subtype)
Big Choga Creek Slopes	798	Clay	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), High Elevation Red Oak Forest (Typic Herb Subtype), Northern Hardwood Forest (Typic Subtype)
Big Peachtree Bald	1,015	Clay	R4	C4	Carex purpurifera
Brasstown Creek Aquatic Habitat	62	Clay	R1	C4	Moxostoma sp. 2, Villosa iris
Buck Creek Bog	2	Clay	R5	C4	Contact Natural Heritage Program for more information.
Buck Creek Serpentinized Olivine Barrens	345	Clay	R1	C1	Schlotheimia lancifolia, Speyeria aphrodite cullasaja, Symphyotrichum rhiannon, Ultramafic Outcrop Barren (Pitch Pine Subtype), Ultramafic Outcrop Barren (White Oak Subtype)
Chunky Gal/Riley Knob	517	Clay	R1	C4	High Elevation White Oak Forest
Clear Creek Bog/Stephens Branch Bog	22	Clay	R3	C4	Helenium brevifolium, Solidago uliginosa
Eller Seep	48	Clay	R1	C4	Juncus caesariensis, Low Mountain Seepage Bog, contact Natural Heritage Program for more information.
Fires Creek Aquatic Habitat	64	Clay	R1	C4	Cambarus parrishi
Fires Creek Watershed	13,373	Clay	R2	C4	Stewartia ovata
Glade Gap Slopes	538	Clay	R1	C3	Contact Natural Heritage Program for more information.
Hothouse Branch/Shooting Creek Aquatic Habitat	20	Clay	R2	C4	Cambarus parrishi
Nantahala River Woodland Pond	5	Clay	R2	C4	Eurycea longicauda
Pickens Nose/Little Ridgepole Mountain	4,874	Clay	R1	C2	High Elevation Red Oak Forest (Stunted Woodland Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Rainbow Springs Preserve	947	Clay	R2	C3	Carex woodii, Piedmont/Mountain Semipermanent Impoundment (Montane Marsh Subtype), Viola walteri var. appalachiensis
Standing Indian Mountain	4,163	Clay	R1	C1	Heath Bald (Low Elevation Subtype), Heath Bald (Southern Mixed Subtype), Stachys clingmanii
Tallulah River Headwaters Salamander Site	1,358	Clay	R1	C5	Desmognathus folkertsi
Tusquitee Creek/Big Tuni Creek Aquatic Habitat	74	Clay	R1	C4	Cambarus parrishi
Upper Hiwassee River Aquatic Habitat	405	Clay	R1	C3	Elimia christyi, Pleurobema oviforme
Weatherman Bald	549	Clay	R3	C4	High Elevation Red Oak Forest (Orchard Forest Subtype)
White Oak Mountain	1,562	Clay	R5	C4	Montane Oak--Hickory Forest (Acidic Subtype), Northern Hardwood Forest (Typic Subtype), Pine--Oak / Heath (Typic Subtype), Rich Cove Forest (Montane Rich Subtype), Rich Montane Seep
White Oak Stamp	583	Clay	R4	C4	High Elevation Red Oak Forest (Typic Herb Subtype), Northern Hardwood Forest (Rich Subtype)
Beaverdam Creek Natural Area	22	Cleveland	R5	C5	Hexastylis naniflora, Mesic Mixed Hardwood Forest (Piedmont Subtype)
Broad River/Sandy Run Natural Areas	1,624	Cleveland	R2	C3	Phacelia maculata
Brushy Creek Bluff	7	Cleveland	R5	C5	Hexastylis naniflora
Buffalo Creek Rare Plant Site	323	Cleveland	R5	C5	Hexastylis naniflora
Crowders Mountain State Park and Vicinity	3,478	Cleveland	R2	C2	Asplenium bradleyi, Juniperus communis var. depressa, Thermopsis mollis
First Broad Hop-Hornbeam Natural Area	18	Cleveland	R4	C4	Piedmont Cliff (Basic Subtype)
First Broad Leatherwood Slope	14	Cleveland	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
First Broad River Headwaters Aquatic Habitat	123	Cleveland	R1	C5	Cambarus lenati
First Broad/Five Points Bluff	6	Cleveland	R5	C5	Piedmont/Coastal Plain Heath Bluff
Hicks Hill Bluffs and Forests	49	Cleveland	R5	C4	Hexastylis naniflora, Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
High Rock/Gilead Ridge	285	Cleveland	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Knob Creek Natural Area	7	Cleveland	R5	C5	Hexastylis naniflora
Rollins/South Mountains Natural Area	17,533	Cleveland	R1	C1	Low Elevation Rocky Summit (Basic Subtype), Plethodon meridianus
Sandy Run/Cliffside Natural Area	7	Cleveland	R5	C5	Hexastylis naniflora
Sandy Run/Lovelace Natural Area	14	Cleveland	R5	C5	Hexastylis naniflora
South Mountains Henry Fork Watershed	6,320	Cleveland	R1	C2	Contact Natural Heritage Program for more information.
South Mountains Jacob Fork Watershed	7,318	Cleveland	R2	C2	Fothergilla major, Liatris turgida, Montane Oak--Hickory Forest (White Pine Subtype), contact Natural Heritage Program for more information.
West Shelby Mesic Slope	1	Cleveland	R5	C5	Hexastylis naniflora
Big Sandy Ridge	1,465	Columbus	R2	C3	Chrysoma pauciflosculosa, Condylura cristata pop. 1, Solidago leavenworthii
Big Swamp/Old Whiteville Road	556	Columbus	R2	C4	Blackwater Bottomland Hardwoods (High Subtype)
Bluff Swamp/Princess Ann Swamp	5,374	Columbus	R2	C3	Ditrysinia fruticosa, contact Natural Heritage Program for more information.
Bryant Mill (Greenbank) Bluff	382	Columbus	R1	C3	Coastal Plain Cliff
Cove Swamp	517	Columbus	R3	C5	Epidendrum magnoliae

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Cross Bay Savanna	267	Columbus	R3	C4	Sporobolus teretifolius, contact Natural Heritage Program for more information.
Crusoe Island Savanna	50	Columbus	R2	C3	Sporobolus teretifolius
Cypress Creek Bay	227	Columbus	R2	C3	Drosera filiformis
Friar Swamp	7,161	Columbus	R1	C3	Swamp Island Evergreen Forest
Highway 130/Waccamaw River Rare Plant Site	19	Columbus	R2	C4	Helenium vernale, Pityopsis graminifolia var. graminifolia
Highway 905/Seven Creeks Rare Species Site	22	Columbus	R2	C4	Cyperus virens
Hoy Savanna Remnant	17	Columbus	R4	C4	Wet Loamy Pine Savanna
Juniper Creek Floodplain	21,254	Columbus	R1	C2	Blackwater Bottomland Hardwoods (Evergreen Subtype)
Juniper Creek/Driving Creek Aquatic Habitat	100	Columbus	R1	C5	Elassoma boehlkei
Lake Waccamaw Aquatic Habitat	8,833	Columbus	R1	C1	Amnicola sp. 1, Catinella waccamawensis, Cincinnatia sp. 1, Coastal Plain Marl Outcrop (Lake Shore Subtype), Elliptio waccamawensis, Etheostoma perlongum, Fundulus waccamensis, Lampsilis fullerkati, Menidia extensa, Noturus sp. 2
Lake Waccamaw/Council Ridge	1,392	Columbus	R1	C2	Natural Lake Shoreline Marsh (Lake Waccamaw Pond-Lily Subtype), Natural Lake Shoreline Swamp (Lake Waccamaw Subtype)
Lay's Lake	110	Columbus	R2	C4	Mycteria americana
Lumber River Swamp/Devils Elbow	842	Columbus	R3	C4	Ditrysinia fruticosa
Mark Pine Bay Cooleys Meadowrue Site	42	Columbus	R2	C3	Helenium pinnatifidum
Meares Millpond	136	Columbus	R2	C4	Coastal Plain Semipermanent Impoundment (Open Water Subtype)
Neils Eddy Landing	138	Columbus	R2	C4	Carex socialis, Coastal Plain Cliff
Net Hole/Buck Landing Swamp	2,082	Columbus	R2	C3	Acmella repens, Macbridea caroliniana
Old Dock Savanna	352	Columbus	R1	C2	Sporobolus teretifolius
Parkers Landing Sand Ridge	68	Columbus	R3	C4	Pine/Scrub Oak Sandhill (Coastal Fringe Subtype)
Schulkens Savanna	410	Columbus	R2	C2	Andropogon mohrii, Plantago sparsiflora, Rhynchospora galeana, Sporobolus teretifolius
Tabor City Longleaf Stand	48	Columbus	R5	C5	Mesic Pine Savanna (Coastal Plain Subtype)
Upper Waccamaw River Swamp	13,090	Columbus	R1	C3	Blackwater Levee/Bar Forest
Waccamaw Island Savanna and Bottomlands	1,586	Columbus	R1	C1	Sand and Mud Bar (Blackwater Drawdown Bar Subtype)
Waccamaw River Aquatic Habitat	494	Columbus	R1	C1	Elassoma boehlkei, Elliptio waccamawensis, Etheostoma perlongum, Fimbristylis perpusilla, Hymenocallis pygmaea, Menidia extensa, Noturus sp. 2
Waccamaw River Cross Swamp Bottomlands	648	Columbus	R1	C4	Blackwater Bottomland Hardwoods (Evergreen Subtype), Hymenocallis pygmaea
Waccamaw River Oxbow Site	1,477	Columbus	R1	C2	Ludwigia brevipes, Sand and Mud Bar (Blackwater Sand Bar Subtype)
Waccamaw River Reeves and Gore Lake Bottomlands	747	Columbus	R1	C3	Fimbristylis perpusilla, Sand and Mud Bar (Blackwater Drawdown Bar Subtype)
Wards Lake	46	Columbus	R2	C3	Hymenocallis pygmaea, Sand and Mud Bar (Blackwater Drawdown Bar Subtype)
White Marsh Swamp	5,481	Columbus	R2	C5	Sagittaria weatherbiana
Winnie Moore Bay Flatwoods	101	Columbus	R2	C4	Small Depression Drawdown Meadow (Boggy Pool Subtype)
Billfinger Road Flatwoods	74	Craven	R3	C4	Solidago verna
Brice Creek Swamps	724	Craven	R5	C5	Tidal Swamp (Cypress--Gum Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Catfish Lake/Catfish Lake South Wilderness	9,718	Craven	R1	C2	Condylura cristata pop. 1, Natural Lake Shoreline Swamp (Sweetgum Subtype)
Cherry Point Tucker Creek Natural Area	1,233	Craven	R2	C4	Elymus virginicus var. halophilus
Cool Springs Sand Ridge and Swamp	1,492	Craven	R2	C2	Bay Forest, Leersia lenticularis, Small Depression Drawdown Meadow (Boggy Pool Subtype), Solidago villosicarpa
Deep Gully	72	Craven	R2	C4	Coastal Plain Marl Outcrop (Bluff Subtype)
Dover Bay Pocosin	2,442	Craven	R5	C4	High Pocosin (Evergreen Subtype), Nonriverine Swamp Forest (Mixed Subtype), Pine/Scrub Oak Sandhill (Mixed Oak Subtype), Pond Pine Woodland (Typic Subtype)
Duck Creek/Upper Broad Creek Natural Area	5,363	Craven	R3	C3	Coastal Plain Semipermanent Impoundment (Typic Marsh Subtype), Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype), Small Depression Drawdown Meadow (Boggy Pool Subtype)
Flanner Beach Natural Area	269	Craven	R2	C4	Euphyes dukesi dukesi
Fort Barnwell Bluffs	25	Craven	R2	C4	Cystopteris tennesseensis
Great Lake/Pond Pine Wilderness Natural Area	3,186	Craven	R1	C4	Natural Lake Shoreline Swamp (Sweetgum Subtype)
Gum Swamp Bottomland Hardwood Forest	35	Craven	R3	C4	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Hancock Creek Forest	116	Craven	R5	C4	Coastal Fringe Evergreen Forest (Typic Subtype), Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype)
Havelock Station Flatwoods and Powerline Corridor	1,285	Craven	R2	C2	Cirsium lecontei
Lake Ellis Simon	1,866	Craven	R2	C3	Natural Lake Shoreline Swamp (Sweetgum Subtype), Phalacrocorax auritus
Little Lake/Long Lake/Sheep Ridge Wilderness	11,851	Craven	R1	C3	Low Pocosin (Titi Subtype)
Little Road Longleaf Pine Savannas	404	Craven	R1	C2	Contact Natural Heritage Program for more information.
Masontown Pocosin	3,644	Craven	R3	C4	Low Pocosin (Titi Subtype), Pocosin Opening (Sedge-Fern Subtype)
Neuse River Floodplain and Bluffs	11,938	Craven	R2	C5	Brownwater Levee Forest (Low Levee Subtype), Cypress--Gum Swamp (Brownwater Subtype)
Northwest Pocosin	10,767	Craven	R4	C5	High Pocosin (Evergreen Subtype)
Paupers Island/Goodwin Creek Natural Area	137	Craven	R2	C4	Ponthieva racemosa
Pocosin Wilderness	18,938	Craven	R2	C3	Natural Lake Shoreline Marsh (Typic Subtype)
Reedy Branch	18	Craven	R2	C4	Asplenium heteroresiliens
Riverdale Goldenrod Roadsides	12	Craven	R4	C5	Solidago verna
Shell Landing	2	Craven	R1	C4	Asplenium heteroresiliens
Southwest Prong Flatwoods	303	Craven	R2	C2	Mesic Pine Savanna (Coastal Plain Subtype), Paspalum dissectum, Platanthera nivea
Sweetwater Creek/Trent River Natural Area	497	Craven	R1	C4	Minuartia godfreyi
Trent River/Brice Creek Marshes	245	Craven	R5	C5	Tidal Freshwater Marsh (Giant Cordgrass Subtype)
Union Point Pocosin	5,747	Craven	R4	C4	High Pocosin (Evergreen Subtype), Low Pocosin (Titi Subtype)
Big Pond Bay	183	Cumberland	R1	C4	Lindera melissifolia
Big White Bay	3,673	Cumberland	R2	C3	Small Depression Pocosin (Blueberry Subtype)
Bonnie Doone Natural Area	549	Cumberland	R3	C2	Dichanthelium sp. 9, Eriocaulon texense, Myriophyllum laxum, Xeric Sandhill Scrub (Typic Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Bushy Lake State Natural Area	2,361	Cumberland	R1	C3	Small Depression Drawdown Meadow (Boggy Pool Subtype)
Camp Rockfish Natural Area	557	Cumberland	R2	C3	Eupatorium resinosum
Cape Fear Botanical Garden	61	Cumberland	R5	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Cape Fear River Bluff	44	Cumberland	R4	C5	Enemion biternatum, Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Carvers Creek Sandhills	2,041	Cumberland	R2	C2	Pyxidanthera brevifolia, Schoenoplectus etuberculatus, contact Natural Heritage Program for more information.
Carvers Falls	123	Cumberland	R2	C5	Coastal Plain Cliff
Clark Park Natural Area	86	Cumberland	R5	C4	Brownwater Levee Forest (High Levee Subtype), Enemion biternatum, Mesic Mixed Hardwood Forest (Coastal Plain Subtype), Piedmont/Coastal Plain Heath Bluff
Cypress Lakes	220	Cumberland	R5	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype), Coastal Plain Small Stream Swamp
Ferrydell	56	Cumberland	R4	C5	Carex jamesii
Fort Bragg Natural Area (Central Area)	105,099	Cumberland	R1	C1	Amorpha georgiana, Campylopus carolinae, Coastal Plain Semipermanent Impoundment (Sandhills Marsh Subtype), Lindera subcoriacea, Lobelia boykinii, Mesic Pine Savanna (Sandhills Subtype), Peatland Canebrake, Pine/Scrub Oak Sandhill (Clay/Rock Hilltop Subtype), Pteroglossaspis ecristata, Rhus michauxii, Rhynchospora crinipes, Sagittaria macrocarpa, Sandhill Seep (Very Wet Subtype), Schwalbea americana, Streamhead Canebrake, Vernal Pool (Typic Subtype), Very Wet Loamy Pine Savanna, contact Natural Heritage Program for more information.
Fort Bragg Natural Area (Little River Area)	6,325	Cumberland	R1	C1	Blackwater Levee/Bar Forest, Mesic Pine Savanna (Little River Subtype), Mesic Pine Savanna (Sandhills Subtype), Rhynchospora crinipes, Sand and Mud Bar (Blackwater Sand Bar Subtype)
Fort Bragg Natural Area (Northeast Area)	9,629	Cumberland	R1	C1	Coastal Plain Semipermanent Impoundment (Sandhills Mire Subtype)
Fort Bragg Natural Area (Overhills Area)	18,114	Cumberland	R1	C1	Coastal Plain Semipermanent Impoundment (Sandhills Mire Subtype), Dichanthelium sp. 9
Godwin Cape Fear River Bluffs	255	Cumberland	R3	C5	Basic Mesic Forest (Coastal Plain Subtype)
Gordon Butler/Hope Mills Preserve	33	Cumberland	R5	C4	Pine/Scrub Oak Sandhill (Blackjack Subtype), Pyxidanthera brevifolia, Streamhead Pocosin
Horseshoe Bends	192	Cumberland	R3	C5	Hexalectris spicata
Horseshoe Lake (Suggs Mill Pond) and Marshy Bay	13,681	Cumberland	R1	C1	High Pocosin (Deciduous Subtype)
Jessups Pond and White Pond Bay	509	Cumberland	R3	C4	Ruellia ciliosa
Little Alligator Swamp	618	Cumberland	R4	C4	Xyris chapmanii
Long Valley Farm Natural Area	790	Cumberland	R3	C5	Chelone cuthbertii
Lower Little River (Cumberland/Harnett) Corridor	1,697	Cumberland	R1	C4	Cape Fear Valley Mixed Bluff Forest
Manchester Sandhills	926	Cumberland	R3	C4	Mesic Pine Savanna (Sandhills Subtype)
Methodist College Hardwood Slopes	108	Cumberland	R3	C4	Basic Mesic Forest (Coastal Plain Subtype), Enemion biternatum, contact Natural Heritage Program for more information.
Mill Bay Natural Area	1,629	Cumberland	R2	C3	Low Pocosin (Gallberry-Fetterbush Subtype)
Overhills Little River Terrace	1,342	Cumberland	R1	C1	Mesic Pine Savanna (Little River Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Rhodes Pond	258	Cumberland	R1	C4	Ludwigia brevipes
River Oaks Preserve	141	Cumberland	R3	C5	Basic Mesic Forest (Coastal Plain Subtype)
River Road Hardwoods	457	Cumberland	R2	C4	Carex jamesii
Rockfish Creek Corridor	1,419	Cumberland	R1	C4	Cape Fear Valley Mixed Bluff Forest
Simmons Mill Pond	804	Cumberland	R3	C4	High Pocosin (Deciduous Subtype)
Slocomb Road Mesic Forest	646	Cumberland	R2	C5	Basic Mesic Forest (Coastal Plain Subtype)
Smith Grove Ravines	348	Cumberland	R2	C4	Phacelia covillei
South River Aquatic Habitat	413	Cumberland	R2	C4	Cyprinella sp. 1
Upper Cape Fear River Aquatic Habitat	1,885	Cumberland	R1	C1	Moxostoma sp. 3
Upper South River Floodplain	3,013	Cumberland	R5	C5	Cypress--Gum Swamp (Blackwater Subtype)
Willis Creek Ravine	248	Cumberland	R2	C4	Cape Fear Valley Mixed Bluff Forest
Bell Point Marsh	299	Currituck	R5	C5	Tidal Freshwater Marsh (Giant Cordgrass Subtype), Tidal Freshwater Marsh (Needlerush Subtype)
Buckskin Creek/Great Swamp	3,729	Currituck	R3	C4	Nonriverine Swamp Forest (Cypress-Gum Subtype), Trillium pusillum var. virginianum
Church Island Marsh	2,359	Currituck	R1	C4	Tidal Freshwater Marsh (Oligohaline Low Marsh Subtype)
Currituck Banks/Corolla Natural Area	1,091	Currituck	R3	C5	Maritime Shrub (Wax-Myrtle Subtype), Maritime Swamp Forest (Typic Subtype)
Currituck Banks/Swan Island Natural Area	6,916	Currituck	R1	C1	Calcareous Coastal Fringe Forest (Northern Subtype), Dune Grass (Northern Subtype), Maritime Wet Grassland (Switchgrass Subtype), Tidal Freshwater Marsh (Needlerush Subtype), Tidal Freshwater Marsh (Threesquare Subtype)
Gibbs Woods/Tull Bay Marshes	1,838	Currituck	R1	C3	Nonriverine Wet Hardwood Forest (Oak-Gum Slough Subtype)
Great Marsh	6,038	Currituck	R1	C3	Estuarine Fringe Pine Forest (Pond Pine Subtype), Tidal Freshwater Marsh (Needlerush Subtype), Tidal Freshwater Marsh (Threesquare Subtype)
Harbinger Marshes	758	Currituck	R3	C4	Marsh Hammock
Indiantown Creek/North River Cypress Forest	1,947	Currituck	R1	C3	Nonriverine Swamp Forest (Cypress-Gum Subtype)
Lower Tull Creek Woods and Marsh	857	Currituck	R5	C4	Estuarine Fringe Pine Forest (Loblolly Pine Subtype), Nonriverine Wet Hardwood Forest (Oak Flat Subtype), Tidal Freshwater Marsh (Giant Cordgrass Subtype), Tidal Freshwater Marsh (Needlerush Subtype), Tidal Swamp (Cypress--Gum Subtype)
Mamie Marshes and Ponds	1,369	Currituck	R1	C3	Estuarine Beach Forest
Maple Swamp Gordonia Forest	4,809	Currituck	R2	C5	Bay Forest
Monkey Island Heronry	9	Currituck	R2	C4	Egretta caerulea
Nellie Bell Ponds and Marsh	2,320	Currituck	R2	C3	Ludwigia alata, Tidal Freshwater Marsh (Oligohaline Low Marsh Subtype)
North River/Crooked Creek Wetlands	2,960	Currituck	R3	C4	Peatland Atlantic White Cedar Forest
North River/Deep Creek Marshes and Forest	5,956	Currituck	R2	C4	Tidal Freshwater Marsh (Giant Cordgrass Subtype), Tidal Freshwater Marsh (Needlerush Subtype), Tidal Freshwater Marsh (Threesquare Subtype)
North River/Great Swamp	9,985	Currituck	R5	C5	Nonriverine Swamp Forest (Mixed Subtype), Tidal Swamp (Cypress--Gum Subtype)
Pine Island/Currituck Club Natural Area	3,741	Currituck	R2	C2	Limosella australis
The Green Sea	8,072	Currituck	R2	C5	Pond Pine Woodland (Northern Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Troublesome Point/Gibbs Point Forests and Marshes	2,006	Currituck	R1	C2	Tidal Freshwater Marsh (Oligohaline Low Marsh Subtype), Tidal Freshwater Marsh (Shoreline Lawn Subtype)
Upper Northwest River Marsh	1,575	Currituck	R1	C3	Estuarine Fringe Pine Forest (Pond Pine Subtype)
Alligator River Refuge/Southeast Marshes	13,834	Dare	R2	C4	Canis rufus, Poanes aaroni aaroni, Tidal Freshwater Marsh (Sawgrass Subtype)
Alligator River Swamp Forest	39,605	Dare	R1	C1	Canis rufus, Natural Lake Shoreline Marsh (Typic Subtype), Nonriverine Swamp Forest (Sweetgum Subtype), Peatland Atlantic White Cedar Forest, contact Natural Heritage Program for more information.
Alligator River/South Lake Swamp Forest	6,810	Dare	R2	C3	Canis rufus
Alligator River/Swan Creek Lake Swamp Forest	27,169	Dare	R2	C3	Nonriverine Swamp Forest (Mixed Subtype), Peatland Atlantic White Cedar Forest, Seminatrix pygaea
Bodie Island Lighthouse Pond	255	Dare	R2	C4	Eleocharis halophila
Bodie Island Ponds Marshes and Dunes	2,007	Dare	R1	C4	Stable Dune Barren (Beach Heather Subtype)
Buxton Woods	3,972	Dare	R1	C1	Interdune Marsh, Interdune Pond, Maritime Evergreen Forest (Mid Atlantic Subtype), Maritime Shrub Swamp (Dogwood Subtype), Maritime Shrub Swamp (Willow Subtype), Maritime Wet Grassland (Southern Hairgrass Subtype), Peromyscus leucopus buxtoni, Trichostema sp. 1
Cape Hatteras Point	428	Dare	R1	C2	Dichanthelium caerulescens
Clam Shoal	73	Dare	R5	C5	Gull-Tern-Skimmer Colony
Dare County Pocosin	42,477	Dare	R1	C2	Canis rufus, Low Pocosin (Gallberry-Fetterbush Subtype), Melanoplus decorus, Nonriverine Swamp Forest (Sweetgum Subtype), Pocosin Opening (Cranberry Subtype), Sorex sp. 1
Durant Island	3,995	Dare	R5	C5	Colonial Wading Bird Colony, contact Natural Heritage Program for more information.
Faircloth Road Pond Pine Pocosin	4,054	Dare	R2	C4	Hemipachnobia monochromatea
Fort Raleigh Maritime Forest	195	Dare	R4	C4	Maritime Evergreen Forest (Mid Atlantic Subtype), Papilio cresphontes
Gull Island	69	Dare	R3	C4	Pelecanus occidentalis
Hatteras Inlet Bird Nesting Islands	56	Dare	R2	C3	Pelecanus occidentalis, Sterna hirundo
Hatteras Island Middle Section	3,027	Dare	R1	C3	Maritime Shrub Swamp (Red Bay Subtype)
Hatteras Sand Flats	481	Dare	R2	C2	Interdune Pond, Trichostema sp. 1
Jockeys Ridge State Park	369	Dare	R1	C3	Live Dune Barren
Kitty Hawk Bay Islands	412	Dare	R5	C5	Brackish Marsh (Needlerush Subtype)
Kitty Hawk Woods	1,450	Dare	R1	C3	Maritime Deciduous Forest, Maritime Swamp Forest (Typic Subtype)
Long Shoal River Marshes and Pocosins	10,751	Dare	R2	C4	Estuarine Fringe Pine Forest (Pond Pine Subtype)
Mashoes Marshes	5,114	Dare	R1	C3	Pocosin Opening (Cranberry Subtype)
Mashoes Pocosin	14,541	Dare	R2	C4	Bidens trichosperma
Mother Vineyard Natural Area	154	Dare	R5	C5	Brackish Marsh (Needlerush Subtype), Estuarine Fringe Pine Forest (Loblolly Pine Subtype), Tidal Freshwater Marsh (Sawgrass Subtype)
Nags Head Woods/Run Hill	1,603	Dare	R1	C2	Interdune Pond, Live Dune Barren, Maritime Deciduous Forest, Maritime Shrub Swamp (Red Bay Subtype)
Oregon Inlet/Roanoke Sound Bird Nesting Islands	314	Dare	R2	C3	Hydroprogne caspia, Pelecanus occidentalis

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Pea Island National Wildlife Refuge	5,899	Dare	R2	C2	Nerodia sipedon williamengelsi, Yucca gloriosa, contact Natural Heritage Program for more information.
Pine Island/Currituck Club Natural Area	3,741	Dare	R2	C2	Limosella australis
Pine Road Swamp	194	Dare	R4	C5	Nonriverine Swamp Forest (Sweetgum Subtype)
Rawls Island	10	Dare	R3	C4	Egretta caerulea
Roanoke Island Juncus Marsh	2,336	Dare	R2	C4	Estuarine Fringe Pine Forest (Pond Pine Subtype)
Roanoke/Stumpy Point Marshes and Pocosin	22,599	Dare	R2	C4	Brackish Marsh (Needlerush Subtype), Regina rigida, Tidal Freshwater Marsh (Sawgrass Subtype)
Southern Shores Cypress Swamp	34	Dare	R1	C3	Maritime Swamp Forest (Cypress Subtype)
Taylor Road Natural Area	704	Dare	R3	C5	Nonriverine Swamp Forest (Mixed Subtype)
Turtle Pond and (Cape Hatteras) Lighthouse Pond	36	Dare	R2	C4	Potamogeton illinoensis
West Roanoke Island Marshes	375	Dare	R5	C5	Brackish Marsh (Needlerush Subtype)
Wright Brothers Dune Barrens	193	Dare	R1	C3	Stable Dune Barren (Beach Heather Subtype)
Abbotts Bend Basic Slopes	13	Davidson	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Abbotts Boundary Woodland	58	Davidson	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Bald Mountain/Tuckertown Reservoir	81	Davidson	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Beaver Dam Creek/Alls Fork Natural Area	841	Davidson	R3	C5	Pseudognaphalium helleri
Boones Cave Slopes	95	Davidson	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Brushy Fork Basic Forest	52	Davidson	R4	C5	Cardamine dissecta
Cabin Creek Hardwood Slopes	81	Davidson	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Chickasaw Plum Forest	32	Davidson	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Cool Branch Slopes	84	Davidson	R5	C4	Basic Mesic Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Ellis Creek Hardwood Slopes	286	Davidson	R5	C4	Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype), contact Natural Heritage Program for more information.
Flat Swamp Creek Heartleaf Plantain Site	402	Davidson	R2	C5	Plantago cordata
Flat Swamp Gabbro Forest	70	Davidson	R5	C5	Dry Basic Oak--Hickory Forest
Flat Swamp Hardpan Forest	57	Davidson	R2	C5	Xeric Hardpan Forest (Acidic Hardpan Subtype)
Grassy Fork Creek Heartleaf Plantain Site	191	Davidson	R2	C5	Gillenia stipulata, Plantago cordata
Hidden Cove Hardwood Forest	34	Davidson	R5	C5	Basic Mesic Forest (Piedmont Subtype)
High Flat Swamp Forest	130	Davidson	R5	C5	Upland Depression Swamp Forest
High Rock Reservoir Wetlands	1,455	Davidson	R4	C5	Colonial Wading Bird Colony
Jerusalem Road Basic Ridge	336	Davidson	R2	C4	Acmispon helleri
Newsom Bluffs and Slopes	21	Davidson	R4	C4	Gillenia stipulata
Pine Hill Church Forest	154	Davidson	R5	C4	Dry Basic Oak--Hickory Forest, Hexalectris spicata
Pounder Fork Tributary Mesic Forest	41	Davidson	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Shady Grove Slopes	147	Davidson	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Smith Grove Slopes	40	Davidson	R4	C4	Ruellia purshiana
South Fork Second Creek Aquatic Habitat	44	Davidson	R3	C4	Alasmidonta sp. 2
South Lick Creek Bluffs	3	Davidson	R5	C5	Piedmont Cliff (Acidic Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Stokes Ferry Basic Forest	426	Davidson	R5	C4	Dry Basic Oak--Hickory Forest, Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Swearing Creek Swamp Forest	134	Davidson	R5	C4	Piedmont Bottomland Forest (Typic Low Subtype), Piedmont Levee Forest (Typic Subtype)
Three Hat Mountain	891	Davidson	R5	C4	Dry Basic Oak--Hickory Forest, Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Two Creeks Basic Forest	64	Davidson	R5	C5	Basic Mesic Forest (Piedmont Subtype), Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype)
Upper Horseshoe Neck Riverine Forest	100	Davidson	R5	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest, Piedmont Levee Forest (Typic Subtype)
West Neck Mesic Slopes	17	Davidson	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Yadkin Basic Slopes	31	Davidson	R3	C4	Ruellia purshiana
Yadkin River/Grants Creek Forests	686	Davidson	R5	C5	Piedmont Levee Forest (Typic Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Calahaln Mountain	88	Davie	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Carters Creek Forest	256	Davie	R3	C5	Piedmont Bottomland Forest (High Subtype)
Cedar Creek Forest	74	Davie	R5	C5	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype)
Cooleemee Plantation/Yadkin River Slopes	54	Davie	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Dutchman Creek/Cana Bottomlands	28	Davie	R5	C5	Piedmont Bottomland Forest (Typic Low Subtype)
Farmington-801 Forest	35	Davie	R5	C5	Mixed Moisture Hardpan Forest
Foster Dairy Forest	19	Davie	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Hodman Woods	26	Davie	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Hunting Creek Natural Areas	326	Davie	R5	C5	Floodplain Pool
No Creek Road Forest	27	Davie	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Point Road Forest	62	Davie	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Queen Woods	21	Davie	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Second Creek Wetlands	137	Davie	R2	C4	Piedmont Alluvial Forest
South Yadkin Beech Slopes	21	Davie	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
South Yadkin River Heath Bluffs	22	Davie	R3	C5	Piedmont/Coastal Plain Heath Bluff
St. Johns School Bluffs	41	Davie	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Angola Bay	35,784	Duplin	R1	C3	Pocosin Opening (Sedge-Fern Subtype)
Goshen Swamp	1,979	Duplin	R4	C5	Blackwater Bottomland Hardwoods (Swamp Transition Subtype)
Millers Creek Limesinks	255	Duplin	R5	C5	Small Depression Pond (Open Lily Pond Subtype), Small Depression Pond (Typic Marsh Subtype)
Nine Mile Creek Flatwoods	23	Duplin	R5	C5	Wet Pine Flatwoods (Typic Subtype)
Northeast Cape Fear River Aquatic Habitat	354	Duplin	R2	C4	Noturus sp. 2
Northeast Cape Fear River Corridor	11,092	Duplin	R2	C4	Scirpus divaricatus

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Bennett Place Forest	42	Durham	R5	C4	Upland Depression Swamp Forest, Xeric Hardpan Forest (Basic Hardpan Subtype)
Big Oak Woods	57	Durham	R3	C5	Piedmont Bottomland Forest (Typic Low Subtype)
Cabin Branch Creek Bottomland-Swamp	242	Durham	R4	C5	Cardamine douglassii
Camp Butner Game Land	2,043	Durham	R4	C5	Cardamine douglassii
Catsburg Natural Area	110	Durham	R2	C4	Echinacea laevigata
Dry Creek/Mount Moriah Bottomland	523	Durham	R4	C4	Piedmont Bottomland Forest (High Subtype)
Duke Forest Oak-Hickory Upland	423	Durham	R2	C5	Symphyotrichum laeve var. concinnum
Eno River Aquatic Habitat	266	Durham	R3	C3	Fusconaia masoni, Necturus lewisi
Eno River Blue Wild Indigo Slope	7	Durham	R2	C4	Baptisia australis var. aberrans
Eno River Diabase Sill	44	Durham	R1	C2	Echinacea laevigata, Xeric Hardpan Forest (Northern Prairie Barren Subtype)
Falls Lake Shoreline and Tributaries	8,081	Durham	R3	C5	Liatris squarrulosa
Flat River Aquatic Habitat	265	Durham	R1	C2	Fusconaia masoni, Lampsilis sp. 2
Flat River Bend Forest	17	Durham	R2	C4	Carex jamesii, Enemion biternatum
Flat River Slopes above Lake Michie	2,504	Durham	R2	C4	Enemion biternatum, Gaylussacia brachycera
Flat River Slopes below Lake Michie	642	Durham	R5	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Gate 4 Mafic Forests	241	Durham	R5	C4	Dry Basic Oak--Hickory Forest, Liatris squarrulosa, Parthenium auriculatum, Silphium terebinthinaceum
Gate 9 Pond	205	Durham	R3	C4	Upland Pool (Typic Piedmont Subtype)
Hebron Road Remnant Glade	91	Durham	R3	C3	Baptisia australis var. aberrans, Echinacea laevigata, Parthenium auriculatum, Symphyotrichum laeve var. concinnum
Hill Forest Chestnut Oak/Shortleaf Pine Forest	207	Durham	R1	C5	Piedmont Monadnock Forest (Pine Subtype)
Hill Forest Dial Creek Hardwood Forest	1,247	Durham	R3	C4	Low Elevation Seep (Floodplain Subtype)
Jenkins Road Diabase Dike	41	Durham	R5	C5	Liatris squarrulosa
Knap of Reeds Creek Beaver Ponds and Swamp	67	Durham	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Lake Michie Corridor	1,883	Durham	R2	C5	Micromitrium synoicum
Leatherwood Cove	159	Durham	R5	C5	Cardamine douglassii
Lick Creek Bottomland Forest	1,744	Durham	R2	C5	Cardamine douglassii
Little Creek Bottomlands and Slopes	1,447	Durham	R5	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Bottomland Forest (Typic Low Subtype)
Little River (Orange/Durham) Aquatic Habitat	149	Durham	R2	C3	Dibusa angata
Little River Gorge	1,398	Durham	R5	C5	Piedmont/Coastal Plain Heath Bluff
Little River Uplands	1,214	Durham	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Lower Eno River/Little River Bottomlands	2,365	Durham	R3	C5	Cardamine douglassii
Lower New Hope Creek Floodplain Forest and Slopes	1,831	Durham	R3	C3	Low Elevation Seep (Typic Subtype), Piedmont Bottomland Forest (Typic Low Subtype)
Middle Eno River Bluffs and Slopes	2,124	Durham	R2	C5	Pohlia melanodon
Middle Lick Creek Bottomlands	1,034	Durham	R3	C5	Cardamine douglassii

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Morgan Creek Floodplain Forest	1,589	Durham	R2	C3	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
New Hope Creek Bottomland Forest	987	Durham	R1	C3	Piedmont Bottomland Forest (Typic Low Subtype)
Northeast Creek Floodplain Forest	984	Durham	R4	C4	Gillenia stipulata
Pennys Bend/Eno River Bluffs	324	Durham	R1	C3	Baptisia australis var. aberrans
Quail Roost Oak Uplands	17	Durham	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Red Mountain/Flat River Slopes	227	Durham	R4	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype), Rocky Bar and Shore (Alder-Yellowroot Subtype), Rocky Bar and Shore (Water Willow Subtype)
Redwood Road Remnant Glade	22	Durham	R3	C5	Liatris squarrulosa, Solidago rigida var. glabrata
Stirrup Iron Creek Marsh and Sloughs	218	Durham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Third Fork Creek Wetlands	165	Durham	R4	C5	Piedmont Swamp Forest
Beech Branch/Tar River Meander Loop	194	Edgecombe	R5	C5	Cypress--Gum Swamp (Brownwater Subtype), contact Natural Heritage Program for more information.
Cokey Swamp	1,918	Edgecombe	R5	C5	Coastal Plain Small Stream Swamp
Fishing Creek Aquatic Habitat	822	Edgecombe	R1	C1	Alasmidonta heterodon, Baetisca becki, Elliptio lanceolata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Fishing Creek Floodplain Forest	2,820	Edgecombe	R5	C5	Brownwater Levee Forest (Medium Levee Subtype)
Fishing Creek/Enfield Bottomland	3,142	Edgecombe	R2	C4	Brownwater Bottomland Hardwoods (Low Subtype), Brownwater Bottomland Hardwoods (Swamp Transition Subtype), Brownwater Levee Forest (High Levee Subtype)
Lower Tar River Aquatic Habitat	2,082	Edgecombe	R1	C1	Necturus lewisi, Noturus furiosus
Swift Creek (Vance/Warren/Franklin/Nash/Edgecombe) Aquatic Habitat	545	Edgecombe	R1	C1	Elliptio lanceolata
Swift Creek Swamp Forest	949	Edgecombe	R4	C5	Brownwater Levee Forest (Low Levee Subtype)
Tar River Floodplain	8,774	Edgecombe	R2	C5	Baetisca obesa
Smith Grove Church Road	197	f	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Herb Subtype), Low Elevation Rocky Summit (Acidic Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Abington Wetland Area	47	Forsyth	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Benefit Church Forests	173	Forsyth	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Alluvial Forest
Bethania Forest	64	Forsyth	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Bethania Swamp and Slopes	19	Forsyth	R3	C5	Low Elevation Seep (Floodplain Subtype)
Camp Betty Hastings Forests	524	Forsyth	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Camp Lasater Forest	244	Forsyth	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Friedburg Marsh	5	Forsyth	R5	C5	Contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Grubbs Road Lake	69	Forsyth	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Historic Bethabara Natural Area	31	Forsyth	R2	C5	Silphium perfoliatum
Holly Berry Lane Forests	327	Forsyth	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Kernersville Lake Natural Area	154	Forsyth	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Providence Church Road Forest	85	Forsyth	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Salem Lake Natural Area	770	Forsyth	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Granitic Flatrock (Annual Herb Subtype)
Shallowford Road Bluff	37	Forsyth	R5	C5	Basic Mesic Forest (Piedmont Subtype), Piedmont Alluvial Forest
Shepard Hill Road Forests and Beaver Ponds	188	Forsyth	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Walnut Bluffs	20	Forsyth	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
West Belews Creek Swamps and Forests	165	Forsyth	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Yadkin River (Surry/Yadkin/Forsyth) Aquatic Habitat	696	Forsyth	R3	C4	Alasmidonta varicosa, Carpiodes cyprinus
Yadkin River Bluffs	11	Forsyth	R4	C5	Piedmont Cliff (Acidic Subtype)
Yadkin River/Fries Creek Bluffs	192	Forsyth	R3	C4	Piedmont Cliff (Acidic Subtype)
Big Peachtree Creek Flatrock	7	Franklin	R5	C5	Portulaca smallii
Bog Flatrock	20	Franklin	R2	C3	Granitic Flatrock (Perennial Herb Subtype), Isoetes piedmontana
Bunn Flatrock	13	Franklin	R4	C4	Granitic Flatrock (Annual Herb Subtype), Granitic Flatrock (Perennial Herb Subtype), Granitic Flatrock Border Woodland
Cedar Creek Aquatic Habitat	81	Franklin	R5	C4	Alasmidonta heterodon, Alasmidonta undulata
Cedar Rock Church Flatrock	6	Franklin	R2	C4	Isoetes piedmontana
County Line Flatrocks	28	Franklin	R3	C4	Portulaca smallii
Crooked Creek (Franklin) Aquatic Habitat	131	Franklin	R3	C4	Elliptio lanceolata
Cypress Creek Natural Area	60	Franklin	R5	C5	Coastal Plain Small Stream Swamp
Fishing Creek Aquatic Habitat	822	Franklin	R1	C1	Alasmidonta heterodon, Baetisca becki, Elliptio lanceolata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Laurel Mill Natural Area	30	Franklin	R5	C5	Portulaca smallii
Little River (Franklin/Wake/Johnston/ Wayne) Aquatic Habitat	527	Franklin	R2	C1	Alasmidonta undulata, Dibusa angata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Little Shocco Creek Hardwood Forest	307	Franklin	R5	C5	Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Lower Shocco Creek Bluffs and Floodplain	1,153	Franklin	R2	C4	Callophrys irus, Erynnis martialis

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Middle Tar River Aquatic Habitat	763	Franklin	R2	C2	Elliptio lanceolata, Tortopus puella
Moccasin Creek Aquatic Habitat	70	Franklin	R3	C3	Alasmidonta undulata, Didiplis diandra
Norris Creek Rare Plant Site	23	Franklin	R4	C4	Rhus michauxii
North Big Peachtree Creek Flatrock	1	Franklin	R4	C4	Portulaca smallii
Overton Rock	3	Franklin	R2	C4	Cyperus granitophilus
Red Bud Creek Slopes	172	Franklin	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Shocco Creek Aquatic Habitat	117	Franklin	R2	C3	Alasmidonta heterodon, Elliptio lanceolata
Shocco Creek/Centerville Floodplain Forest	880	Franklin	R5	C5	Piedmont Boggy Streamhead
Swift Creek (Vance/Warren/Franklin/Nash/Edgecombe) Aquatic Habitat	545	Franklin	R1	C1	Elliptio lanceolata
Tar River Camassia Slopes	211	Franklin	R2	C4	Camassia scilloides
Tar River Levee	5	Franklin	R4	C5	Enemion biternatum
Tar River/Lynch Creek Floodplain	114	Franklin	R5	C5	Enemion biternatum
West Big Peachtree Creek Flatrock	10	Franklin	R3	C4	Portulaca smallii
Armstrong Ford	117	Gaston	R2	C4	Schisandra glabra
Crowders Mountain State Park and Vicinity	3,478	Gaston	R2	C2	Asplenium bradleyi, Juniperus communis var. depressa, Thermopsis mollis
Ferguson Ridge Road Natural Area	68	Gaston	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Fergusons Knob	164	Gaston	R5	C5	Chestnut Oak Forest (Dry Heath Subtype)
Friday Meadow Bog	38	Gaston	R2	C5	Contact Natural Heritage Program for more information.
Grant Hill	30	Gaston	R4	C5	Magnolia macrophylla
Laurel Hill Nursery Forest	323	Gaston	R3	C5	Magnolia macrophylla
Middle Pasour Mountain	38	Gaston	R4	C5	Quercus ilicifolia
Mike Moore Hill	52	Gaston	R3	C5	Magnolia macrophylla
Mountain Island Lake Dam Rare Plant Sites	42	Gaston	R2	C5	Helianthus schweinitzii
Mountain Island Lake Forest	1,341	Gaston	R2	C4	Peromyscus polionotus
North Stanley Creek Basic Forest	127	Gaston	R2	C5	Magnolia macrophylla
Penegar/Gastonia South Natural Area	25	Gaston	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Redlair Preserve	470	Gaston	R2	C4	Helianthus schweinitzii, Magnolia macrophylla
Rhyne Bluffs	17	Gaston	R3	C5	Magnolia macrophylla
South Crowders Creek Forests	302	Gaston	R5	C4	Basic Mesic Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
South Pasour Mountain	84	Gaston	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
Stagecoach Road Granitic Outcrop	9	Gaston	R5	C4	Granitic Flatrock (Annual Herb Subtype), Granitic Flatrock (Perennial Herb Subtype), Granitic Flatrock Border Woodland
Sunnyside Meadow	5	Gaston	R5	C5	Contact Natural Heritage Program for more information.
Twin Brooks/Stanley Basic Forest	59	Gaston	R4	C4	Magnolia macrophylla
Chowan River Aquatic Habitat	27,339	Gates	R3	C4	Acipenser brevirostrum, Anodonta implicata, Leptodea ochracea, Ligumia nasuta
Chowan Sand Banks	7,947	Gates	R1	C3	Pine/Scrub Oak Sandhill (Northern Subtype)
Chowan Swamp	24,622	Gates	R3	C3	Tidal Freshwater Marsh (Mixed Freshwater Subtype)
Great Dismal Swamp National Wildlife Refuge and Vicinity	31,414	Gates	R3	C3	Callophrys hesseli, Nonriverine Swamp Forest (Cypress-Gum Subtype), Setophaga virens waynei, Trillium pusillum var. virginianum
Horsepen Pocosin	67	Gates	R4	C4	Coastal Plain Depression Swamp (Mixed Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Merchants Millpond State Park	2,230	Gates	R2	C3	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype), Coastal Plain Semipermanent Impoundment (Open Water Subtype), Cypress--Gum Swamp (Intermediate Subtype), Hottonia inflata, Trillium pusillum var. virginianum, contact Natural Heritage Program for more information.
Warwick Creek Oak Flats and Slopes	448	Gates	R3	C5	Cypress--Gum Swamp (Intermediate Subtype)
Wyanoke Sandhills	121	Gates	R1	C3	Pine/Scrub Oak Sandhill (Northern Subtype), Small Depression Drawdown Meadow (Boggy Pool Subtype)
Berts Creek Lead	512	Graham	R2	C4	Scutellaria saxatilis
Bob Bald	340	Graham	R1	C4	Stachys clingmanii
Cedar Top	232	Graham	R5	C4	Chestnut Oak Forest (Dry Heath Subtype), Montane Cliff (Acidic Herb Subtype), Montane Red Cedar-Hardwood Woodland, Rich Cove Forest (Boulderfield Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Cheoah Bald	1,921	Graham	R2	C4	Vaccinium angustifolium
Cheoah Mountains	1,359	Graham	R3	C2	Euphorbia purpurea, Frasera caroliniensis, Rudbeckia triloba var. pinnatiloba, Trientalis borealis, contact Natural Heritage Program for more information.
Cheoah River Aquatic Habitat	64	Graham	R2	C3	Eurycea junaluska
Cheoah River Floodplain	1,039	Graham	R3	C2	Myotis sodalis
Farley Branch	336	Graham	R3	C4	Carex purpurifera
Firescald Ridge	203	Graham	R3	C4	Carex purpurifera, Low Mountain Pine Forest (Shortleaf Pine Subtype)
Gipp Creek Watershed	4,594	Graham	R5	C5	Montane Oak--Hickory Forest (Acidic Subtype)
Great Smoky Mountains National Park	276,733	Graham	R1	C1	Contact Natural Heritage Program for more information.
High Top/Bee Cove Slopes	2,061	Graham	R3	C3	Rich Cove Forest (Red Oak Subtype)
Horse Cove Ridge	731	Graham	R2	C3	Chiloscyphus appalachianus, Stachys clingmanii
Joyce Kilmer Wilderness Area	13,784	Graham	R1	C1	Heath Bald (Southern Mixed Subtype), Plethodon aureolus, Riccardia jugata, White Pine Forest
Meetinghouse Mountain	1,469	Graham	R3	C4	Low Mountain Pine Forest (Shortleaf Pine Subtype), Southern Mountain Pine--Oak Forest
Santeetlah Bluffs	487	Graham	R3	C4	Canada Hemlock Forest (Typic Subtype), Schlotheimia lancifolia
Santeetlah Creek Aquatic Habitat	54	Graham	R3	C4	Eurycea longicauda
Stecoah Gap Cove Forests	173	Graham	R2	C3	Celastrina nigra, Trillium simile
Stratton Meadows/Haw Knob	635	Graham	R3	C4	Desmognathus santeetlah, contact Natural Heritage Program for more information.
Tulula Bog	98	Graham	R3	C4	Lilium canadense ssp. editorum, Vermivora chrysoptera
Aarons Creek Aquatic Habitat	31	Granville	R3	C4	Alasmidonta varicosa, Etheostoma collis, Fusconaia masoni, Strophitus undulatus, Villosa constricta
Beaver Pond Creek Upland Forests	94	Granville	R2	C4	Mixed Moisture Hardpan Forest
Beaverdam Lake Swamps and Arkose Outcrops	899	Granville	R2	C4	Piedmont Bottomland Forest (Typic Low Subtype), Piedmont Swamp Forest
Camp Butner Natural Area	334	Granville	R4	C4	Ruellia purshiana
County Line Flatrocks	28	Granville	R3	C4	Portulaca smallii
Cub Creek Aquatic Habitat	22	Granville	R3	C4	Alasmidonta heterodon
Diabase Sill Near Clay	540	Granville	R2	C4	Baptisia australis var. aberrans, Scutellaria leonardii

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Fox Creek Aquatic Habitat	27	Granville	R5	C5	Etheostoma collis
Goshen Gabbro Forest	1,927	Granville	R1	C2	Dry Basic Oak--Hickory Forest
Hester Diabase Area	20	Granville	R2	C4	Scirpus pendulus
Knap of Reeds Creek Beaver Ponds and Swamp	67	Granville	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Knap of Reeds Creek Diabase Forest and Glades	163	Granville	R1	C3	Diabase Glade
Knap of Reeds Creek Diabase Levee and Slopes	136	Granville	R2	C2	Cirsium carolinianum, Echinacea laevigata, Trifolium reflexum
Knap of Reeds Creek Ravine	44	Granville	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Lake Rogers Diabase Area	13	Granville	R2	C4	Symphyotrichum depauperatum
Lick Branch Slopes	34	Granville	R4	C5	Low Elevation Seep (Typic Subtype)
Little Grassy Creek Aquatic Habitat	10	Granville	R5	C4	Berberis canadensis, Strophitus undulatus, Villosa constricta
Long Mountain/Crooked Fork Forest	491	Granville	R2	C4	Xeric Hardpan Forest (Basic Rocky Subtype)
Middle Tar River Aquatic Habitat	763	Granville	R2	C2	Elliptio lanceolata, Tortopus puella
Murdoch Center Diabase Sill	20	Granville	R3	C4	Baptisia australis var. aberrans, Lithospermum canescens, Silphium terebinthinaceum
North Fork (Tar River) Aquatic Habitat	18	Granville	R4	C5	Lampsilis sp. 2
Northside Diabase Area	2	Granville	R3	C5	Echinacea laevigata
Picture Creek Diabase Barrens	407	Granville	R1	C1	Baptisia australis var. aberrans, Echinacea laevigata, Marshallia legrandii, Symphyotrichum depauperatum, Xeric Hardpan Forest (Northern Prairie Barren Subtype)
Pyrophyllite Ridge Monadnocks	105	Granville	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
Ruin Creek/Tabbs Creek Aquatic Habitat	77	Granville	R3	C3	Lampsilis sp. 2, Noturus furiosus
Satterwhite Monadnock	172	Granville	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
Shelton Creek Alluvial Forest	28	Granville	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Shelton Creek Aquatic Habitat	48	Granville	R3	C4	Alasmidonta heterodon, Lampsilis sp. 2
Smith Creek Alluvial Forest and Slopes	480	Granville	R3	C5	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
South Butner Cedar Glades	7	Granville	R1	C2	Diabase Glade, Phemeranthus piedmontanus, Symphyotrichum depauperatum
South Butner Diabase Swamp	95	Granville	R2	C4	Dry Basic Oak--Hickory Forest, Piedmont Headwater Stream Forest (Hardpan Subtype)
Spewmarrow Creek Forests (Along SR 1445)	172	Granville	R5	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Floodplain Pool, Mesic Mixed Hardwood Forest (Piedmont Subtype)
Spewmarrow Creek Hardpan Forest at SR 1443	55	Granville	R4	C5	Mixed Moisture Hardpan Forest
Stovall Hardpan Forest	69	Granville	R4	C5	Xeric Hardpan Forest (Basic Hardpan Subtype)
Tallyho Monadnock	58	Granville	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
Tar River Fern Slopes	43	Granville	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Tar River/Triassic Basin Floodplain	489	Granville	R5	C5	Enemion biternatum
Tar River/Wilton Slopes	1,518	Granville	R1	C3	Ptilimnium nodosum
Townsville Road Xeric Forest	104	Granville	R2	C4	Xeric Hardpan Forest (Basic Hardpan Subtype)
Tungsten Hardwood Forests	290	Granville	R5	C4	Piedmont Bottomland Forest (Typic Low Subtype), Piedmont/Coastal Plain Heath Bluff

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Upper Tar River Aquatic Habitat	258	Granville	R1	C1	Alasmidonta heterodon, Fusconaia masoni, Lampsilis sp. 2
US 15 Hardpan Forest	33	Granville	R4	C5	Mixed Moisture Hardpan Forest
Benaja Creek Floodplain and Slopes	206	Guilford	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Benaja Creek Wetlands	50	Guilford	R5	C5	Piedmont Alluvial Forest
Brown's Summit Forest/Hardy's Millpond	322	Guilford	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Cedaridge Farm	66	Guilford	R5	C5	Piedmont Alluvial Forest
Hagan-Stone Park	8	Guilford	R5	C5	Upland Depression Swamp Forest
Haw River Bur-Reed Floodplain	38	Guilford	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Haw River Skunk Cabbage Patch	16	Guilford	R4	C5	Low Elevation Seep (Typic Subtype)
Lake Brandt Slopes	8	Guilford	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Lake Higgins Forest	36	Guilford	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Lake Mackintosh Slopes	152	Guilford	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Laurel Bluff Ravine	5	Guilford	R4	C5	Piedmont Cliff (Acidic Subtype)
Little Alamance Creek Forest	95	Guilford	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Mears Fork Forest at Lake Brandt Road	387	Guilford	R4	C5	Platanthera peramoena
Moores Creek Slopes and Floodplain	150	Guilford	R4	C5	Platanthera peramoena
Polecat Creek Aquatic Habitat	60	Guilford	R5	C4	Villosa constricta, Villosa delumbis, Villosa vaughaniana
Reedy Fork Aquatic Habitat	61	Guilford	R5	C5	Alasmidonta undulata, Villosa constricta, Villosa delumbis
Reedy Fork Bottomlands at Lake Brandt	120	Guilford	R5	C5	Contact Natural Heritage Program for more information.
Reedy Fork Slopes at NC 61	52	Guilford	R5	C5	Piedmont Alluvial Forest
Rock Branch Mesic Mixed Hardwood Forest	96	Guilford	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Stokesdale Slopes	54	Guilford	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Strader Road Beaver Pond and Uplands	60	Guilford	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Upper Haw River Floodplain and Slopes	699	Guilford	R4	C5	Piedmont Swamp Forest
Buzzard Point/Ventosa Plantation	5,237	Halifax	R2	C3	Carya laciniosa, Urtica chamaedryoides
Conoconnara Swamp Forest	82	Halifax	R2	C5	Trillium pusillum var. virginianum
Fishing Creek Aquatic Habitat	822	Halifax	R1	C1	Alasmidonta heterodon, Baetisca becki, Elliptio lanceolata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Fishing Creek Fern Slopes	91	Halifax	R3	C4	Piedmont Swamp Forest
Fishing Creek/Enfield Bottomland	3,142	Halifax	R2	C4	Brownwater Bottomland Hardwoods (Low Subtype), Brownwater Bottomland Hardwoods (Swamp Transition Subtype), Brownwater Levee Forest (High Levee Subtype)
Halifax Bluffs	264	Halifax	R3	C4	Trillium sessile, Urtica chamaedryoides

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Hills Ferry Bluffs	365	Halifax	R5	C4	Basic Mesic Forest (Coastal Plain Subtype), Cypress--Gum Swamp (Brownwater Subtype), Low Elevation Seep (Typic Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Larkspur Ridge	101	Halifax	R3	C4	Setophaga cerulea
Little Fishing Creek Aquatic Habitat	183	Halifax	R1	C2	Elliptio steinstansana
Little Fishing Creek/Odell Hardwood Forest	502	Halifax	R5	C5	Piedmont Swamp Forest
Looking Glass Run Swamp and Bluffs	172	Halifax	R5	C5	Cypress--Gum Swamp (Brownwater Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Lower Shocco Creek Bluffs and Floodplain	1,153	Halifax	R2	C4	Callophrys irus, Erynnis martialis
Martin Slopes	531	Halifax	R5	C5	Carex jamesii, Cypress--Gum Swamp (Blackwater Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Medoc Mountain State Park	1,742	Halifax	R2	C3	Piedmont Levee Forest (Beech Subtype)
Middle Conoconnara Swamp	446	Halifax	R2	C4	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype), Coastal Plain Semipermanent Impoundment (Typic Marsh Subtype), Dry-Mesic Basic Oak--Hickory Forest (Coastal Plain Subtype), Low Elevation Seep (Typic Subtype)
Middle Roanoke River Aquatic Habitat	332	Halifax	R3	C4	Orconectes virginiensis
Mush Island	1,677	Halifax	R3	C5	Setophaga cerulea
Norfleet Cottonwood Forest	323	Halifax	R3	C5	Brownwater Levee Forest (Medium Levee Subtype), Carya laciniosa
North Looking Glass Run Bluffs	93	Halifax	R5	C5	Basic Mesic Forest (Coastal Plain Subtype)
Phlox Woods	21	Halifax	R5	C5	Basic Mesic Forest (Coastal Plain Subtype)
Pollocks Ferry Natural Area	2,302	Halifax	R3	C5	Trillium sessile, Urtica chamaedryoides
Reedy Creek Aquatic Habitat	79	Halifax	R3	C4	Lampetra aepyptera
River Bend Road Mafic Slopes	64	Halifax	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Roanoke Big Oak Woods	39	Halifax	R2	C4	Scutellaria nervosa
Roanoke Earthworks and Fall Line Islands	895	Halifax	R2	C3	Urtica chamaedryoides
Roanoke River Fall Zone Aquatic Habitat	485	Halifax	R3	C3	Anodonta implicata, Carpiodes cyprinus, Leptodea ochracea
Rocky Swamp Aquatic Habitat	63	Halifax	R2	C4	Alasmidonta heterodon
Tillery Longleaf Pine Forest	32	Halifax	R2	C5	Northern Wet Pine Savanna
Big Gully Wetlands	673	Harnett	R2	C5	Torreyochloa pallida
Byrd Farm Industrial Park Natural Area	18	Harnett	R5	C5	Phacelia covillei
Camp Agape	128	Harnett	R5	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Levee Forest (Typic Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Cape Fear River Canebrakes	117	Harnett	R2	C4	Paspalum fluitans
Cape Fear River/Buckhorn Levees	418	Harnett	R3	C4	Phacelia covillei, Piedmont Levee Forest (Typic Subtype)
Covington Road Powerline Savanna	15	Harnett	R2	C4	Iris prismatica
Ferrydell	56	Harnett	R4	C5	Carex jamesii
Fort Bragg Natural Area (Overhills Area)	18,114	Harnett	R1	C1	Coastal Plain Semipermanent Impoundment (Sandhills Mire Subtype), Dichanthelium sp. 9

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Horseshoe Bends	192	Harnett	R3	C5	Hexalectris spicata
Long Valley Farm Natural Area	790	Harnett	R3	C5	Chelone cuthbertii
Lower Little River (Cumberland/Harnett) Corridor	1,697	Harnett	R1	C4	Cape Fear Valley Mixed Bluff Forest
Raven Rock State Park	4,138	Harnett	R1	C2	Piedmont Cliff (Acidic Subtype)
Reedys Swamp Longleaf Pine Forest	1,158	Harnett	R3	C4	Carex austrodeflexa, Streamhead Pocosin
Smith Grove Ravines	348	Harnett	R2	C4	Phacelia covillei
Twin Oaks Trails	398	Harnett	R5	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype), Coastal Plain Small Stream Swamp
Upper Cape Fear River Aquatic Habitat	1,885	Harnett	R1	C1	Moxostoma sp. 3
West Park Natural Area	1,107	Harnett	R4	C4	Sandhill Streamhead Swamp
Balsam Gap Natural Area	103	Haywood	R3	C4	Contact Natural Heritage Program for more information.
Bens Ridge and Coves	571	Haywood	R3	C4	Carex hitchcockiana
Big Ridge Mine	20	Haywood	R1	C4	Myotis leibii, Myotis sodalis
Buckeye Creek Cove	132	Haywood	R5	C5	Meehania cordata, Northern Hardwood Forest (Typic Subtype)
Canton Watershed/The Glades	20	Haywood	R2	C4	Pedicularis lanceolata, Pycnanthemum curvipes
Case Camp Ridge/Seniard Mountain	2,137	Haywood	R3	C4	Contact Natural Heritage Program for more information.
Cataloochee Creek Aquatic Habitat	65	Haywood	R3	C5	Attaneuria ruralis, Platyhypnidium riparioides
Chestnut Bald/Silvermine Bald	426	Haywood	R1	C3	Contact Natural Heritage Program for more information.
Cold Spring Bog	107	Haywood	R3	C4	Vermivora chrysoptera
Crabtree Bald	28	Haywood	R5	C5	High Elevation Rocky Summit (Typic Subtype)
Dark Ridge/Laurel Patch Cove	653	Haywood	R3	C3	Contact Natural Heritage Program for more information.
Devils Courthouse	249	Haywood	R1	C1	Contact Natural Heritage Program for more information.
Dix Creek/Cold Mountain	988	Haywood	R1	C2	Carolina Hemlock Forest (Typic Subtype), Robinia hispida var. kelseyi
Fall Branch Forests	139	Haywood	R3	C4	Low Montane Red Oak Forest
Fines Creek Rare Plant Site	30	Haywood	R3	C5	Buckleya distichophylla
Flat Laurel Creek Headwaters	178	Haywood	R1	C2	High Elevation Boggy Seep
Flat Laurel Gap Bog	83	Haywood	R3	C4	Contact Natural Heritage Program for more information.
Fork Mountain/Daniel Boone Scout Camp	2,187	Haywood	R2	C3	Trientalis borealis
Fork Ridge/Mount Hardy	805	Haywood	R2	C2	Contact Natural Heritage Program for more information.
Frying Pan Gap	2,297	Haywood	R1	C3	Contact Natural Heritage Program for more information.
Gilliland Creek Forests	122	Haywood	R5	C5	Acidic Cove Forest (Typic Subtype), Pine--Oak / Heath (Typic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Graveyard Fields	549	Haywood	R2	C4	Contact Natural Heritage Program for more information.
Great Smoky Mountains National Park	276,733	Haywood	R1	C1	Contact Natural Heritage Program for more information.
Hurricane Creek Forests	341	Haywood	R4	C4	Buckleya distichophylla
Hurricane Gap Branch	148	Haywood	R4	C5	Adlumia fungosa
Hurricane Ridge	323	Haywood	R4	C4	Crocanthemum propinquum

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Ivestor Gap Cranberry Seep	2	Haywood	R5	C4	High Elevation Boggy Seep, Vaccinium macrocarpon
Lake Logan/Sunburst Slopes	582	Haywood	R3	C4	Low Elevation Acidic Glade (Grass Subtype)
Mount Hardy High Elevation Seepage Forest	12	Haywood	R3	C4	Contact Natural Heritage Program for more information.
Mount Lyn Lowry/Campbell Creek	1,337	Haywood	R2	C3	Contact Natural Heritage Program for more information.
Mount Pisgah	731	Haywood	R1	C2	Contact Natural Heritage Program for more information.
Mount Sterling Creek Forests	343	Haywood	R3	C4	Adlumia fungosa, Low Montane Red Oak Forest
Naked Place Mountain	23	Haywood	R3	C5	Silene ovata
Newfound Mountain/Rockyface Mountain	52	Haywood	R3	C3	Euphorbia commutata, Pine--Oak / Heath (High Elevation Subtype)
Old Bald/Cherry Cove	618	Haywood	R3	C4	Contact Natural Heritage Program for more information.
Panther Branch Cove	226	Haywood	R2	C4	Trientalis borealis
Pigeon Ford Rare Species Habitat	107	Haywood	R2	C4	Buckleya distichophylla, Myotis grisescens
Pigeon River Aquatic Habitat	110	Haywood	R3	C4	Alasmidonta raveneliana
Pinnacle Ridge	994	Haywood	R2	C4	Contact Natural Heritage Program for more information.
Pisgah Ridge/Pilot Mountain	6,854	Haywood	R1	C2	Contact Natural Heritage Program for more information.
Raven Cliff	115	Haywood	R3	C4	Montane Cliff (Mafic Subtype)
Redbank Cove	279	Haywood	R4	C5	Contact Natural Heritage Program for more information.
Richland Balsam/Beartrail Ridge	2,629	Haywood	R2	C1	Contact Natural Heritage Program for more information.
Rough Butt Bald/Gage Bald	941	Haywood	R2	C2	Contact Natural Heritage Program for more information.
Salt Bin Bluffs	42	Haywood	R3	C4	Rich Cove Forest (Foothills Rich Subtype)
Salt Bin/Mount Sterling Creek Yellowwood Slopes	252	Haywood	R1	C5	Rich Cove Forest (Foothills Rich Subtype)
Sam Knob	159	Haywood	R2	C4	Dendrolycopodium hickeyi
Shining Rock Wilderness Area	16,182	Haywood	R2	C2	Contact Natural Heritage Program for more information.
Shiny Creek Watershed	1,410	Haywood	R3	C3	Contact Natural Heritage Program for more information.
Slickrock Branch Coves	398	Haywood	R1	C4	Buckleya distichophylla
Snowbird Creek/Cedar Cliff	778	Haywood	R3	C4	Acidic Shale Slope Woodland, Low Mountain Pine Forest (Montane Pine Subtype)
Steestachee and Wesner Balds-Boulderfields	328	Haywood	R2	C3	Contact Natural Heritage Program for more information.
Tanasee Bald/Tanasee Ridge	1,499	Haywood	R2	C2	Contact Natural Heritage Program for more information.
Utah Mountain - Thistlecroft Natural Area	160	Haywood	R5	C5	Low Elevation Basic Glade (Montane Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Waterrock Knob	157	Haywood	R1	C1	Contact Natural Heritage Program for more information.
West Fork Pigeon River Aquatic Habitat	53	Haywood	R3	C4	Alasmidonta raveneliana
Bald Mountain/Round Top Mountain	1,298	Henderson	R2	C2	Hypochilus coylei, Solidago simulans
Bald Top Mountain	237	Henderson	R2	C4	Pycnanthemum virginianum
Bank Mountain	210	Henderson	R5	C4	Carolina Hemlock Forest (Typic Subtype), Montane Cliff (Acidic Herb Subtype), Rich Cove Forest (Boulderfield Subtype), Rich Cove Forest (Montane Intermediate Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Bat Cave/Bluerock Mountain	549	Henderson	R1	C1	Plethodon yonahlossee pop. 1, Rich Cove Forest (Foothills Rich Subtype), Solidago simulans
Bat Fork Bog	47	Henderson	R2	C3	Lilium canadense ssp. editorum, Thalictrum macrostylum
Bead and Lace Falls	74	Henderson	R5	C5	Rich Cove Forest (Montane Intermediate Subtype), Spray Cliff
Broad River Natural Area	72	Henderson	R2	C4	Montane Alluvial Forest (Small River Subtype), Rocky Bar and Shore (Alder-Yellowroot Subtype)
Burntshirt Mountain	337	Henderson	R2	C4	Plethodon amplus
Cliffield Mountain/Upper Hungry River	3,389	Henderson	R4	C4	Sisyrinchium dichotomum
Cloven Cliffs/The Pinnacles	335	Henderson	R2	C3	Carolina Hemlock Forest (Pine Subtype)
Costa Bog	11	Henderson	R3	C4	Arisaema triphyllum ssp. stewardsonii
Dry Branch Bog	231	Henderson	R5	C3	Contact Natural Heritage Program for more information.
East Flat Rock Bog Remnant	59	Henderson	R1	C5	Sagittaria fasciculata
Etowah Swamp	3	Henderson	R5	C4	Contact Natural Heritage Program for more information.
Face Rock/Bearwallow Mountain	594	Henderson	R3	C3	Montane Cliff (Mafic Subtype), Plethodon amplus
Fanning Bridge Swamp	74	Henderson	R3	C5	Montane Alluvial Forest (Large River Subtype)
Foster Creek Bog	452	Henderson	R2	C4	Carex utriculata
Franklin Bog	9	Henderson	R5	C4	Contact Natural Heritage Program for more information.
Funneltop Mountain	707	Henderson	R5	C5	Certhia americana
Glassy Mountain/Sandburg Park	446	Henderson	R2	C3	Robinia hispida var. kelseyi
Grassy Mountain	370	Henderson	R2	C4	Low Elevation Acidic Glade (Grass Subtype)
Green River Gorge	1,467	Henderson	R2	C3	Eurybia spectabilis, Rich Cove Forest (Foothills Intermediate Subtype)
Green River Headwaters	4,216	Henderson	R2	C3	Low Elevation Granitic Dome
Hoopers Creek/Bearwallow Mountain	171	Henderson	R5	C5	Adlumia fungosa
In-Between Glades	39	Henderson	R3	C5	Low Elevation Acidic Glade (Grass Subtype)
Jackson Park Wetlands	43	Henderson	R2	C5	Senecio suaveolens
Jim Creek Springhead	4	Henderson	R3	C5	Low Elevation Seep (Piedmont/Mountain Springhead Subtype)
Joanna Mountain	686	Henderson	R2	C3	Contact Natural Heritage Program for more information.
Kanuga Conference Center Rare Plant Site	1	Henderson	R2	C4	French Broad Valley Bog, Sarracenia jonesii
King Creek Bog	17	Henderson	R1	C2	French Broad Valley Bog, Gaylussacia orocola, Juncus caesariensis, Sarracenia jonesii
Laurel Branch Creek Gorge/Buckeye Ford	136	Henderson	R3	C5	Carex pedunculata
Laurel Branch Mountain Heartleaf Habitat	4	Henderson	R3	C5	Hexastylis contracta
Lewis Creek Bog	18	Henderson	R4	C5	Thalictrum macrostylum
Little Bearwallow Mountain	349	Henderson	R2	C4	Hypochilus coylei, Rich Cove Forest (Boulderfield Subtype)
Little Pisgah Slopes	523	Henderson	R2	C4	Rich Cove Forest (Foothills Intermediate Subtype)
Little River/Cedar Mountain Natural Areas	1,342	Henderson	R1	C1	Montane Floodplain Slough Forest
Long Rock	65	Henderson	R5	C4	Low Elevation Granitic Dome, contact Natural Heritage Program for more information.
Lost Colony Coves/Raven Cliffs	412	Henderson	R2	C2	Carex pedunculata
Lower Hungry River Gorge	238	Henderson	R3	C4	Carex pedunculata
McClure's Bog	37	Henderson	R1	C3	French Broad Valley Bog, Sarracenia jonesii
Memmingers Woods	5	Henderson	R5	C5	Hexastylis rhombiformis

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Mills River/South Fork Mills River Aquatic Habitat	157	Henderson	R2	C3	Alasmidonta viridis, Lasmigona holstonia
Mount Pisgah	731	Henderson	R1	C2	Contact Natural Heritage Program for more information.
Mud Creek Bridge and Eubank Swamp Remnant	155	Henderson	R3	C4	Carex verrucosa
Mud Creek Oxbow	3	Henderson	R4	C5	Carex buxbaumii
Mud Creek Remnant Wetland/Teneriffe Mountain	15	Henderson	R1	C4	Sagittaria fasciculata
Mud Creek/Hickory Hill Floodplain	7	Henderson	R5	C5	Montane Alluvial Forest (Large River Subtype)
Mullinax Cove	2	Henderson	R2	C5	Sagittaria fasciculata
Ochlawaha Bog	7	Henderson	R2	C4	Sagittaria fasciculata, Stachys eplingii
Pearsons Falls Glen/Pacolet River Bluffs	440	Henderson	R2	C4	Carex communis var. amplisquama
Pilot Rock/Pilot Cove	1,020	Henderson	R5	C4	Chestnut Oak Forest (Dry Heath Subtype), High Elevation Granitic Dome, Rich Cove Forest (Montane Intermediate Subtype), contact Natural Heritage Program for more information.
Pinnacle Mountain	1,971	Henderson	R3	C3	Carex communis var. amplisquama
Queen Creek Forests	922	Henderson	R2	C4	Low Elevation Seep (Montane Subtype)
Raven Rock	113	Henderson	R1	C4	Plethodon amplus
Reasonover Creek Headwaters	1,061	Henderson	R2	C3	Robinia viscosa, Verbesina walteri
Seniard Creek Swamp Forest-Bog Complex	6	Henderson	R5	C5	Contact Natural Heritage Program for more information.
South Mills River Scarlet Oak Area	139	Henderson	R5	C5	Chestnut Oak Forest (Dry Heath Subtype)
Stone Mountain/Rocky Ridge	824	Henderson	R1	C3	Montane Oak--Hickory Forest (Low Dry Subtype)
Stony Bald	123	Henderson	R3	C5	Contact Natural Heritage Program for more information.
Stony Mountain/Rich Mountain	427	Henderson	R1	C3	Plethodon amplus
Tarkiln Mountain/Grassy Creek Gorge	277	Henderson	R1	C3	Low Elevation Acidic Glade (Grass Subtype), Montane Oak--Hickory Forest (Low Dry Subtype)
Worlds Edge/Sugarloaf Mountain	2,102	Henderson	R1	C1	Sisyrinchium dichotomum
Chinkapin Creek Hardwood Forest	2,655	Hertford	R2	C4	Dry Oak--Hickory Forest (Coastal Plain Subtype), Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype), Pine/Scrub Oak Sandhill (Northern Subtype)
Chowan River Aquatic Habitat	27,339	Hertford	R3	C4	Acipenser brevirostrum, Anodonta implicata, Leptodea ochracea, Ligumia nasuta
Chowan Swamp	24,622	Hertford	R3	C3	Tidal Freshwater Marsh (Mixed Freshwater Subtype)
Colerain/Cow Island Swamp and Slopes	4,157	Hertford	R3	C4	Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype)
Lower Meherrin River/Potecasi Creek Swamps	3,831	Hertford	R3	C4	Coastal Plain Seepage Bank
Meherrin River Aquatic Habitat	887	Hertford	R2	C4	Orconectes virginiensis
Meherrin River Swamp	497	Hertford	R3	C5	Brownwater Levee Forest (Low Levee Subtype)
Meherrin River/Banks Creek Natural Area	571	Hertford	R2	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
The Pot Holes	959	Hertford	R4	C5	Small Depression Drawdown Meadow (Boggy Pool Subtype)
Upper Wiccacon River Swamp	604	Hertford	R5	C5	Colonial Wading Bird Colony, Cypress--Gum Swamp (Intermediate Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Wiccacon River Bluffs and Swamp	4,477	Hertford	R2	C3	Tidal Freshwater Marsh (Southern Wild Rice Subtype)
Antioch Bay Complex	716	Hoke	R1	C2	Cypress Savanna (Typic Subtype), Lobelia boykinii
Arabia Bay	30	Hoke	R3	C4	Scleria reticularis, contact Natural Heritage Program for more information.
Blueberry Bay	29	Hoke	R2	C4	Cypress Savanna (Acid Subtype)
Calloway Sandhills	3,102	Hoke	R3	C2	Callophrys irus, Crocanthemum carolinianum, Lindera subcoriacea, Potamogeton confervoides, Pyxidanthera brevifolia, contact Natural Heritage Program for more information.
Camp Mackall Drowning Creek Natural Area	830	Hoke	R3	C5	Cypress--Gum Swamp (Blackwater Subtype)
Camp Rockfish Natural Area	557	Hoke	R2	C3	Eupatorium resinosum
Drowning Creek/Quewhiffle Creek Floodplain	1,721	Hoke	R2	C4	Blackwater Bottomland Hardwoods (High Subtype), Carex canescens ssp. disjuncta
Fort Bragg Natural Area (Central Area)	105,099	Hoke	R1	C1	Amorpha georgiana, Campylopus carolinae, Coastal Plain Semipermanent Impoundment (Sandhills Marsh Subtype), Lindera subcoriacea, Lobelia boykinii, Mesic Pine Savanna (Sandhills Subtype), Peatland Canebrake, Pine/Scrub Oak Sandhill (Clay/Rock Hilltop Subtype), Pteroglossaspis ecristata, Rhus michauxii, Rhynchospora crinipes, Sagittaria macrocarpa, Sandhill Seep (Very Wet Subtype), Schwalbea americana, Streamhead Canebrake, Vernal Pool (Typic Subtype), Very Wet Loamy Pine Savanna, contact Natural Heritage Program for more information.
Fort Bragg Natural Area (Little River Area)	6,325	Hoke	R1	C1	Blackwater Levee/Bar Forest, Mesic Pine Savanna (Little River Subtype), Mesic Pine Savanna (Sandhills Subtype), Rhynchospora crinipes, Sand and Mud Bar (Blackwater Sand Bar Subtype)
Hamby's Bay Complex	242	Hoke	R2	C3	Cypress Savanna (Typic Subtype), Eurycea quadridigitata, Gratiola ramosa, contact Natural Heritage Program for more information.
Hidden Bay	89	Hoke	R4	C4	Cypress Savanna (Typic Subtype), Scleria reticularis
Hodgins Pond	424	Hoke	R5	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype)
Lake McNeill	1,026	Hoke	R3	C4	Carex canescens ssp. disjuncta
Little River Flatwoods	160	Hoke	R2	C4	Mesic Pine Savanna (Little River Subtype)
Lumber River/Bear Swamp Aquatic Habitat	453	Hoke	R1	C4	Cyprinella sp. 1
Lumber River/Drowning Creek Flatwoods and Swamp	770	Hoke	R3	C3	Sphagnum torreyanum
McCain Sandhills	2,053	Hoke	R1	C2	Coastal Plain Depression Swamp (Pocosin Subtype)
McFarland Sandhills	3,276	Hoke	R3	C4	Carex canescens ssp. disjuncta, Pine/Scrub Oak Sandhill (Blackjack Subtype)
Panic (Andropogon) Bay	33	Hoke	R5	C5	Cypress Savanna (Typic Subtype)
Quewhiffle Creek Sandhills	328	Hoke	R2	C3	Solidago tortifolia
Redwing Pond Seeps	1,899	Hoke	R1	C3	Sandhill Seep (Very Wet Subtype)
Rockfish Creek Ravines	734	Hoke	R3	C5	Desmodium fernaldii
Rockfish Creek/Raeford Natural Area	869	Hoke	R3	C4	Carex austrodeflexa
Sarvis Bay	99	Hoke	R3	C5	Coastal Plain Depression Swamp (Pocosin Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Troutman Farm Natural Area	756	Hoke	R4	C4	Contact Natural Heritage Program for more information.
Upper Lumber River Swamp	2,987	Hoke	R3	C3	Blackwater Bottomland Hardwoods (Swamp Transition Subtype), Blackwater Levee/Bar Forest
Walters Sandhills	255	Hoke	R5	C4	Cypress--Gum Swamp (Blackwater Subtype), Pine/Scrub Oak Sandhill (Blackjack Subtype), Schoenoplectus etuberculatus, Xeric Sandhill Scrub (Typic Subtype)
Alligator River Refuge/Southeast Marshes	13,834	Hyde	R2	C4	Canis rufus, Poanes aaroni aaroni, Tidal Freshwater Marsh (Sawgrass Subtype)
Alligator River Swamp Forest	39,605	Hyde	R1	C1	Canis rufus, Natural Lake Shoreline Marsh (Typic Subtype), Nonriverine Swamp Forest (Sweetgum Subtype), Peatland Atlantic White Cedar Forest, contact Natural Heritage Program for more information.
Alligator River/Swan Creek Lake Swamp Forest	27,169	Hyde	R2	C3	Nonriverine Swamp Forest (Mixed Subtype), Peatland Atlantic White Cedar Forest, Seminatrix pygaea
Back Landing Bay	912	Hyde	R2	C4	Northern Wet Pine Savanna
Dare County Pocosin	42,477	Hyde	R1	C2	Canis rufus, Low Pocosin (Gallberry-Fetterbush Subtype), Melanoplus decorus, Nonriverine Swamp Forest (Sweetgum Subtype), Pocosin Opening (Cranberry Subtype), Sorex sp. 1
Gibbs Point Marsh	1,461	Hyde	R5	C5	Brackish Marsh (Needlerush Subtype), Brackish Marsh (Salt Meadow Cordgrass Subtype)
Gull Rock Game Land	22,908	Hyde	R2	C2	Colonial Wading Bird Colony, Egretta thula, Egretta tricolor, Gull-Tern-Skimmer Colony, Plegadis falcinellus
Harvester Road Tall Pocosin	17,420	Hyde	R2	C5	Pond Pine Woodland (Typic Subtype)
Hatteras Inlet Bird Nesting Islands	56	Hyde	R2	C3	Pelecanus occidentalis, Sterna hirundo
Long Point and Wysocking Bay Marshes	4,044	Hyde	R3	C4	Estuarine Fringe Pine Forest (Loblolly Pine Subtype)
Long Shoal River Marshes and Pocosins	10,751	Hyde	R2	C4	Estuarine Fringe Pine Forest (Pond Pine Subtype)
Mattamuskeet National Wildlife Refuge	49,414	Hyde	R1	C3	Aeschynomene virginica
New Lake Fork Pocosin and New Lake	15,364	Hyde	R2	C4	Natural Lake Shoreline Swamp (Sweetgum Subtype)
Ocracoke Inlet Bird Nesting Islands	101	Hyde	R3	C4	Sterna hirundo
Ocracoke Island Central Section	1,583	Hyde	R1	C1	Contact Natural Heritage Program for more information.
Ocracoke Island Eastern End	1,513	Hyde	R3	C3	Paspalum vaginatum, Rhynchospora odorata, Salt Shrub (High Subtype)
Ocracoke Island Western End (Sand Flats)	1,246	Hyde	R1	C2	Maritime Wet Grassland (Southern Hairgrass Subtype)
Pantego Swamp and Pocosins	5,260	Hyde	R3	C4	Dichanthelium fusiforme, Northern Wet Pine Savanna
Pungo Lake Natural Areas	5,054	Hyde	R1	C3	Natural Lake Shoreline Swamp (Rich Subtype), Nonriverine Swamp Forest (Poplar-Pawpaw Subtype)
Pungo River Preserve	374	Hyde	R5	C5	Brackish Marsh (Needlerush Subtype)
Roper Island	8,739	Hyde	R3	C4	Pond Pine Woodland (Typic Subtype), contact Natural Heritage Program for more information.
Rose Bay Marshes	3,067	Hyde	R2	C4	Brackish Marsh (Salt Meadow Cordgrass Subtype), Marsh Hammock

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Scranton Hardwood Forest	5,712	Hyde	R1	C4	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Springers Point	136	Hyde	R2	C4	Crocanthemum georgianum
Swanquarter Bay Wetlands	19,502	Hyde	R2	C3	Brackish Marsh (Needlerush Subtype), Nonriverine Swamp Forest (Cypress-Gum Subtype)
Upper Alligator River Marshes and Forests	14,955	Hyde	R1	C3	Estuarine Beach Forest
Upper Alligator River Pocosin	49,165	Hyde	R1	C2	Low Pocosin (Gallberry-Fetterbush Subtype)
Upper Pungo River Wetlands	2,910	Hyde	R2	C3	Tidal Freshwater Marsh (Mixed Freshwater Subtype), Tidal Freshwater Marsh (Needlerush Subtype), Tidal Freshwater Marsh (Shrub Subtype)
Allison Woods	844	Iredell	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Low Elevation Seep (Floodplain Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Barnett Hollow (901) Bog	12	Iredell	R3	C4	Helenium brevifolium
Bell Farm Bigleaf Magnolia Slopes	94	Iredell	R4	C5	Magnolia macrophylla
Brushy Mountains/Vannoy Ridge	1,517	Iredell	R3	C4	Low Elevation Basic Glade (Brushy Mountain Subtype)
Buck Knob/Fox Mountain	196	Iredell	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Herb Subtype)
Church of God Basic Mesic Forest	39	Iredell	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Cool Springs Fen	45	Iredell	R4	C5	Low Elevation Seep (Floodplain Subtype)
Crosby Bog	26	Iredell	R5	C5	Hillside Seepage Bog
Fourth Creek Magnolia Slope	61	Iredell	R3	C5	Magnolia macrophylla
Harmony Woods	50	Iredell	R2	C5	Low Elevation Seep (Piedmont/Mountain Springhead Subtype)
Hunting Creek Bluffs	22	Iredell	R4	C4	Piedmont/Coastal Plain Heath Bluff
Kinder Creek Dry-Mesic Oak-Hickory Forest	86	Iredell	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Lake Norman State Park Natural Areas	89	Iredell	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Alluvial Forest, Piedmont Monadnock Forest (Typic Subtype)
Lambert Bog	3	Iredell	R3	C5	Hillside Seepage Bog
Link (Sloan) Bog	3	Iredell	R4	C4	Helenium brevifolium
Longview Road Depression Swamp	34	Iredell	R5	C5	Upland Depression Swamp Forest
Madison Bog	5	Iredell	R3	C4	Helenium brevifolium
NC 115 Heath Bogs	42	Iredell	R4	C5	Hillside Seepage Bog
Siceloff Bog	21	Iredell	R2	C4	Helenium brevifolium, Hillside Seepage Bog
Third Creek Fen and Bottoms	117	Iredell	R2	C4	Sida elliottii var. elliottii
Turnersburg Cliffs	91	Iredell	R3	C4	Piedmont Cliff (Acidic Subtype)
Bald Rock Mountain/Little Bald Rock Mountain	378	Jackson	R1	C3	Hymenophyllum tayloriae
Bald Rock/Bruce Ridge	1,641	Jackson	R3	C4	Dendrolycopodium hickeyi, High Elevation Red Oak Forest (Typic Herb Subtype)
Balsam Gap Natural Area	103	Jackson	R3	C4	Contact Natural Heritage Program for more information.
Beta Wetland	12	Jackson	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Montane Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Big Pisgah Mountain/Dismal Falls	1,582	Jackson	R2	C3	Acrobolbus ciliatus, Bryoxiphium norvegicum
Big Sheep Cliff Ridge	48	Jackson	R1	C4	Packera millefolium
Black Mountain/Parker Knob	561	Jackson	R2	C2	Silene ovata, Tortula ammonsiana

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Blackrock Mountain/Granite City	810	Jackson	R1	C2	High Elevation Granitic Dome
Bonas Defeat/Tuckasegee Gorge	656	Jackson	R1	C3	Chiloscyphus appalachianus, Hymenophyllum tayloriae, Plagiochila echinata
Brown Mountain/Hench Knob	802	Jackson	R2	C3	Carex careyana, Carex hitchcockiana, Diarrhena americana, Hydrastis canadensis
Brushy Ridge	472	Jackson	R4	C4	High Elevation Birch Boulderfield Forest
Cedar Cliff Mountain	84	Jackson	R1	C3	Physcia pseudospeciosa, Tortula ammonsiana
Charley Bald/Buck Knob	1,029	Jackson	R4	C3	Cardamine clematitis
Chattooga River Gorge/Ellicott Rock	2,063	Jackson	R1	C1	Montane Oak--Hickory Forest (White Pine Subtype)
Cold Creek Falls	35	Jackson	R5	C5	Acidic Cove Forest (Typic Subtype)
Cold Spring Gap	22	Jackson	R2	C5	Monarda media
Cole Mountain/Shortoff Mountain	1,204	Jackson	R3	C3	Chestnut Oak Forest (Mesic Subtype), High Elevation Red Oak Forest (Stunted Woodland Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Piedmont/Mountain Semipermanent Impoundment (Montane Marsh Subtype)
Corbin Knob	1,067	Jackson	R2	C3	Euphorbia purpurea, contact Natural Heritage Program for more information.
Corner Knob	299	Jackson	R3	C4	Euphorbia purpurea
Coward Knob and Judaculla Cliffs	72	Jackson	R3	C4	Montane Red Cedar-Hardwood Woodland, Sedum glaucophyllum
Cowee Bald	131	Jackson	R5	C5	Certhia americana, High Elevation Red Oak Forest (Typic Herb Subtype)
Cullowhee Mafic Slope	7	Jackson	R2	C5	Jeffersonia diphylla
Dark Ridge Olivine Outcrop	24	Jackson	R5	C5	Rich Cove Forest (Montane Rich Subtype)
Dark Ridge/Laurel Patch Cove	653	Jackson	R3	C3	Contact Natural Heritage Program for more information.
Dillard Canyon and Cliffs	917	Jackson	R2	C4	High Elevation Granitic Dome
Dulany Bog	49	Jackson	R2	C4	Contact Natural Heritage Program for more information.
East Laport River Islands	4	Jackson	R3	C5	Montane Alluvial Forest (Large River Subtype)
Ellicott Mountain Pogonia Site	5	Jackson	R2	C4	Contact Natural Heritage Program for more information.
Fed Cove Ridge	14	Jackson	R5	C5	Contact Natural Heritage Program for more information.
Flat Creek Bog	5	Jackson	R5	C5	Contact Natural Heritage Program for more information.
Fork Ridge/Mount Hardy	805	Jackson	R2	C2	Glyceria nubigena, Northern Hardwood Forest (Beech Gap Subtype)
Grassy Branch Falls and Bog	20	Jackson	R5	C4	Rich Cove Forest (Montane Intermediate Subtype), Southern Appalachian Bog (Low Elevation Subtype)
Grassy Camp Creek Bogs	33	Jackson	R5	C5	Contact Natural Heritage Program for more information.
High Falls of the Tuckasegee River (Onion Cliff)	68	Jackson	R5	C5	High Elevation Granitic Dome, Rich Cove Forest (Montane Intermediate Subtype)
High Hampton/Chattooga Ridge Natural Area	939	Jackson	R3	C3	Dendrolycopodium dendroideum
High Knob Rocky Slopes	93	Jackson	R1	C4	Contact Natural Heritage Program for more information.
High Top Mountain	402	Jackson	R3	C4	Montane Red Cedar-Hardwood Woodland
Hogback Mountain	332	Jackson	R4	C4	Danthonia epilis
Horsepasture River Bog	5	Jackson	R5	C5	Southern Appalachian Bog (Low Elevation Subtype)
Horseshoe Rock	68	Jackson	R5	C5	High Elevation Granitic Dome
Hurricane Lake Bog	22	Jackson	R4	C5	Southern Appalachian Bog (Typic Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Kirby Knob Hornblende Slope	106	Jackson	R3	C4	Euphorbia purpurea, Solidago simulans
Licklog Falls	12	Jackson	R2	C5	Lonicera canadensis
Little Terrapin Mountain Cliffs	86	Jackson	R2	C3	Heath Bald (Southern Mixed Subtype), Robinia hartwigii
Lizzie Mountain	88	Jackson	R5	C5	Low Elevation Basic Glade (Montane Subtype)
Mount Lyn Lowry/Campbell Creek	1,337	Jackson	R2	C3	Contact Natural Heritage Program for more information.
Nix Mountain	176	Jackson	R5	C4	High Elevation Granitic Dome, Montane Oak--Hickory Forest (Acidic Subtype), Pine--Oak / Heath (Typic Subtype)
Oconaluftee River Aquatic Habitat	219	Jackson	R1	C3	Megaleuctra williamsae
Old Bald/Cherry Cove	618	Jackson	R3	C4	Contact Natural Heritage Program for more information.
Panthertown Valley	6,711	Jackson	R1	C1	Drepanolejeunea appalachiana, Plagiochila caduciloba, Southern Appalachian Bog (Low Elevation Subtype)
Paradise Falls	36	Jackson	R4	C4	Huperzia porophila
Perry Top	140	Jackson	R4	C5	Montane Oak--Hickory Forest (Basic Subtype)
Pinnacle Bald	523	Jackson	R2	C4	Dendrolycopodium dendroideum
Ravenels Woods Remnants	202	Jackson	R1	C4	Schlotheimia lancifolia
Redbank Cove	279	Jackson	R4	C5	Contact Natural Heritage Program for more information.
Rich Mountain/Sugar Creek	778	Jackson	R2	C3	Contact Natural Heritage Program for more information.
Richland Balsam/Beartrail Ridge	2,629	Jackson	R2	C1	Contact Natural Heritage Program for more information.
Robinson Creek Gorge	869	Jackson	R5	C4	Canada Hemlock Forest (Typic Subtype), Montane Cliff (Acidic Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Boulderfield Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Rough Butt Bald/Gage Bald	941	Jackson	R2	C2	Contact Natural Heritage Program for more information.
Savannah River Headwaters Aquatic Habitat	308	Jackson	R1	C2	Cambarus chaugaensis
Shelton Mountain	361	Jackson	R1	C3	Tortula ammonsiana
Shiny Creek Watershed	1,410	Jackson	R3	C3	Contact Natural Heritage Program for more information.
Shoal Mountain Wood Fern Cove	56	Jackson	R5	C5	Rich Cove Forest (Montane Rich Subtype)
Shut-In Gap	415	Jackson	R3	C4	Sceptridium oneidense
Silver Run Preserve/Sassafras Mountain	4,158	Jackson	R2	C1	Plagiochila caduciloba
Snaggy Bald	43	Jackson	R2	C4	High Elevation Birch Boulderfield Forest, Sceptridium oneidense
Soco Falls	11	Jackson	R5	C5	Spray Cliff
Steestachee and Wesner Balds-Boulderfields	328	Jackson	R2	C3	Contact Natural Heritage Program for more information.
Sugar Creek Ridge Boulderfield	8	Jackson	R5	C5	Rich Cove Forest (Boulderfield Subtype)
Tanasee Bald/Tanasee Ridge	1,499	Jackson	R2	C2	Contact Natural Heritage Program for more information.
Terrapin Mountain	1,386	Jackson	R2	C3	Lysimachia fraseri, Montane Oak--Hickory Forest (Acidic Subtype), Packera millefolium
The Dismal/River Cliffs	1,610	Jackson	R2	C2	Chenopodium simplex, Tortula ammonsiana
Timber Ridge	204	Jackson	R5	C4	Danthonia epilis, High Elevation Granitic Dome, Packera millefolium
Toxaway Mountain	98	Jackson	R3	C4	Huperzia porophila
Toxaway River Headwaters	1,216	Jackson	R2	C3	Rhododendron vaseyi

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Tuckasegee River Aquatic Habitat	769	Jackson	R1	C2	Alasmidonta raveneliana, Cambarus tuckasegee, Moxostoma sp. 2
Tuckasegee River Hornblende Ravine	8	Jackson	R4	C5	Hydrastis canadensis
Tuckasegee River Islands	3	Jackson	R2	C5	Montane Alluvial Forest (Large River Subtype)
Waterrock Knob	157	Jackson	R1	C1	Contact Natural Heritage Program for more information.
Webster Serpentine-Olivine Outcrop	14	Jackson	R1	C4	Ultramafic Outcrop Barren (Virginia Pine Subtype)
Whiteside Mountain/Devils Courthouse	1,480	Jackson	R1	C1	High Elevation Granitic Dome, Robinia hartwigii
Whitewater River Falls and Gorge	1,603	Jackson	R1	C1	Bryocrumia vivicolor, Carex radfordii, Cheilolejeunea evansii, Montane Oak--Hickory Forest (White Pine Subtype)
Willits Hornblende Slope Natural Area	194	Jackson	R3	C5	Hydrastis canadensis
Wolf Creek/Cherry Gap/Brown Mountain	738	Jackson	R3	C4	Sceptridium oneidense
Woodfin Falls	75	Jackson	R2	C4	Contact Natural Heritage Program for more information.
Yellow Face/Blackrock Mountain	2,577	Jackson	R1	C2	Contact Natural Heritage Program for more information.
Yellow Mountain/Blackrock Mountain	829	Jackson	R5	C3	Danthonia epilis, High Elevation Granitic Dome, High Elevation Red Oak Forest (Heath Subtype), High Elevation Red Oak Forest (Rich Subtype), High Elevation Red Oak Forest (Typic Herb Subtype), Montane Cliff (Acidic Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Benson Goldenrod Site	2	Johnston	R5	C5	Solidago verna
Bentonville Battlefield Natural Area	127	Johnston	R3	C4	Pine/Scrub Oak Sandhill (Mixed Oak Subtype)
Black Creek Sandhill and Bluff	44	Johnston	R5	C5	Piedmont/Coastal Plain Heath Bluff
Brogden Bottomlands	1,186	Johnston	R2	C4	Brownwater Bottomland Hardwoods (Low Subtype)
Buckhorn Reservoir	2,624	Johnston	R5	C5	Alasmidonta heterodon
Camp Atkinson Hardwood Forest	39	Johnston	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Camp Tuscarora Sandhills	221	Johnston	R2	C4	Dry Oak--Hickory Forest (Coastal Plain Subtype)
Cowbone Oxbows/Sage Pond Natural Area	2,042	Johnston	R2	C4	Brownwater Levee Forest (Medium Levee Subtype), Oxbow Lake (Brownwater Subtype)
Eldridge Road Sandhill and Pocosins	43	Johnston	R5	C5	Streamhead Pocosin
Flower Hill/Moccasin Creek Bluffs	73	Johnston	R5	C5	Piedmont/Coastal Plain Heath Bluff
Hannah Creek Sandhill	57	Johnston	R5	C4	Pine/Scrub Oak Sandhill (Mixed Oak Subtype), Streamhead Pocosin, Xeric Sandhill Scrub (Typic Subtype)
Hannah Creek Swamp	1,234	Johnston	R5	C5	Cypress--Gum Swamp (Blackwater Subtype)
Holts Lake/Black Creek Swamp	588	Johnston	R5	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype)
Howell Woods	3,028	Johnston	R1	C3	Macbridea caroliniana
Little River (Franklin/Wake/Johnston/ Wayne) Aquatic Habitat	527	Johnston	R2	C1	Alasmidonta undulata, Dibusa angata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Little River Galax Bluffs	16	Johnston	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Long Branch Sandhills	86	Johnston	R5	C5	Pine/Scrub Oak Sandhill (Blackjack Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Marks Creek Floodplain	740	Johnston	R4	C4	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Middle Creek (Wake/Johnston) Aquatic Habitat	217	Johnston	R3	C3	Alasmidonta heterodon, Lampetra aepyptera
Middle Creek Amphibolite Slope	37	Johnston	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Middle Creek Floodplain Knolls	149	Johnston	R5	C5	Colonial Wading Bird Colony, Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Mill Creek Aquatic Habitat	127	Johnston	R4	C4	Elliptio lanceolata
Mill Creek Cypress Forest	144	Johnston	R5	C5	Cypress--Gum Swamp (Blackwater Subtype)
Moccasin Creek Aquatic Habitat	70	Johnston	R3	C3	Alasmidonta undulata, Didiplis diandra
Moccasin Creek Wetlands	60	Johnston	R3	C4	Trillium pusillum var. virginianum
Moccasin Swamp	1,175	Johnston	R5	C5	Cypress--Gum Swamp (Blackwater Subtype)
Mudham Road Beaver Ponds	107	Johnston	R5	C5	Colonial Wading Bird Colony, Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Neuse River (Clayton) Forests	1,672	Johnston	R5	C4	Piedmont Bottomland Forest (Typic Low Subtype), Piedmont Levee Forest (Typic Subtype)
Reedy Branch Floodplain	15	Johnston	R3	C5	Trillium pusillum var. virginianum
Richardson Bridge Bottomlands	1,360	Johnston	R3	C4	Baptisia alba
Selma Heath Bluffs	18	Johnston	R5	C5	Piedmont/Coastal Plain Heath Bluff
Selma Pine Flatwoods	113	Johnston	R4	C4	Contact Natural Heritage Program for more information.
Stancils Chapel Pine Flatwoods	141	Johnston	R4	C4	Contact Natural Heritage Program for more information.
Swift Creek (Wake/Johnston) Aquatic Habitat	242	Johnston	R1	C3	Alasmidonta undulata, Elliptio lanceolata, Elliptio marsupiobesa
Swift Creek Magnolia Slopes	19	Johnston	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Wendell Lake	153	Johnston	R5	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype)
Catfish Lake Impoundment Bay Rims	625	Jones	R3	C5	Wet Pine Flatwoods (Typic Subtype)
Catfish Lake/Catfish Lake South Wilderness	9,718	Jones	R1	C2	Condylura cristata pop. 1, Natural Lake Shoreline Swamp (Sweetgum Subtype)
Cherry Point Oak Grove Swamps	143	Jones	R3	C5	Carex lupuliformis
Deep Gully	72	Jones	R2	C4	Coastal Plain Marl Outcrop (Bluff Subtype)
Hofmann Forest White Oak Pocosin	21,334	Jones	R3	C4	Picoides borealis
Holston Creek Natural Area	1,179	Jones	R2	C3	Carex emmonsii, Eurybia spectabilis, Pycnanthemum setosum
Hunters Creek Flatwoods	424	Jones	R4	C3	Dichanthelium sp. 9, Mesic Pine Savanna (Coastal Plain Subtype)
Hunters Creek Upland Forest	165	Jones	R3	C4	Ponthieva racemosa, Scirpus lineatus
Island Creek Natural Area	284	Jones	R1	C3	Asplenium heteroresiliens, Coastal Plain Marl Outcrop (Bluff Subtype)
Maysville Goldenrod Roadsides	121	Jones	R4	C5	Solidago verna
Mill Creek Outcrops	47	Jones	R2	C4	Coastal Plain Marl Outcrop (Bluff Subtype)
Pocosin Wilderness	18,938	Jones	R2	C3	Natural Lake Shoreline Marsh (Typic Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Reedy Branch	18	Jones	R2	C4	Asplenium heteroresiliens
Sally Simmons Limestone Ledge	22	Jones	R2	C5	Asplenium heteroresiliens
Trent River Aquatic Habitat	504	Jones	R2	C4	Necturus lewisi
White Oak River Marshes and Swamps	3,788	Jones	R1	C4	Tidal Red Cedar Forest
Bailey Thomas Road White Cedar Stand	45	Lee	R4	C5	Streamhead Atlantic White Cedar Forest
Big Buffalo Creek Galax Slope	20	Lee	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Cape Fear River/Buckhorn Levees	418	Lee	R3	C4	Phacelia covillei, Piedmont Levee Forest (Typic Subtype)
Cape Fear River/McKay Island Floodplain	1,141	Lee	R5	C4	Colonial Wading Bird Colony, Phacelia covillei, Piedmont Bottomland Forest (Typic Low Subtype), Piedmont Levee Forest (Typic Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Carbonton Diabase Sill	104	Lee	R2	C5	Scutellaria leonardii
Center Church Headwaters of Little Governors Creek	29	Lee	R5	C5	Coastal Plain Small Stream Swamp
County Line Road White Cedar Stand	68	Lee	R3	C5	Streamhead Atlantic White Cedar Forest
Deep River Bend	23	Lee	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Deep River Slopes Near Carbonton	45	Lee	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Deep River/Little Governors Creek Forests	91	Lee	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Deep River/Patterson Creek Slopes	74	Lee	R5	C5	Basic Mesic Forest (Piedmont Subtype), Piedmont Alluvial Forest
Dry Fork Pocket Creek Forest	21	Lee	R5	C5	Piedmont Alluvial Forest
Endor Iron Furnace Natural Area	254	Lee	R5	C5	Piedmont Levee Forest (Typic Subtype)
Juniper Springs Church Natural Area	34	Lee	R2	C4	Lindera subcoriacea, Streamhead Atlantic White Cedar Forest
Lemon Springs Longleaf Pine Stand	43	Lee	R5	C5	Pine/Scrub Oak Sandhill (Blackjack Subtype)
Lower Rocky River/Lower Deep River Aquatic Habitat	397	Lee	R1	C3	Notropis mekistocholas
Middle Deep River Aquatic Habitat	1,451	Lee	R1	C1	Notropis mekistocholas, Toxolasma pullus
Reedy Branch White Cedar Stand	26	Lee	R5	C5	Streamhead Atlantic White Cedar Forest
Seaboard Longleaf Pine Stand	154	Lee	R4	C4	Amorpha georgiana
Swann Juniper Creek Forest	47	Lee	R5	C5	Streamhead Atlantic White Cedar Forest
Upper Cape Fear River Aquatic Habitat	1,885	Lee	R1	C1	Moxostoma sp. 3
Upper Little River White Cedar Stand	81	Lee	R5	C5	Streamhead Atlantic White Cedar Forest
White Pines Natural Area	539	Lee	R1	C3	Ptilimnium nodosum
Jolly Old Field Natural Area	349	Lenoir	R3	C5	Brownwater Bottomland Hardwoods (Swamp Transition Subtype)
Nobles Millpond	190	Lenoir	R5	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype), Coastal Plain Semipermanent Impoundment (Open Water Subtype)
Beth Haven Church Road Forests	983	Lincoln	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Alluvial Forest, Symphyotrichum georgianum

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Carpenter Creek Heartleaf Site	33	Lincoln	R2	C5	Helenium brevifolium
Cat Square Heartleaf Forest	51	Lincoln	R5	C5	Hexastylis naniflora
Cloninger Lane Woods	79	Lincoln	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Indian Creek Slopes	79	Lincoln	R5	C4	Hexastylis naniflora, Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
June Bug Woods	160	Lincoln	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Hexastylis naniflora
Leepers Creek Heartleaf Site	28	Lincoln	R5	C5	Hexastylis naniflora
Leepers Creek Monadnock and Wetland	146	Lincoln	R5	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest, Piedmont Monadnock Forest (Typic Subtype)
Lick Run Slopes	68	Lincoln	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Little Egypt Woods	271	Lincoln	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Hexalectris spicata
Longs Farm/Riverbend	432	Lincoln	R3	C4	Piedmont Swamp Forest
Mount Zion Heartleaf Forest	43	Lincoln	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Hexastylis naniflora
Mountain Island Lake Forest	1,341	Lincoln	R2	C4	Peromyscus polionotus
Reese Mountain	57	Lincoln	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
Rhyne Conservation Preserve	452	Lincoln	R3	C4	Hexastylis naniflora
Wingate Creek Slopes	95	Lincoln	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Alarka Laurel	2,051	Macon	R1	C2	High Elevation White Oak Forest
Albert Mountain/Pinnacle Mountain	1,708	Macon	R3	C3	Plethodon shermani
Big Choga Creek Slopes	798	Macon	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), High Elevation Red Oak Forest (Typic Herb Subtype), Northern Hardwood Forest (Typic Subtype)
Big Creek Falls	37	Macon	R5	C5	Acidic Cove Forest (Typic Subtype), Spray Cliff
Blackrock Mountain/Granite City	810	Macon	R1	C2	High Elevation Granitic Dome
Brushy Face Mountain/Brooks Creek Waterfall	480	Macon	R3	C3	Solidago simulans
Brushy Ridge	472	Macon	R4	C4	High Elevation Birch Boulderfield Forest
Bryson Branch Falls and Cove	58	Macon	R3	C4	Viola walteri var. appalachiensis
Bryson Knob	182	Macon	R3	C4	Frasera caroliniensis
Burningtown Bald/Cliff Ridge	4,985	Macon	R2	C2	High Elevation Red Oak Forest (Stunted Woodland Subtype), Rhododendron cumberlandense
Cartoogechaye Creek Aquatic Habitat	90	Macon	R2	C4	Cambarus georgiae
Cartoogechaye Creek Bluff	9	Macon	R5	C5	Berberis canadensis, Smilax hugeri
Cedar Cliff/The Pinnacle	2,984	Macon	R2	C1	Low Elevation Seep (Bedrock Subtype)
Chattooga River Gorge/Ellicott Rock	2,063	Macon	R1	C1	Montane Oak--Hickory Forest (White Pine Subtype)
Cole Mountain/Shortoff Mountain	1,204	Macon	R3	C3	Chestnut Oak Forest (Mesic Subtype), High Elevation Red Oak Forest (Stunted Woodland Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Piedmont/Mountain Semipermanent Impoundment (Montane Marsh Subtype)
Corbin Knob	1,067	Macon	R2	C3	Euphorbia purpurea, contact Natural Heritage Program for more information.
Corner Knob	299	Macon	R3	C4	Euphorbia purpurea
Cowee Bald	131	Macon	R5	C5	Certhia americana, High Elevation Red Oak Forest (Typic Herb Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Crow Creek Falls	8	Macon	R2	C3	Porella wataugensis, Radula voluta, Trichomanes boschianum
Cullasaja Gorge	2,257	Macon	R1	C2	Spray Cliff
Cullasaja River/Ellijay Creek Aquatic Habitat	113	Macon	R2	C3	Cambarus georgiae
Dobson Mountain	197	Macon	R4	C4	Chestnut Oak Forest (Herb Subtype), Frasera caroliniensis
Doubletop Mountain/Cedar Cliff Mountain	2,035	Macon	R1	C3	Montane Red Cedar-Hardwood Woodland
Foster Knob/Rockyface Mountain	914	Macon	R2	C4	Platanthera flava var. herbiola
Glen Falls	142	Macon	R2	C3	Spray Cliff
Grindstone Knob	102	Macon	R2	C4	Solidago simulans
Hawkins Rockhouse	70	Macon	R5	C4	Low Elevation Granitic Dome, Montane Oak--Hickory Forest (Acidic Subtype), contact Natural Heritage Program for more information.
Henry Wright/Kelsey Hemlock Forests	302	Macon	R1	C4	Carolina Hemlock Forest (Mesic Subtype), Carolina Hemlock Forest (Pine Subtype)
Highlands Sixth Street Bog	5	Macon	R2	C4	Schlotheimia lancifolia
Hogback Mountain	332	Macon	R4	C4	Danthonia epilis
Horse Cove Bog	19	Macon	R4	C4	Chelone cuthbertii
Houston Knob	335	Macon	R3	C4	Low Elevation Rocky Summit (Basic Subtype)
Jake Branch Bog	2	Macon	R3	C5	Contact Natural Heritage Program for more information.
Jarrett Bald	922	Macon	R3	C4	Cardamine clematitis, contact Natural Heritage Program for more information.
Jarrett Creek Bog	28	Macon	R4	C4	Piedmont/Mountain Semipermanent Impoundment (Montane Marsh Subtype)
Jones Knob/Whiterock Mountain	1,068	Macon	R2	C3	Contact Natural Heritage Program for more information.
Keener Mountain	226	Macon	R4	C5	Montane Oak--Hickory Forest (Acidic Subtype)
Kirby Knob Hornblende Slope	106	Macon	R3	C4	Euphorbia purpurea, Solidago simulans
Lambert Mountain	743	Macon	R4	C4	Setophaga cerulea
Little Mountain Cedar Glade	51	Macon	R2	C4	Macrocoma sullivantii
Little Rocky Mountain	223	Macon	R5	C5	Brachyelytrum aristosum, Rich Cove Forest (Montane Rich Subtype)
Little Scaly Mountain	316	Macon	R2	C3	Low Elevation Acidic Glade (Biltmore Sedge Subtype)
Little Tennessee River (Lower) Aquatic Habitat	681	Macon	R1	C1	Alasmidonta raveneliana, Erimonax monachus, Moxostoma sp. 2, Pegias fabula, Pleurobema oviforme
Little Tennessee River (Upper) Aquatic Habitat	445	Macon	R1	C4	Cambarus georgiae
Little Tennessee River Floodplain	4,503	Macon	R1	C1	Montane Alluvial Forest (Large River Subtype), Montane Floodplain Slough Forest
McDowell Mountain	262	Macon	R1	C3	Low Elevation Seep (Bedrock Subtype)
Middle Creek Falls	232	Macon	R5	C4	Canada Hemlock Forest (Typic Subtype), Spray Cliff
Milksick Knob	494	Macon	R2	C4	Montane Cliff (Mafic Subtype)
Moore Knob	110	Macon	R2	C4	Frasera caroliniensis, Hydrastis canadensis
Nantahala River Bogs	103	Macon	R2	C3	Filipendula rubra, Sparganium emersum
Nantahala River Salamander Site	6	Macon	R3	C4	Low Elevation Seep (Montane Subtype)
Nantahala River Woodland Pond	5	Macon	R2	C4	Eurycea longicauda
Onion Mountain	90	Macon	R4	C4	Montane Cliff (Mafic Subtype)
Pickens Nose/Little Ridgepole Mountain	4,874	Macon	R1	C2	High Elevation Red Oak Forest (Stunted Woodland Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Piercy Bald/London Bald	846	Macon	R5	C5	Acidic Cove Forest (Typic Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Montane Oak--Hickory Forest (Basic Subtype)
Piercy Range/Kennedy Top	1,156	Macon	R4	C5	Low Mountain Pine Forest (Montane Pine Subtype)
Piney Knob Fork	523	Macon	R3	C4	Canada Hemlock Forest (White Pine Subtype)
Pinky Falls/Olive Preserve	59	Macon	R3	C4	Glyceria laxa
Rainbow Springs Marsh	58	Macon	R2	C2	Anthoxanthum hirtum, Calamagrostis canadensis var. canadensis, Carex tetanica
Rainbow Springs Preserve	947	Macon	R2	C3	Carex woodii, Piedmont/Mountain Semipermanent Impoundment (Montane Marsh Subtype), Viola walteri var. appalachiensis
Ravenels Woods Remnants	202	Macon	R1	C4	Schlotheimia lancifolia
Richey Knob/Buck Knob	1,492	Macon	R4	C3	Montane Red Cedar-Hardwood Woodland
Roaring Fork/Fire Gap Ridge	641	Macon	R4	C3	High Elevation Boggy Seep, Sorex palustris punctulatus
Runaway Knob	266	Macon	R2	C4	Celastrina nigra
Satulah Mountain	74	Macon	R2	C3	Juniperus communis var. depressa, Robinia hartwigii
Savannah River Headwaters Aquatic Habitat	308	Macon	R1	C2	Cambarus chaugaensis
Scaly Mountain	808	Macon	R3	C2	High Elevation Red Oak Forest (Stunted Woodland Subtype), Low Elevation Acidic Glade (Biltmore Sedge Subtype)
Shepherd Bald/Cedar Cliff Ridge	1,082	Macon	R4	C3	Macrocoma sullivantii, Pine--Oak / Heath (Typic Subtype)
Skitty Branch Cove	78	Macon	R2	C5	Canada Hemlock Forest (White Pine Subtype)
Slick Rock	11	Macon	R2	C3	Packera millefolium
Standing Indian Mountain	4,163	Macon	R1	C1	Heath Bald (Low Elevation Subtype), Heath Bald (Southern Mixed Subtype), Stachys clingmanii
Tessentee Farm Bog	2	Macon	R5	C5	Arisaema triphyllum ssp. stewardsonii
The Fodderstacks	305	Macon	R1	C3	Pine--Oak / Heath (High Elevation Subtype), Robinia hartwigii
Trimont Ridge	473	Macon	R3	C4	Frasera caroliniensis, Smilax hugeri, contact Natural Heritage Program for more information.
Upper Nantahala Gorge	1,725	Macon	R2	C3	Acidic Shale Slope Woodland, Carex purpurifera
Walking Fern Cove	25	Macon	R3	C4	Cephaloziella spinicaulis, Rich Cove Forest (Montane Rich Subtype)
Wayah Bald and Wine Spring Bald	4,302	Macon	R2	C1	Botrychium lanceolatum var. angustisegmentum, Ditrichum ambiguum, Pannaria conoplea, Plethodon shermani, Polygonia faunus smythi, Trillium simile
Weatherman Bald	549	Macon	R3	C4	High Elevation Red Oak Forest (Orchard Forest Subtype)
Wesser Bald	1,283	Macon	R3	C4	Montane Oak--Hickory Forest (Acidic Subtype)
Whiteside Mountain/Devils Courthouse	1,480	Macon	R1	C1	High Elevation Granitic Dome, Robinia hartwigii
Yellow Mountain/Blackrock Mountain	829	Macon	R5	C3	Danthonia epilis, High Elevation Granitic Dome, High Elevation Red Oak Forest (Heath Subtype), High Elevation Red Oak Forest (Rich Subtype), High Elevation Red Oak Forest (Typic Herb Subtype), Montane Cliff (Acidic Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Bailey Bend Slopes	37	Madison	R3	C4	Draba ramosissima, Phlox subulata
Big Flat/Rice Gap	213	Madison	R5	C5	High Elevation Red Oak Forest (Typic Herb Subtype), Northern Hardwood Forest (Rich Subtype)
Big Laurel Creek Gorge	614	Madison	R3	C4	Buckleya distichophylla, Dicentra eximia
Big Rock Spring	181	Madison	R5	C5	Rich Cove Forest (Montane Intermediate Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Black Pine Ridge	136	Madison	R5	C5	Rich Cove Forest (Montane Intermediate Subtype)
Crooked Creek Meadow Bog	18	Madison	R3	C4	Veronica americana
Davis Branch Floodplain	31	Madison	R2	C4	Plethodon ventralis
Deep Water Bridge Area	46	Madison	R2	C4	Corydalis micrantha
Doe Branch Forests	75	Madison	R5	C5	Montane Alluvial Forest (Large River Subtype)
Flint Mountain Boulderfields	72	Madison	R1	C4	Scutellaria ovata ssp. rugosa var. 1
Forks of Ivy Salamander Site	26	Madison	R3	C5	Plethodon ventralis
Hot Springs Mountain	152	Madison	R5	C5	Chestnut Oak Forest (Dry Heath Subtype)
Ivy Bluffs Mafic Forests and Woodlands	73	Madison	R2	C2	Adlumia fungosa, Heuchera pubescens, Jeffersonia diphylla, Meehania cordata, Necturus maculosus
Ivy River Dam Cliffs	48	Madison	R3	C3	Adlumia fungosa, Montane Alluvial Forest (Small River Subtype)
Lovers Leap/Stackhouse Slopes	897	Madison	R1	C2	Acidic Shale Slope Woodland, Thaspium pinnatifidum
Lower French Broad River Aquatic Habitat	1,505	Madison	R2	C1	Apalone spinifera spinifera, Aplodinotus grunniens, Cambarus reburrus, Carpiodes carpio, Carpiodes cyprinus, Cottus carolinae, Erimystax insignis eristigma, Etheostoma simoterum, Hiodon tergisus, Ichthyomyzon bdellium, Ictiobus bubalus, Ictiobus niger, Lampetra appendix, Moxostoma breviceps, Necturus maculosus, Notropis micropteryx, Notropis volucellus, Noturus eleutherus, Noturus flavus, Percina caprodes, Percina squamata, Potamilus alatus, Pteronarcys comstocki, Sander canadensis, Sternotherus minor, Trachemys scripta troostii, contact Natural Heritage Program for more information.
Maidenhair Ravine	16	Madison	R4	C5	Buckleya distichophylla
Mars Hill Watershed	123	Madison	R5	C5	Northern Hardwood Forest (Typic Subtype), Rich Montane Seep
Max Patch--Roaring Fork Forest	253	Madison	R2	C5	Stachys cordata
Mine Ridge	51	Madison	R2	C4	Calcareous Oak-Walnut Forest
Mountain Island	10	Madison	R4	C4	Montane Alluvial Forest (Large River Subtype), Rocky Bar and Shore (Alder-Yellowroot Subtype)
Murray Branch Slopes	164	Madison	R1	C2	Calcareous Shale Slope Woodland, Thaspium pinnatifidum
Naked Place Mountain	23	Madison	R3	C5	Silene ovata
Paint Rock Road Natural Area	113	Madison	R1	C3	Buckleya distichophylla
Sams Gap/High Rock	228	Madison	R3	C4	Euphorbia purpurea, Silene ovata
Sandymush Creek/Turkey Creek Gorge	303	Madison	R2	C3	Buckleya distichophylla
Spillcorn--Locust Knob	380	Madison	R5	C5	Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Spillcorn--Richland Mountain	80	Madison	R5	C5	Rich Cove Forest (Montane Intermediate Subtype)
Spring Creek Gorge	751	Madison	R1	C2	Acidic Shale Slope Woodland, Calcareous Shale Slope Woodland, Robinia hispida var. kelseyi
Spring Creek Mountain	297	Madison	R5	C5	Acidic Cove Forest (Typic Subtype), Rich Cove Forest (Montane Intermediate Subtype), Trillium simile
Spring Creek/Turkey Mountain	154	Madison	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Chestnut Oak Forest (Herb Subtype)
Squirrel Branch Oaks	32	Madison	R5	C5	Montane Oak--Hickory Forest (Acidic Subtype)
Stokely Hollow and Ridge	66	Madison	R2	C4	Arabis patens, Asplenium ruta-muraria, Carex eburnea, Stachys cordata
Street Gap Forest	166	Madison	R5	C5	Northern Hardwood Forest (Typic Subtype)
Sugarloaf Knob	275	Madison	R1	C3	Inflectarius subpalliatus, Paravitrea ternaria

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Walnut Mountains/Sevenmile Ridge	71	Madison	R5	C5	Montane Oak--Hickory Forest (Acidic Subtype)
Whiteoak Flats Branch	48	Madison	R5	C5	Chestnut Oak Forest (Mesic Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Rich Subtype)
Whiterock Cliffs	441	Madison	R3	C3	Heath Bald (Low Elevation Subtype)
Conine Island	5,277	Martin	R2	C4	Brownwater Levee Forest (Low Levee Subtype), Colonial Wading Bird Colony, Stachys tenuifolia
Conoho Creek Slopes and Floodplain	1,604	Martin	R2	C4	Schisandra glabra
Conoho Neck Swamp	9,057	Martin	R2	C4	Stachys tenuifolia
Devils Gut	2,114	Martin	R2	C3	Anacamptodes cypressaria, Brownwater Bottomland Hardwoods (High Subtype), Catocala lincolnana, Cerma cora, Phanopyrum gymnocarpon
Fort Branch Bluffs	133	Martin	R3	C4	Brownwater Levee Forest (Medium Levee Subtype)
Hills Ferry Bluffs	365	Martin	R5	C4	Basic Mesic Forest (Coastal Plain Subtype), Cypress--Gum Swamp (Brownwater Subtype), Low Elevation Seep (Typic Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Lilleys Swamp	71	Martin	R5	C5	Cypress--Gum Swamp (Intermediate Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Lower Roanoke River Aquatic Habitat	2,005	Martin	R2	C4	Anodonta implicata, Leptodea ochracea, Orconectes virginiensis
Martin Slopes	531	Martin	R5	C5	Carex jamesii, Cypress--Gum Swamp (Blackwater Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Poplar Point Slopes	96	Martin	R5	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Roanoke River Warren Neck	3,067	Martin	R3	C5	Cypress--Gum Swamp (Brownwater Subtype)
Roanoke River/NC 11 Alluvial Flats	1,723	Martin	R3	C4	Stachys tenuifolia
Sweetwater Creek Swamp Forest	1,003	Martin	R3	C5	Hottonia inflata
Bald Mountain Natural Areas	240	McDowell	R1	C5	Contact Natural Heritage Program for more information.
Bear Creek Natural Area	68	McDowell	R1	C5	Contact Natural Heritage Program for more information.
Beartree Ridge	107	McDowell	R3	C4	Contact Natural Heritage Program for more information.
Bob's Creek Pocket Wilderness	610	McDowell	R1	C2	Aneura sharpii
Box Creek Wilderness Natural Area	2,448	McDowell	R1	C1	Campylopus oerstedianus, Frullania appalachiana, Low Elevation Basic Glade (Montane Subtype), Oxyrrhynchium pringlei
Brackettown Seepage Bogs	22	McDowell	R2	C4	Low Elevation Seep (Piedmont/Mountain Springhead Subtype)
Brackettown Valley Bog	1	McDowell	R3	C4	Arisaema triphyllum ssp. stewardsonii
Camel Knob	1,042	McDowell	R4	C5	Helianthus laevigatus
Catawba Headwaters/Fortune Field	303	McDowell	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype), contact Natural Heritage Program for more information.
Catawba River Dolomite Area	133	McDowell	R1	C4	Calcareous Oak-Walnut Forest
Christmount Natural Area	383	McDowell	R5	C5	Low Elevation Rocky Summit (Acidic Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Cross Mountain	487	McDowell	R3	C5	Chestnut Oak Forest (Mesic Subtype)
Edmondson Mountain	1,154	McDowell	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Pine--Oak / Heath (Typic Subtype)
Hickorynut Mountain	7,829	McDowell	R2	C2	Low Elevation Acidic Glade (Biltmore Sedge Subtype)
Honeycutt Cove Natural Area	128	McDowell	R5	C5	Contact Natural Heritage Program for more information.
Johns Creek Natural Area	10	McDowell	R2	C5	Contact Natural Heritage Program for more information.
Jones Mountain--French Mountain	609	McDowell	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Pine--Oak / Heath (Typic Subtype), Rich Cove Forest (Foothills Intermediate Subtype)
Laurel Ridges	250	McDowell	R3	C4	Contact Natural Heritage Program for more information.
Linville Caverns	238	McDowell	R1	C1	Calcareous Oak-Walnut Forest, Nesticus carolinensis
Linville Falls	261	McDowell	R2	C3	Contact Natural Heritage Program for more information.
Linville Gorge	10,316	McDowell	R1	C1	Carolina Hemlock Forest (Mesic Subtype), Chiloscyphus appalachianus, Drepanolejeunea appalachiana, Heath Bald (Carolina Rhododendron Subtype), Hudsonia montana, Lejeunea blomquistii, Liatris helleri, Low Elevation Rocky Summit (Quartzite Ledge Subtype), Plagiochila sullivantii var. sullivantii, Porella wataugensis, Upland Pool (Mountain Subtype)
Linville Mountain Natural Area	67	McDowell	R2	C4	Rich Cove Forest (Foothills Rich Subtype)
Little Tablerock Mountain	391	McDowell	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Lone Mountain Natural Area	1,419	McDowell	R2	C3	Collinsonia tuberosa, Hackelia virginiana
Mackey Mountain	1,852	McDowell	R2	C5	Chestnut Oak Forest (Mesic Subtype)
Montford Cove/Chestnut Mountain	319	McDowell	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Rich Cove Forest (Foothills Intermediate Subtype)
Montreat Watershed	2,095	McDowell	R3	C3	Melanelia stygia, Thermopsis fraxinifolia
Morgan Mountain	243	McDowell	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Pine--Oak / Heath (Typic Subtype)
Muddy Creek Bog and Slopes	31	McDowell	R1	C3	Diplophyllum apiculatum var. taxifolioides
Newberry Creek Gorge	41	McDowell	R2	C4	Cephaloziella spinicaulis
North Fork Watershed	5,663	McDowell	R2	C1	Contact Natural Heritage Program for more information.
Pinnacle Mountain/Long Mountain	308	McDowell	R3	C4	Carolina Hemlock Forest (Typic Subtype)
Pinnacle Mountain/Mill Creek	1,460	McDowell	R2	C3	Contact Natural Heritage Program for more information.
Rollins/South Mountains Natural Area	17,533	McDowell	R1	C1	Low Elevation Rocky Summit (Basic Subtype), Plethodon meridianus
The Loop--Gillespie Gap	584	McDowell	R4	C4	Montane Oak--Hickory Forest (Acidic Subtype)
Toms Creek Natural Area	3	McDowell	R2	C5	Contact Natural Heritage Program for more information.
Upper Pepper Creek Natural Area	424	McDowell	R5	C5	Montane Oak--Hickory Forest (Acidic Subtype), Pine--Oak / Heath (Typic Subtype), Rich Cove Forest (Montane Intermediate Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Woods Mountain/Singecat Ridge	216	McDowell	R1	C3	Contact Natural Heritage Program for more information.
Beaver Pond Creek Upland Forests	94	Mecklenburg	R2	C4	Mixed Moisture Hardpan Forest
Bingham Road Hardpan Forest	16	Mecklenburg	R5	C4	Upland Depression Swamp Forest, Xeric Hardpan Forest (Basic Hardpan Subtype)
Flat Branch Hardpan	36	Mecklenburg	R3	C4	Xeric Hardpan Forest (Basic Hardpan Subtype)
Gar Creek Rare Plant Site	55	Mecklenburg	R5	C5	Helianthus schweinitzii
Good Shepherd Upland Depression Swamp	3	Mecklenburg	R5	C5	Upland Depression Swamp Forest
Goose Creek Aquatic Habitat	100	Mecklenburg	R1	C3	Lasmigona decorata
Kidd Road Upland Swamp	59	Mecklenburg	R5	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Upland Depression Swamp Forest
Latta Plantation Natural Areas	1,385	Mecklenburg	R2	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype)
Mallard Creek Road Sunflower Site	16	Mecklenburg	R4	C5	Helianthus schweinitzii
McCoy Road Sunflower Site	10	Mecklenburg	R5	C5	Helianthus schweinitzii
McDowell Nature Preserve	1,054	Mecklenburg	R4	C3	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Pseudognaphalium helleri, Xeric Hardpan Forest (Basic Hardpan Subtype)
McDowell/Torrence Creek Confluence Slope	15	Mecklenburg	R3	C5	Silphium perfoliatum
Mount Olive Church Basic Forest	233	Mecklenburg	R3	C3	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Xeric Hardpan Forest (Basic Hardpan Subtype)
Mountain Island Lake Dam Rare Plant Sites	42	Mecklenburg	R2	C5	Helianthus schweinitzii
Mountain Island Lake Forest	1,341	Mecklenburg	R2	C4	Peromyscus polionotus
Neely Road Swamps	29	Mecklenburg	R5	C4	Dry Basic Oak--Hickory Forest, Upland Depression Swamp Forest
Providence Flats Swamp	25	Mecklenburg	R5	C4	Dry Basic Oak--Hickory Forest, Upland Depression Swamp Forest
Reedy Creek Nature Preserve Forests	1,042	Mecklenburg	R4	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Symphyotrichum georgianum
Ridge Road Hardpan Forest	33	Mecklenburg	R1	C4	Xeric Hardpan Forest (Basic Hardpan Subtype)
Shuffletown Powerline Rare Plant Site	46	Mecklenburg	R2	C4	Symphyotrichum georgianum
Summer's Walk Wetland	74	Mecklenburg	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Trails End Lane Post Oak Upland	16	Mecklenburg	R5	C5	Helianthus schweinitzii, Symphyotrichum georgianum
Westinghouse Boulevard Upland Swamps	30	Mecklenburg	R4	C4	Mixed Moisture Hardpan Forest
Whitehall Nature Preserve	50	Mecklenburg	R1	C4	Upland Depression Swamp Forest
Winget Road Rare Plant Site	11	Mecklenburg	R5	C5	Helianthus schweinitzii
Cane Creek Mountain Connector	219	Mitchell	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Montane Oak--Hickory Forest (Basic Subtype)
Fall Creek Falls	49	Mitchell	R2	C4	Myotis sodalis
Grassy Creek Forests	56	Mitchell	R4	C5	Montane Oak--Hickory Forest (Acidic Subtype)
Iron Mountain/Rock Creek Watershed	644	Mitchell	R3	C4	Cardamine rotundifolia, Carex roanensis

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Iron Mountain/Toms Creek Watershed	212	Mitchell	R5	C4	Acidic Cove Forest (Typic Subtype), High Elevation Red Oak Forest (Rich Subtype), High Elevation Red Oak Forest (Typic Herb Subtype), Rich Cove Forest (Montane Intermediate Subtype), Rich Montane Seep
Jarrett Hollow/Big Branch Forest	150	Mitchell	R3	C5	Scutellaria saxatilis
Little Bald Knob Forest	153	Mitchell	R3	C5	Scutellaria saxatilis
Little Tablerock Mountain	391	Mitchell	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Little Yellow Mountain and Hawk Mountain	1,892	Mitchell	R2	C2	Acidic Cove Forest (High Elevation Subtype), Lilium philadelphicum var. philadelphicum
Nolichucky River Gorge	5,156	Mitchell	R2	C2	Dicentra eximia, Scutellaria saxatilis, Spiraea virginiana, Verbesina walteri
North Toe River/Nolichucky River Aquatic Habitat	753	Mitchell	R1	C2	Percina burtoni
Pate Creek Wetland Plant Site	28	Mitchell	R3	C4	Cardamine rotundifolia
Pigeonroost Creek Forests and Seeps	411	Mitchell	R2	C5	Cardamine rotundifolia
Roan Mountain Massif	12,172	Mitchell	R1	C1	Alnus viridis ssp. crispa, Geum geniculatum, Geum radiatum, Grassy Bald (Alder Subtype), Grassy Bald (Grass Subtype), Grassy Bald (Sedge Subtype), High Elevation Rocky Summit (High Peak Subtype), Leptodontium excelsum, Paravitrea varidens, Solidago spithamaea, Thryomanes bewickii altus
The Peak Mafic Site	52	Mitchell	R5	C3	Chestnut Oak Forest (Dry Heath Subtype), Chestnut Oak Forest (Herb Subtype), Chestnut Oak Forest (Mesic Subtype), Low Elevation Basic Glade (Montane Subtype), Montane Cliff (Acidic Herb Subtype), Montane Cliff (Mafic Subtype), Montane Oak--Hickory Forest (Basic Subtype), Rich Cove Forest (Montane Rich Subtype)
Unaka Mountain	372	Mitchell	R2	C3	Setophaga magnolia, Sylvilagus obscurus
Yellow Mountain/Raven Cliffs	4,487	Mitchell	R2	C1	High Elevation Red Oak Forest (Rich Subtype)
Abner Bog	10	Montgomery	R4	C4	Hillside Seepage Bog
Arnett Branch Longleaf Pine Forest	97	Montgomery	R2	C5	Dry Piedmont Longleaf Pine Forest
Badin Nifty Rocks	50	Montgomery	R4	C4	Dry Basic Oak--Hickory Forest, Xeric Hardpan Forest (Basic Hardpan Subtype)
Badin Upland Depression Swamps and Xeric Woodland	129	Montgomery	R1	C3	Xeric Hardpan Forest (Basic Rocky Subtype)
Barnes Creek Bluffs and Bottomlands	206	Montgomery	R2	C3	Xanthoparmelia monticola
Barnes Creek/Poison Fork Aquatic Habitat	29	Montgomery	R2	C3	Alasmidonta robusta, Alasmidonta sp. 2
Bear Creek (Moore/Montgomery) Aquatic Habitat	178	Montgomery	R5	C4	Villosa constricta, Villosa delumbis, Villosa vaughaniana
Black Ankle Bog	603	Montgomery	R1	C3	Hillside Seepage Bog
Candor Lake Slopes and Wetland	29	Montgomery	R5	C5	Coastal Plain Small Stream Swamp
Cedar Creek Slopes	24	Montgomery	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Cheek Creek Ridge	34	Montgomery	R3	C4	Parthenium auriculatum
Cheek Creek Slope	26	Montgomery	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Clarks Grove Longleaf Pine Forest	417	Montgomery	R2	C4	Dry Piedmont Longleaf Pine Forest
Dark Mountain	431	Montgomery	R2	C3	Piedmont Acidic Glade

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Densons Creek Aquatic Habitat	47	Montgomery	R2	C3	Alasmidonta robusta
Densons Creek Nature Trail	165	Montgomery	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Densons Creek Slopes	96	Montgomery	R5	C5	Helianthus schweinitzii
Drowning Creek Aquatic Habitat	180	Montgomery	R2	C4	Etheostoma mariae
Drowning Creek Slopes	94	Montgomery	R5	C5	Coastal Plain Small Stream Swamp, Streamhead Pocosin
Dutch John Creek Forests	221	Montgomery	R2	C4	Cirsium carolinianum
Falls Dam Slope	594	Montgomery	R1	C2	Piedmont Basic Glade (Falls Dam Slope Subtype), Stachys matthewsii
Fanning Rock	98	Montgomery	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Gold Mine Branch Longleaf Pine Slope	54	Montgomery	R3	C5	Dry Piedmont Longleaf Pine Forest
Harrisville Basic Forest	35	Montgomery	R2	C4	Tridens chapmanii
Lawrenceville Ephemeral Pools	116	Montgomery	R5	C5	Hemidactylium scutatum, Upland Depression Swamp Forest
Little Island Creek Xeric Slope	34	Montgomery	R2	C4	Piedmont Acidic Glade
Little River Buffer and Cliffs	445	Montgomery	R3	C4	Piedmont Basic Glade (Typic Subtype)
Little River Shooting-Star Slopes	67	Montgomery	R3	C4	Primula meadia
Lomax Church Longleaf Pine Forest	591	Montgomery	R1	C3	Dry Piedmont Longleaf Pine Forest, Hillside Seepage Bog
Long Mountain/King Mountain	650	Montgomery	R3	C4	Piedmont Monadnock Forest (Pine Subtype)
Lower Little River (Montgomery) Aquatic Habitat	116	Montgomery	R5	C3	Etheostoma collis, Fusconaia masoni, Lampsilis cariosa, Lampsilis radiata, Villosa constricta, Villosa delumbis, Villosa vaughaniana
Lower Little River (Richmond) Corridor	1,704	Montgomery	R2	C4	Piedmont Bottomland Forest (High Subtype), Piedmont Bottomland Forest (Typic Low Subtype)
Lower Rocky Creek Longleaf Pine Forest	352	Montgomery	R2	C4	Piedmont Boggy Streamhead
Lower West Branch Bottoms	40	Montgomery	R3	C5	Carex impressinervia
Machine Branch Mafic Area	40	Montgomery	R3	C4	Symphyotrichum georgianum
McCleans Creek Floodplain	7	Montgomery	R3	C5	Carex impressinervia
Middle Pee Dee River Aquatic Habitat	1,460	Montgomery	R3	C3	Anodonta implicata, Elliptio folliculata, Ligumia nasuta, Moxostoma sp. 3
Millstone Mountain Slopes	148	Montgomery	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Mountain Creek Corridor	1,805	Montgomery	R2	C5	Viola walteri var. walteri
Naked Creek Aquatic Habitat	63	Montgomery	R2	C4	Cyprinella sp. 1, Etheostoma mariae
Narrows Branch Ridge	255	Montgomery	R2	C4	Piedmont Monadnock Forest (Pine Subtype)
North Badin Dam Upland Depression Swamps	21	Montgomery	R5	C5	Upland Depression Swamp Forest
Ophir Bog	5	Montgomery	R4	C5	Hillside Seepage Bog
Pleasant Grove Bog and Pine Savanna	516	Montgomery	R1	C3	Dry Piedmont Longleaf Pine Forest, Upland Pool (Pleasant Grove Subtype), Wet Piedmont Longleaf Pine Forest
Poison Fork Slopes	260	Montgomery	R2	C4	Anemone berlandieri, Piedmont Basic Glade (Typic Subtype)
Polly Branch Slopes	157	Montgomery	R3	C4	Piedmont Headwater Stream Forest (Typic Subtype)
Railroad Mixed Pine Forest	384	Montgomery	R3	C4	Helianthus schweinitzii, Hillside Seepage Bog, Piedmont Boggy Streamhead
Roberdo Bog and Longleaf Pine Forest	1,007	Montgomery	R1	C3	Upland Pool (Roberdo Subtype)
Rocky Creek Longleaf Pine Forest and Bogs	653	Montgomery	R3	C4	Dry Piedmont Longleaf Pine Forest, Hillside Seepage Bog
Rocky Creek Rock Outcrop	29	Montgomery	R5	C5	Piedmont Basic Glade (Typic Subtype)
Rocky Creek/Little River Confluence	36	Montgomery	R5	C5	Piedmont/Coastal Plain Heath Bluff

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Sand Branch Natural Area	233	Montgomery	R3	C4	Hillside Seepage Bog, Piedmont Boggy Streamhead
Spencer Creek Hillside Seepage Bog	76	Montgomery	R2	C4	Hillside Seepage Bog
Tower Bog	6	Montgomery	R4	C4	Hillside Seepage Bog
Town Creek Indian Mound Bottomland	61	Montgomery	R5	C5	Piedmont Bottomland Forest (Typic Low Subtype)
Upper Densons Creek and Abner Mountain	951	Montgomery	R2	C3	Berberis canadensis
Upper Little River (Randolph/Montgomery) Aquatic Habitat	335	Montgomery	R1	C2	Alasmidonta sp. 2
Uwharrie Mafic Rock Area	166	Montgomery	R3	C3	Dry Basic Oak--Hickory Forest, Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype)
Uwharrie River Aquatic Habitat	462	Montgomery	R1	C2	Alasmidonta sp. 2
Uwharrie River Boundary Bluff	56	Montgomery	R2	C5	Cardamine dissecta
Uwharrie River Cole Mountain Cliff	20	Montgomery	R5	C5	Piedmont Cliff (Acidic Subtype)
Uwharrie River Low Water Bridge Forests	612	Montgomery	R3	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Uwharrie River Slopes	61	Montgomery	R2	C3	Cardamine dissecta, Viola walteri var. walteri
Uwharrie River/Daniels Mountain	1,162	Montgomery	R1	C2	Piedmont Acidic Glade, Piedmont Cliff (Acidic Subtype), Piedmont Monadnock Forest (Pine Subtype), Xeric Piedmont Slope Woodland
Walker Mountain/Wood Run Natural Area	382	Montgomery	R2	C3	Piedmont Headwater Stream Forest (Typic Subtype)
West Branch/Eldorado Forests	686	Montgomery	R3	C3	Dry Basic Oak--Hickory Forest, Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
West Fork Little River Aquatic Habitat	60	Montgomery	R2	C3	Alasmidonta sp. 2
Woodwards Branch Diabase Dike	34	Montgomery	R5	C5	Dry Basic Oak--Hickory Forest
Wysner Mountain Buffer	212	Montgomery	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Yadkin River Scour Banks	69	Montgomery	R1	C4	Solidago plumosa
Bear Creek (Moore/Montgomery) Aquatic Habitat	178	Moore	R5	C4	Villosa constricta, Villosa delumbis, Villosa vaughaniana
Bear Creek Hickory Slope	34	Moore	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Bear Creek/Wolf Creek Slopes	38	Moore	R4	C4	Piedmont Cliff (Basic Subtype)
Block Y Streamhead Pocosins	73	Moore	R4	C5	Callophrys irus
Cabin Creek Quartzite Slope	11	Moore	R5	C5	Piedmont/Coastal Plain Heath Bluff
Cabin Creek Rare Plant Site	11	Moore	R1	C5	Rudbeckia heliopsidis
Camp Mackall Drowning Creek Natural Area	830	Moore	R3	C5	Cypress--Gum Swamp (Blackwater Subtype)
Candor Lake Slopes and Wetland	29	Moore	R5	C5	Coastal Plain Small Stream Swamp
Carbonton Diabase Sill	104	Moore	R2	C5	Scutellaria leonardii
County Line Road White Cedar Stand	68	Moore	R3	C5	Streamhead Atlantic White Cedar Forest
Deep River Spiderwort Slopes	62	Moore	R2	C4	Tradescantia virginiana
Deep River/Buzzard Rock	19	Moore	R5	C5	Basic Mesic Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Deep River/Grassy Creek Slopes	54	Moore	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Deep River/Little Governors Creek Forests	91	Moore	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Drowning Creek Aquatic Habitat	180	Moore	R2	C4	Etheostoma mariae

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Drowning Creek Slopes	94	Moore	R5	C5	Coastal Plain Small Stream Swamp, Streamhead Pocosin
Fort Bragg Natural Area (Central Area)	105,099	Moore	R1	C1	Amorpha georgiana, Campylopus carolinae, Coastal Plain Semipermanent Impoundment (Sandhills Marsh Subtype), Lindera subcoriacea, Lobelia boykinii, Mesic Pine Savanna (Sandhills Subtype), Peatland Canebrake, Pine/Scrub Oak Sandhill (Clay/Rock Hilltop Subtype), Pteroglossaspis ecristata, Rhus michauxii, Rhynchospora crinipes, Sagittaria macrocarpa, Sandhill Seep (Very Wet Subtype), Schwalbea americana, Streamhead Canebrake, Vernal Pool (Typic Subtype), Very Wet Loamy Pine Savanna, contact Natural Heritage Program for more information.
Fort Bragg Natural Area (Little River Area)	6,325	Moore	R1	C1	Blackwater Levee/Bar Forest, Mesic Pine Savanna (Little River Subtype), Mesic Pine Savanna (Sandhills Subtype), Rhynchospora crinipes, Sand and Mud Bar (Blackwater Sand Bar Subtype)
Fort Bragg Natural Area (Overhills Area)	18,114	Moore	R1	C1	Coastal Plain Semipermanent Impoundment (Sandhills Mire Subtype), Dichanthelium sp. 9
Glendon Slate Creek and Levee	76	Moore	R4	C4	Phacelia covillei
Horse Creek Longleaf Pine Forest	512	Moore	R4	C4	Pine/Scrub Oak Sandhill (Mesic Transition Subtype)
Jugtown Longleaf Pine Site	15	Moore	R3	C4	Upland Pool (Typic Piedmont Subtype)
Knollwood Sandhills	396	Moore	R4	C4	Eupatorium resinosum
Little River Flatwoods	160	Moore	R2	C4	Mesic Pine Savanna (Little River Subtype)
McLendons Creek Diabase Sill and Levees	110	Moore	R5	C4	Dry Basic Oak--Hickory Forest, Piedmont Levee Forest (Typic Subtype)
Middle Deep River Aquatic Habitat	1,451	Moore	R1	C1	Notropis mekistocholas, Toxolasma pullus
Naked Creek Aquatic Habitat	63	Moore	R2	C4	Cyprinella sp. 1, Etheostoma mariae
Narrow Ridge White Cedar Bog	7	Moore	R5	C5	Streamhead Atlantic White Cedar Forest
Nicks Creek/Eastwood Sandhills	3,652	Moore	R1	C2	Dichanthelium sp. 9, contact Natural Heritage Program for more information.
Paint Hill	517	Moore	R1	C4	Pine/Scrub Oak Sandhill (Clay/Rock Hilltop Subtype)
Pinebluff Lake Natural Area	75	Moore	R3	C4	Streamhead Atlantic White Cedar Forest
Quail Hollow Farm Resinous Boneset Site	14	Moore	R3	C5	Eupatorium resinosum, Trichostema setaceum
Spies Longleaf/Wiregrass Site	51	Moore	R2	C5	Wet Piedmont Longleaf Pine Forest
Troutman Farm Natural Area	756	Moore	R4	C4	Contact Natural Heritage Program for more information.
Upper Drowning Creek Swamp Forest	4,213	Moore	R2	C4	Choroterpes basalis, Coastal Plain Small Stream Swamp, contact Natural Heritage Program for more information.
Voncanon Longleaf Pine Stand	466	Moore	R2	C4	Pine/Scrub Oak Sandhill (Clay/Rock Hilltop Subtype)
Walthour Moss Longleaf Pine Forest	2,499	Moore	R1	C2	Sagittaria macrocarpa
West Philadelphia Longleaf Pine Stands	451	Moore	R5	C5	Dry Piedmont Longleaf Pine Forest
Weymouth Woods State Natural Area	811	Moore	R1	C1	Lindera subcoriacea, contact Natural Heritage Program for more information.
Wimberley Seeps	262	Moore	R4	C4	Contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Fishing Creek Aquatic Habitat	822	Nash	R1	C1	Alasmidonta heterodon, Baetisca becki, Elliptio lanceolata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Fishing Creek Fern Slopes	91	Nash	R3	C4	Piedmont Swamp Forest
Flower Hill/Moccasin Creek Bluffs	73	Nash	R5	C5	Piedmont/Coastal Plain Heath Bluff
Little Fishing Creek Aquatic Habitat	183	Nash	R1	C2	Elliptio steinstansana
Lower Shocco Creek Bluffs and Floodplain	1,153	Nash	R2	C4	Callophrys irus, Erynnis martialis
Lower Tar River Aquatic Habitat	2,082	Nash	R1	C1	Necturus lewisi, Noturus furiosus
Middle Tar River Aquatic Habitat	763	Nash	R2	C2	Elliptio lanceolata, Tortopus puella
Moccasin Creek Aquatic Habitat	70	Nash	R3	C3	Alasmidonta undulata, Didiplis diandra
Moccasin Creek Wetlands	60	Nash	R3	C4	Trillium pusillum var. virginianum
Stony Creek Aquatic Habitat	106	Nash	R4	C3	Elliptio lanceolata
Swift Creek (Vance/Warren/Franklin/Nash/Edgecombe) Aquatic Habitat	545	Nash	R1	C1	Elliptio lanceolata
Swift Creek Swamp Forest	949	Nash	R4	C5	Brownwater Levee Forest (Low Levee Subtype)
Swift Creek/Gold Rock Swamp Forest	780	Nash	R5	C5	Cypress--Gum Swamp (Brownwater Subtype)
Tar River/Spring Hope Slopes	67	Nash	R5	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Bottomland Forest (High Subtype), Piedmont Levee Forest (Typic Subtype)
Turkey Creek Aquatic Habitat	57	Nash	R5	C4	Alasmidonta heterodon, Alasmidonta undulata, Orconectes carolinensis, Villosa constricta
Turkey Creek Natural Area	39	Nash	R1	C4	Trillium pusillum var. virginianum
421 Sand Ridge	7,493	New Hanover	R1	C1	Oenothera riparia, contact Natural Heritage Program for more information.
Barnards Creek Natural Area	187	New Hanover	R3	C5	Iris prismatica
Blake Savanna	109	New Hanover	R5	C5	Wet Loamy Pine Savanna
Brunswick River/Cape Fear River Marshes	3,811	New Hanover	R1	C2	Ptilimnium ahlesii, contact Natural Heritage Program for more information.
Carolina Beach State Park	639	New Hanover	R1	C1	Vernal Pool (Typic Subtype)
Coast Guard Loran Station Natural Area	196	New Hanover	R2	C4	Crocanthemum georgianum
Doctor Point Hammocks	74	New Hanover	R3	C5	Aristida condensata, Marsh Hammock
Figure Eight Island Marsh	2,477	New Hanover	R2	C3	Sternula antillarum
Fort Fisher State Recreation Area	441	New Hanover	R3	C4	Trichostema sp. 1
Futch and Foy Creeks Natural Area	157	New Hanover	R5	C5	Brackish Marsh (Needlerush Subtype), Malaclemys terrapin, Salt Marsh (Carolinian Subtype)
Greenfield Lake	148	New Hanover	R3	C4	Lilaeopsis carolinensis, Pohlia lescuriana
Howe Creek Natural Area	233	New Hanover	R5	C5	Brackish Marsh (Needlerush Subtype), Salt Marsh (Carolinian Subtype)
Lords Creek Natural Area	431	New Hanover	R3	C5	Aristida condensata
Lower Cape Fear River Aquatic Habitat	22,509	New Hanover	R2	C4	Acipenser brevirostrum
Lower Cape Fear River Bird Nesting Islands	524	New Hanover	R3	C4	Egretta thula, Gull-Tern-Skimmer Colony, Haematopus palliatus, Pelecanus occidentalis

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Masonboro Island	5,515	New Hanover	R1	C2	Maritime Dry Grassland (Typic Subtype)
MOTSU Buffer Zone Natural Area	1,189	New Hanover	R1	C2	Coastal Fringe Evergreen Forest (Typic Subtype)
Mott Creek Natural Area	179	New Hanover	R5	C5	Tidal Freshwater Marsh (Cattail Subtype), Tidal Freshwater Marsh (Giant Cordgrass Subtype), Tidal Freshwater Marsh (Sawgrass Subtype)
Northeast Cape Fear River Floodplain	25,471	New Hanover	R1	C1	Oenothera riparia, Peatland Atlantic White Cedar Forest, Swamp Island Evergreen Forest
Pages Creek Natural Area	391	New Hanover	R2	C4	Passerina ciris ciris
Sidbury Road Savanna	181	New Hanover	R3	C4	Pinguicula lutea
South Wilmington Sandhills	60	New Hanover	R2	C3	Ludwigia lanceolata
UNC-Wilmington Longleaf Pine Forest	198	New Hanover	R2	C3	Lophiola aurea, Quercus minima
Upper Smith Creek Natural Area	109	New Hanover	R1	C3	Ptilimnium ahlesii
Zekes Island Estuarine Sanctuary	2,335	New Hanover	R2	C3	Chelonia mydas
Bull Neck Swamp and Bluffs	353	Northampton	R5	C5	Brownwater Levee Forest (High Levee Subtype), Cypress--Gum Swamp (Brownwater Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Camassia Slopes	210	Northampton	R2	C3	Camassia scilloides, Scutellaria nervosa, Trillium sessile
Cypress Swamp/Sandy Run Floodplain Forest	7,565	Northampton	R2	C3	Brownwater Levee Forest (Medium Levee Subtype), Ruellia strepens
Henrico Granite Flatrock	2	Northampton	R5	C5	Granitic Flatrock (Annual Herb Subtype)
Meherrin River Aquatic Habitat	887	Northampton	R2	C4	Orconectes virginiensis
Meherrin River Bluffs North of Kirby	9	Northampton	R5	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Meherrin River Margarettsville Bottomlands	979	Northampton	R2	C4	Brownwater Bottomland Hardwoods (Swamp Transition Subtype), Cardamine douglassii
Meherrin River Oxbow Bluffs	30	Northampton	R5	C5	Cypress--Gum Swamp (Brownwater Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Meherrin River Swamp	497	Northampton	R3	C5	Brownwater Levee Forest (Low Levee Subtype)
Meherrin River/Banks Creek Natural Area	571	Northampton	R2	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Middle Roanoke River Aquatic Habitat	332	Northampton	R3	C4	Orconectes virginiensis
Mud Castle Slopes	232	Northampton	R2	C5	Trillium sessile
Occoneechee Neck Floodplain Forest	1,708	Northampton	R2	C5	Setophaga cerulea
Odom Floodplain and Bluffs	194	Northampton	R2	C4	Coastal Plain Semipermanent Impoundment (Typic Marsh Subtype)
Roanoke Earthworks and Fall Line Islands	895	Northampton	R2	C3	Urtica chamaedryoides
Roanoke River Fall Zone Aquatic Habitat	485	Northampton	R3	C3	Anodonta implicata, Carpiodes cyprinus, Leptodea ochracea
Alligator Bay Marshes and Forests	291	Onslow	R2	C4	Marsh Hammock, Tidal Red Cedar Forest
Ball Pond Limesink Complex	2	Onslow	R3	C4	Schoenoplectus etuberculatus, Spiranthes laciniata
Batchelor Road Flatwoods	791	Onslow	R2	C3	Agrostis altissima
Bogue Inlet/Bogue Sound Bird Nesting Islands	4,386	Onslow	R3	C4	Egretta tricolor, Sternula antillarum

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Camp Lejeune Africa Pond Limesinks	431	Onslow	R1	C2	Small Depression Drawdown Meadow (Typic Subtype)
Camp Lejeune Alligator Meadow Limesinks	277	Onslow	R2	C2	Ambystoma mabeei, Rhynchospora harperi
Camp Lejeune Browns Island	2,512	Onslow	R2	C4	Caretta caretta
Camp Lejeune Corn Landing	134	Onslow	R1	C3	Calcareous Coastal Fringe Forest (Northern Subtype), Coastal Fringe Shell Woodland
Camp Lejeune Cowhead Creek Limesinks	378	Onslow	R1	C3	Pine/Scrub Oak Sandhill (Mesic Transition Subtype)
Camp Lejeune Dixon Pine Savanna	26	Onslow	R4	C4	Asclepias pedicellata
Camp Lejeune Dove Road Pocosin	100	Onslow	R5	C4	Lysimachia asperulifolia, Pine/Scrub Oak Sandhill (Mixed Oak Subtype), Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype), Yucca gloriosa, contact Natural Heritage Program for more information.
Camp Lejeune Freeman Creek Meadow	5	Onslow	R4	C4	Rhynchospora tracyi
Camp Lejeune Frenchs Creek Coastal Goldenrod Site	138	Onslow	R1	C5	Solidago villosicarpa
Camp Lejeune Frenchs Creek Limesinks	188	Onslow	R2	C3	Panicum dichotomiflorum var. puritanorum
Camp Lejeune G-10 Impact Area	2,273	Onslow	R2	C3	Mesic Pine Savanna (Coastal Plain Subtype)
Camp Lejeune Great Sandy Run Pocosin	7,598	Onslow	R3	C3	Peltandra sagittifolia
Camp Lejeune Hog Pen Road Flatwoods and Pocosin	401	Onslow	R1	C3	Calopogon multiflorus
Camp Lejeune Longleaf Pine Ridge	809	Onslow	R3	C1	Picoides borealis
Camp Lejeune Loosestrife Pocosin	696	Onslow	R2	C2	Small Depression Pocosin (Typic Subtype)
Camp Lejeune Lyman Road Cypress Savanna	253	Onslow	R1	C1	Dichanthelium hirstii, Eupatorium paludicola
Camp Lejeune Marines Road Sandhills	98	Onslow	R2	C4	Small Depression Pocosin (Typic Subtype)
Camp Lejeune Mile Hammock Bay Sandhills	171	Onslow	R5	C4	Small Depression Pond (Open Lily Pond Subtype), Small Depression Pond (Typic Marsh Subtype), Small Depression Shrub Border, Wet Pine Flatwoods (Typic Subtype), Xeric Sandhill Scrub (Typic Subtype), contact Natural Heritage Program for more information.
Camp Lejeune Millstone Creek Swamp	530	Onslow	R2	C4	Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype), contact Natural Heritage Program for more information.
Camp Lejeune Mockup Road Coastal Goldenrod Site	5	Onslow	R3	C5	Solidago villosicarpa
Camp Lejeune New River Inlet	928	Onslow	R2	C3	Malaclemys terrapin, Maritime Shrub (Stunted Tree Subtype), Parietaria praetermissa, Solanum pseudogracile, Upper Beach (Southern Subtype)
Camp Lejeune Old Bear Creek Road Pond	7	Onslow	R4	C4	Rhynchospora harperi
Camp Lejeune Padgett Swamp Road Natural Area	131	Onslow	R3	C3	Sandy Pine Savanna (Typic Subtype)
Camp Lejeune Pocosin Road Flatwoods	677	Onslow	R1	C3	Mesic Pine Savanna (Coastal Plain Subtype)
Camp Lejeune Pondspice Meadow	6	Onslow	R3	C3	Muhlenbergia torreyana
Camp Lejeune Powerline Road Sandhill	16	Onslow	R5	C5	Pine/Scrub Oak Sandhill (Mesic Transition Subtype)
Camp Lejeune Salliers Bay Coastal Goldenrod Site	12	Onslow	R1	C5	Solidago villosicarpa

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Camp Lejeune South Bay Road Natural Area	48	Onslow	R1	C3	Small Depression Pocosin (Typic Subtype)
Camp Lejeune Southwest Creek	2,206	Onslow	R1	C4	Tidal Red Cedar Forest
Camp Lejeune Spring Branch Limesinks	622	Onslow	R2	C2	Ludwigia linifolia, Pine/Scrub Oak Sandhill (Mixed Oak Subtype), Pseudacris ornata, Rhexia aristosa, Rhynchospora tracyi, Small Depression Drawdown Meadow (Typic Subtype), Small Depression Pond (Typic Marsh Subtype)
Camp Lejeune Starretts Meadow	70	Onslow	R1	C2	Dichanthelium hirstii
Camp Lejeune Verona Loop Flatwoods	157	Onslow	R5	C4	Wet Loamy Pine Savanna, Wet Pine Flatwoods (Typic Subtype), contact Natural Heritage Program for more information.
Camp Lejeune Wallace Creek Swamp	116	Onslow	R4	C5	Ponthieva racemosa
Cooleys Meadowrue Type Locality	52	Onslow	R5	C4	Parnassia caroliniana, Thalictrum cooleyi, contact Natural Heritage Program for more information.
Emerald Isle/West End Beach	159	Onslow	R2	C4	Contact Natural Heritage Program for more information.
Folkstone Savannas	773	Onslow	R3	C3	Sandy Pine Savanna (Rush Featherling Subtype)
Gregory Fork Road Flatwoods	50	Onslow	R5	C4	Mesic Pine Savanna (Coastal Plain Subtype), Pine/Scrub Oak Sandhill (Mixed Oak Subtype)
Hammocks Beach State Park	960	Onslow	R1	C1	Contact Natural Heritage Program for more information.
Hawkins Island	37	Onslow	R1	C4	Coastal Fringe Shell Woodland
Haws Run Mitigation Site	609	Onslow	R1	C1	Allium sp. 1, Coreopsis sp. 1, Scleria sp. 1
Hofmann Forest Cypress Natural Area	78	Onslow	R2	C5	Nonriverine Swamp Forest (Cypress-Gum Subtype)
Hofmann Forest White Oak Pocosin	21,334	Onslow	R3	C4	Picoides borealis
Holston Creek Natural Area	1,179	Onslow	R2	C3	Carex emmonsii, Eurybia spectabilis, Pycnanthemum setosum
Horse Swamp Savannas and Woodlands	461	Onslow	R5	C4	Lysimachia asperulifolia, Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype)
Huggins/Dudley Island	1,248	Onslow	R2	C2	Arenaria lanuginosa var. lanuginosa, Parietaria praetermissa, Sageretia minutiflora, Solanum pseudogracile
Jones Island/White Oak River	27	Onslow	R3	C5	Coastal Fringe Evergreen Forest (Typic Subtype), Solanum pseudogracile
Kings Creek Marshes	86	Onslow	R5	C5	Brackish Marsh (Needlerush Subtype)
Maple Hill Limesink Complex	56	Onslow	R5	C5	Litsea aestivalis
New River Inlet Bird Nesting Islands	605	Onslow	R5	C4	Charadrius wilsonia, Colonial Wading Bird Colony, Gull-Tern-Skimmer Colony, Haematopus palliatus, Sternula antillarum
New River Swamps and Marshes	1,922	Onslow	R5	C5	Tidal Swamp (Cypress--Gum Subtype)
Nine Mile Creek Flatwoods	23	Onslow	R5	C5	Wet Pine Flatwoods (Typic Subtype)
North Topsail Beach Maritime Forest	123	Onslow	R1	C4	Interdune Marsh
Northeast Creek Tidal Forests	391	Onslow	R3	C4	Tidal Red Cedar Forest
Old 30 Road Powerline Savanna	11	Onslow	R3	C4	Rhynchospora galeana
Queens Creek Tidal Marshes	397	Onslow	R3	C4	Tidal Red Cedar Forest
Rock House Cave Natural Area	26	Onslow	R1	C4	Coastal Plain Marl Outcrop (Bluff Subtype)
Sandy Run Swamp Powerline Savanna	485	Onslow	R1	C1	Packera crawfordii, Trillium pusillum var. pusillum, Triodopsis soelneri
Stones Creek Sandhills	1,195	Onslow	R3	C5	Cyperus lecontei
Tate Road Savanna	72	Onslow	R2	C4	Wet Loamy Pine Savanna
Turkey Creek Marshes	264	Onslow	R3	C4	Marsh Hammock, Tidal Red Cedar Forest

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
White Oak River Marshes and Swamps	3,788	Onslow	R1	C4	Tidal Red Cedar Forest
Bald Mountain	140	Orange	R4	C5	Piedmont Monadnock Forest (Typic Subtype)
Battle Park	81	Orange	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Berryhill Rhododendron Bluff	15	Orange	R5	C5	Piedmont/Coastal Plain Heath Bluff
Big Oak Woods	57	Orange	R3	C5	Piedmont Bottomland Forest (Typic Low Subtype)
Blackwood Mountain	130	Orange	R1	C4	Pycnanthemum torreyi
Bolin Creek Natural Area	282	Orange	R5	C5	Hemidactylium scutatum
Calvander Laurel Bluff and Bottom	66	Orange	R5	C4	Floodplain Pool, Hemidactylium scutatum, Piedmont Alluvial Forest, Piedmont/Coastal Plain Heath Bluff
Camp Chestnut Ridge	281	Orange	R5	C5	Piedmont Alluvial Forest, Piedmont Monadnock Forest (Typic Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Camp Pipsissewa	13	Orange	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Cates Creek Hardpan Forest	7	Orange	R5	C5	Piedmont Alluvial Forest
Cates Creek Hardwood Forest	80	Orange	R5	C5	Dry Basic Oak--Hickory Forest
Cedar Grove Rare Plant Site	25	Orange	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Collins Mountain	236	Orange	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Couch Mountain	132	Orange	R4	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Crabtree Creek Monadnock Ridge	825	Orange	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Cub Creek Bottomlands and Beaver Ponds	103	Orange	R5	C5	Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Currie Hill	93	Orange	R4	C4	Hexalectris spicata
Dry Creek/Mount Moriah Bottomland	523	Orange	R4	C4	Piedmont Bottomland Forest (High Subtype)
Eno River Aquatic Habitat	266	Orange	R3	C3	Fusconaia masoni, Necturus lewisi
Eno River Duke Forest Mesic Slopes	101	Orange	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Eno River Mountain Spleenwort and Rhododendron Bluff	22	Orange	R5	C5	Piedmont/Coastal Plain Heath Bluff
Eno River/Cates Ford Slopes and Uplands	1,499	Orange	R2	C4	Fontinalis welchiana
Eubanks Road Xeric Hardpan Forest	4	Orange	R5	C5	Xeric Hardpan Forest (Basic Hardpan Subtype)
Flat River Aquatic Habitat	265	Orange	R1	C2	Fusconaia masoni, Lampsilis sp. 2
Haw River Alluvial Terrace	6	Orange	R5	C5	Piedmont Levee Forest (Typic Subtype)
Haw River Aquatic Habitat	918	Orange	R2	C3	Gomphus septima, Notropis mekistocholas
Henry J. Oosting Natural Area	194	Orange	R3	C4	Carex bushii, Hemidactylium scutatum
Jimmy Ed Road Hardpan Forest	20	Orange	R3	C5	Xeric Hardpan Forest (Basic Hardpan Subtype)
Little Creek Bottomlands and Slopes	1,447	Orange	R5	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Bottomland Forest (Typic Low Subtype)
Little River (Orange/Durham) Aquatic Habitat	149	Orange	R2	C3	Dibusa angata

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Little River Uplands	1,214	Orange	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Lower Cane Creek Slopes and Bottom	245	Orange	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Mason Farm/Laurel Hill Oak-Hickory Forest	447	Orange	R1	C4	Dry Basic Oak--Hickory Forest
McGowan Creek Preserve and Floodplain	107	Orange	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Meadow Flats	233	Orange	R1	C4	Upland Depression Swamp Forest
Middle Eno River Bluffs and Slopes	2,124	Orange	R2	C5	Pohlia melanodon
Morgan Creek Bluffs	215	Orange	R2	C3	Agastache nepetoides
Morgan Creek Floodplain Forest	1,589	Orange	R2	C3	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
New Hope Chestnut Oak Forest	19	Orange	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
New Hope Church Road Basic Forest	18	Orange	R5	C5	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype)
New Hope Creek Aquatic Habitat	33	Orange	R3	C3	Lampsilis sp. 2
New Hope Creek Slopes	475	Orange	R2	C4	Cryphaea nervosa, Piedmont Cliff (Acidic Subtype)
Occoneechee Mountain	166	Orange	R1	C3	Piedmont Acidic Glade
Persimmon Nursery Flats	95	Orange	R3	C5	Mixed Moisture Hardpan Forest
Pickards Mountain	496	Orange	R3	C4	Piedmont Monadnock Forest (Typic Subtype)
Poplar Ridge Slopes and Bottom	132	Orange	R3	C4	Low Elevation Seep (Floodplain Subtype), Piedmont Monadnock Forest (Heath Subtype)
Sevenmile Creek Sugar Maple Bottom	88	Orange	R3	C4	Piedmont Alluvial Forest, Platanthera peramoena
South Fork Little River Marsh	18	Orange	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Steep Bottom Branch Slopes	107	Orange	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Stony Creek Spring	27	Orange	R2	C5	Hemidactylium scutatum, Low Elevation Seep (Typic Subtype)
Terrells Mountain	189	Orange	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Turkey Hill Creek Forest	630	Orange	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
University Lake Aquatic Habitat	163	Orange	R2	C5	Toxolasma pullus
University Lake/McCauley Mountain Slopes	467	Orange	R5	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Monotropsis odorata
Bay City Low Pocosin	1,323	Pamlico	R3	C4	Low Pocosin (Gallberry-Fetterbush Subtype)
Duck Creek/Upper Broad Creek Natural Area	5,363	Pamlico	R3	C3	Coastal Plain Semipermanent Impoundment (Typic Marsh Subtype), Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype), Small Depression Drawdown Meadow (Boggy Pool Subtype)
Eastern Gum Swamp	2,127	Pamlico	R2	C4	Nonriverine Swamp Forest (Sweetgum Subtype)
Hobucken Marshes	2,299	Pamlico	R3	C4	Estuarine Fringe Pine Forest (Loblolly Pine Subtype)
Jones Island	4,524	Pamlico	R2	C5	Estuarine Fringe Pine Forest (Loblolly Pine Subtype)
Light Ground Pocosin Central Section	2,663	Pamlico	R5	C5	Pond Pine Woodland (Typic Subtype)
Light Ground Pocosin Southeast Section	56	Pamlico	R5	C5	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Live Oak Bay	1,795	Pamlico	R2	C5	Marsh Hammock

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Northwest Pocosin	10,767	Pamlico	R4	C5	High Pocosin (Evergreen Subtype)
Oyster Creek Pine Hammocks	2,036	Pamlico	R3	C5	Estuarine Fringe Pine Forest (Loblolly Pine Subtype)
Pamlico Point Marshes and Impoundments	6,621	Pamlico	R2	C4	Himantopus mexicanus, Ixobrychus exilis
South Minnesott Sand Ridge	155	Pamlico	R5	C5	Pine/Scrub Oak Sandhill (Blackjack Subtype), Wet Pine Flatwoods (Typic Subtype)
South Prong Natural Area	543	Pamlico	R3	C4	Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Western Gum Swamp Remnants	1,264	Pamlico	R5	C5	Nonriverine Swamp Forest (Mixed Subtype)
Big Flatty Creek Forests and Marshes	2,318	Pasquotank	R2	C4	Heteranthera multiflora
Great Dismal Swamp National Wildlife Refuge and Vicinity	31,414	Pasquotank	R3	C3	Callophrys hesseli, Nonriverine Swamp Forest (Cypress-Gum Subtype), Setophaga virens waynei, Trillium pusillum var. virginianum
Little Flatty Creek Forests and Marsh	1,970	Pasquotank	R3	C3	Tidal Freshwater Marsh (Shrub Subtype)
Pasquotank River/Canal Junction Swamp	996	Pasquotank	R5	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype), Nonriverine Swamp Forest (Mixed Subtype)
Shipyard Landing Natural Area	2,521	Pasquotank	R5	C5	Peatland Atlantic White Cedar Forest, Tidal Swamp (Cypress--Gum Subtype)
421 Sand Ridge	7,493	Pender	R1	C1	Oenothera riparia, contact Natural Heritage Program for more information.
Angola Bay	35,784	Pender	R1	C3	Pocosin Opening (Sedge-Fern Subtype)
Angola Creek Flatwoods	254	Pender	R2	C3	Agrotis carolina, Bufo quercicus, Grammia phyllira, Lechea torreyi, Spartiniphaga carterae
B.W. Wells Savanna	121	Pender	R2	C4	Stethophyma celatum, Xyris stricta
Bear Garden	3,928	Pender	R3	C4	High Pocosin (Evergreen Subtype)
Big Colly Swamp	9,499	Pender	R4	C4	Luziola fluitans
Black River Aquatic Habitat	387	Pender	R2	C3	Elliptio marsupiobesa, Noturus sp. 2, Sagittaria filiformis
Black River Cypress Swamp	2,582	Pender	R1	C3	Cypress--Gum Swamp (Blackwater Subtype), Epidendrum magnoliae, Gratiola aurea, Phanopyrum gymnocarpon, Sagittaria filiformis
Blake Savanna	109	Pender	R5	C5	Wet Loamy Pine Savanna
Bryant Mill (Greenbank) Bluff	382	Pender	R1	C3	Coastal Plain Cliff
Canetuck Loop Road Sandhills	480	Pender	R5	C4	Pond Pine Woodland (Typic Subtype), Small Depression Pocosin (Typic Subtype), Xeric Sandhill Scrub (Typic Subtype)
Clarks Landing Coastal Goldenrod Site	677	Pender	R2	C4	Lupinus villosus, Solidago villosicarpa, Tidal Swamp (Cypress--Gum Subtype)
Colvins Bay	2,311	Pender	R5	C4	High Pocosin (Evergreen Subtype), Pond Pine Woodland (Typic Subtype), Wet Loamy Pine Savanna
Colvins Creek Sand Ridge Mesic Slopes	59	Pender	R2	C5	Clinopodium georgianum
Cones Folly	2,929	Pender	R2	C2	Lechea torreyi, Utricularia geminiscapa, contact Natural Heritage Program for more information.
Futch and Foy Creeks Natural Area	157	Pender	R5	C5	Brackish Marsh (Needlerush Subtype), Malaclemys terrapin, Salt Marsh (Carolinian Subtype)
Haws Run Mitigation Site	609	Pender	R1	C1	Allium sp. 1, Coreopsis sp. 1, Scleria sp. 1

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Holly Shelter Game Land	48,552	Pender	R1	C1	Amorpha georgiana, Calopogon multiflorus, Gabara sp. 1, Hemipachnobia subporphyrea, Low Pocosin (Titi Subtype), Mesic Pine Savanna (Coastal Plain Subtype), Papaipema eryngii, Pocosin Opening (Pitcher Plant Subtype), Sandy Pine Savanna (Rush Featherling Subtype), Spartiniphaga carterae, Wet Loamy Pine Savanna
Lea Island/Hutaffs Beach	5,056	Pender	R2	C2	Maritime Dry Grassland (Typic Subtype)
Lower Black River Swamp	10,466	Pender	R2	C4	Bacopa rotundifolia, Carex socialis
Maple Hill School Road Savanna	34	Pender	R3	C3	Dichanthelium caerulescens
McLean Savanna	904	Pender	R1	C2	Allium sp. 1, Cirsium lecontei, Scleria sp. 1
Moores Creek Floodplain	162	Pender	R1	C5	Trillium pusillum var. pusillum
Moores Creek National Battlefield	38	Pender	R2	C3	Macbridea caroliniana, Thalictrum macrostylum
Neils Eddy Landing	138	Pender	R2	C4	Carex socialis, Coastal Plain Cliff
Northeast Cape Fear River Floodplain	25,471	Pender	R1	C1	Oenothera riparia, Peatland Atlantic White Cedar Forest, Swamp Island Evergreen Forest
Parkers Savanna	19	Pender	R2	C4	Wet Loamy Pine Savanna
Rocky Point Marl Forest	653	Pender	R1	C3	Wet Marl Forest
Rocky Point Sandhills	218	Pender	R2	C4	Xeric Sandhill Scrub (Coastal Fringe Subtype)
Sandy Run Swamp Flatwoods	135	Pender	R3	C4	Condylura cristata pop. 1, Pinguicula pumila, Pycnanthemum setosum
Shaken Creek Savanna	1,262	Pender	R1	C1	Carex lutea, Dichanthelium caerulescens, Thalictrum cooleyi, Very Wet Loamy Pine Savanna
Shaky Bay Sandhills	397	Pender	R2	C4	Pine/Scrub Oak Sandhill (Mixed Oak Subtype)
Shelter Swamp Creek Flatwoods	2,668	Pender	R1	C3	Carex lutea, Wet Pine Flatwoods (Sand Myrtle Subtype)
Sidbury Road Savanna	181	Pender	R3	C4	Pinguicula lutea
Southwest Ridge Savanna	1,198	Pender	R3	C2	Calephelis virginiensis, Carex lutea, Dichanthelium sp. 9, Lysimachia asperulifolia, Mesic Pine Savanna (Coastal Plain Subtype), Rhynchospora pinetorum, Thalictrum cooleyi
Surf City Maritime Forest	108	Pender	R4	C4	Cyperus tetragonus
The Neck Savanna	393	Pender	R1	C1	Isoetes microvela
Topsail Sound Maritime Forests	2,179	Pender	R2	C4	Maritime Evergreen Forest (Mid Atlantic Subtype)
Upper Black River Bottomlands	5,365	Pender	R1	C3	Isoetes microvela
Watkins Savanna	265	Pender	R2	C2	Baccharis glomeruliflora, Scirpus lineatus, Trillium pusillum var. pusillum
Webbtown Road Savanna	20	Pender	R4	C4	Cirsium lecontei, Polygala hookeri
Belvidere Natural Area	141	Perquimans	R5	C5	Tidal Swamp (Cypress--Gum Subtype)
Minzies Pond	625	Perquimans	R1	C4	Floating Bog
Perquimans River Cherrybark Oak Flats	135	Perquimans	R3	C5	Lilaeopsis carolinensis
Yeopim Creek Oak Slopes	114	Perquimans	R5	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype), Tidal Swamp (Cypress--Gum Subtype)
Adcock Road Hardwood Forest	342	Person	R1	C4	Mixed Moisture Hardpan Forest, Piedmont Headwater Stream Forest (Hardpan Subtype)
Alderidge Creek Flats	259	Person	R1	C3	Mixed Moisture Hardpan Forest, Piedmont Headwater Stream Forest (Hardpan Subtype), Upland Pool (Typic Piedmont Subtype)
Carver Drive Outcrops and Seeps	101	Person	R1	C4	Piedmont Boggy Streamhead
Chappels Creek Flats	120	Person	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Cub Creek Aquatic Habitat	22	Person	R3	C4	Alasmidonta heterodon
Cub Creek Tributary Rare Plant Site	5	Person	R1	C5	Isoetes virginica
Deep Creek Mountain	209	Person	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
Deep Creek Salamander Site	6	Person	R4	C5	Contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Deep Creek Slopes	49	Person	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Denny Store Gabbro Forest	254	Person	R4	C4	Parthenium auriculatum
Dirgie Mine Road Rare Plant Site	15	Person	R5	C5	Parthenium auriculatum
Dunnaway Road Rare Plant Site	43	Person	R2	C4	Eupatorium saltuense, Pseudognaphalium micradenium
Epps-Martin Road Upland Forest	17	Person	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Flat River Aquatic Habitat	265	Person	R1	C2	Fusconaia masoni, Lampsilis sp. 2
Flat River Slopes above Lake Michie	2,504	Person	R2	C4	Enemion biternatum, Gaylussacia brachycera
Goshen Gabbro Forest	1,927	Person	R1	C2	Dry Basic Oak--Hickory Forest
Hagers Mountain	84	Person	R4	C5	Piedmont Monadnock Forest (Typic Subtype)
Hurdle Mills Flats	220	Person	R3	C4	Mixed Moisture Hardpan Forest
Hyco/Castle Floodplain Forest	100	Person	R2	C3	Hyla versicolor, Piedmont Bottomland Forest (Northern Low Subtype)
Hyco/Ghent Hardwood Forest	147	Person	R3	C4	Hyla versicolor
Long Mountain/Crooked Fork Forest	491	Person	R2	C4	Xeric Hardpan Forest (Basic Rocky Subtype)
Marlowe Creek Slopes	227	Person	R3	C4	Piedmont Acidic Glade
Mayo Creek Slopes	88	Person	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
McGhees Mill Basic Forest	89	Person	R4	C4	Solidago rigida var. glabrata
McGhees Mill Powerline Clearing	3	Person	R3	C5	Solidago rigida var. glabrata
McGhees Mill Road Rare Plant Site	14	Person	R3	C5	Solidago rigida var. glabrata
Mill Creek/NC 49 Hardwood Forest	339	Person	R3	C4	Mixed Moisture Hardpan Forest
Mount Tirzah Slopes	484	Person	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Gillenia stipulata
Piedmont Community College Hardwood Forest	415	Person	R1	C5	Piedmont Boggy Streamhead
Polk Huff Road Dry Forest	10	Person	R3	C5	Gillenia stipulata
Poole Road Ridge	193	Person	R3	C4	Xeric Hardpan Forest (Basic Rocky Subtype)
Red Mountain/Flat River Slopes	227	Person	R4	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype), Rocky Bar and Shore (Alder-Yellowroot Subtype), Rocky Bar and Shore (Water Willow Subtype)
Satterfield Road Rare Plant Site	4	Person	R2	C5	Eupatorium saltuense
South Flat River Outcrops	91	Person	R3	C4	Gillenia stipulata
South Hyco Creek Slopes	137	Person	R5	C5	Basic Mesic Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Storys Creek/Marlowe Creek Swamp	375	Person	R5	C5	Piedmont Swamp Forest
Tar River (Person) Slopes	126	Person	R4	C5	Rocky Bar and Shore (Alder-Yellowroot Subtype)
Timberlake Hardpan Forest	10	Person	R4	C5	Mixed Moisture Hardpan Forest
Upper Tar River Aquatic Habitat	258	Person	R1	C1	Alasmidonta heterodon, Fusconaia masoni, Lampsilis sp. 2
Wheelers Church Basic Forest	72	Person	R5	C4	Dry Basic Oak--Hickory Forest, Upland Depression Swamp Forest
Belvoir Carolina Bays and Flats	49	Pitt	R5	C4	Nonriverine Swamp Forest (Sweetgum Subtype), Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Bethel/Grindle Hardwood Flats	253	Pitt	R2	C5	Nonriverine Wet Hardwood Forest (Oak Flat Subtype)
Chicod Creek Swamp and Slopes	261	Pitt	R4	C5	Mesic Mixed Hardwood Forest (Coastal Plain Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Harris Mill Run Slopes	229	Pitt	R5	C5	Dry-Mesic Oak--Hickory Forest (Coastal Plain Subtype), Mesic Mixed Hardwood Forest (Coastal Plain Subtype)
Haw Creek Meanders	1,316	Pitt	R4	C4	Brownwater Bottomland Hardwoods (Swamp Transition Subtype)
Jolly Old Field Natural Area	349	Pitt	R3	C5	Brownwater Bottomland Hardwoods (Swamp Transition Subtype)
Lower Tar River Aquatic Habitat	2,082	Pitt	R1	C1	Necturus lewisi, Noturus furiosus
Lower Tar River Marshes and Swamp	5,455	Pitt	R2	C4	Orconectes carolinensis
Neuse River Floodplain and Bluffs	11,938	Pitt	R2	C5	Brownwater Levee Forest (Low Levee Subtype), Cypress--Gum Swamp (Brownwater Subtype)
Otter Creek Natural Area	123	Pitt	R4	C4	Dry Oak--Hickory Forest (Coastal Plain Subtype)
Tar River Floodplain	8,774	Pitt	R2	C5	Baetisca obesa
Tar River/Blue Banks Farm Slopes	500	Pitt	R2	C5	Low Elevation Seep (Floodplain Subtype)
Voice of America Site B	2,711	Pitt	R2	C5	Ammodramus henslowii
Voice of America Site C	650	Pitt	R3	C5	Ammodramus henslowii
Alexander's Ford	184	Polk	R5	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Low Elevation Seep (Typic Subtype), Piedmont Alluvial Forest
Big Fall Creek/Melrose Mountain North	615	Polk	R1	C4	Carex radfordii, Sisyrinchium dichotomum
Cedar Cliff/Warrior Mountains	672	Polk	R2	C4	Low Elevation Rocky Summit (Basic Subtype), Smilax lasioneura
Chimneytop Oak Forests	311	Polk	R5	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Cliff (Acidic Herb Subtype)
Cliffield Mountain/Upper Hungry River	3,389	Polk	R4	C4	Sisyrinchium dichotomum
Cooper Gap/Wildcat Spur	381	Polk	R4	C5	Sisyrinchium dichotomum
Cove Creek/Bradley Falls Natural Area	665	Polk	R2	C3	Carex radfordii, Hexastylis rhombiformis
Gadd Creek Cliff	43	Polk	R5	C4	Chestnut Oak Forest (Dry Heath Subtype), Montane Cliff (Mafic Subtype), Rich Cove Forest (Foothills Intermediate Subtype), Setophaga cerulea
Green River Gorge	1,467	Polk	R2	C3	Eurybia spectabilis, Rich Cove Forest (Foothills Intermediate Subtype)
Green River Plantation Basic Forest	35	Polk	R2	C4	Collinsonia verticillata, Pachysandra procumbens
Green River Rich Slope	44	Polk	R3	C4	Collinsonia verticillata, Pachysandra procumbens
Kross Keys Natural Area	52	Polk	R1	C4	Low Elevation Seep (Piedmont/Mountain Springhead Subtype)
Laurel Branch Ravines and Slopes	80	Polk	R4	C5	Collinsonia verticillata
Laurel Branch Rich Woods	73	Polk	R3	C4	Collinsonia verticillata
Little Cove Creek	444	Polk	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Hexastylis rhombiformis
Little Warrior Mountain Cave	4	Polk	R1	C5	Nesticus brimleyi
Melrose Mountain	232	Polk	R4	C4	Montane Oak--Hickory Forest (Basic Subtype), Sisyrinchium dichotomum
Mill Creek Forest and Seep	8	Polk	R5	C5	Hexastylis naniflora
Mills Bridge Natural Area	55	Polk	R2	C4	Pachysandra procumbens
New Hope Springhead Swamp	32	Polk	R1	C4	Low Elevation Seep (Piedmont/Mountain Springhead Subtype)
Pearsons Falls Glen/Pacolet River Bluffs	440	Polk	R2	C4	Carex communis var. amplisquama

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Rhodes French Broad Heartleaf Site	4	Polk	R5	C5	Hexastylis rhombiformis
Riverbend	377	Polk	R5	C5	Chestnut Oak Forest (Dry Heath Subtype)
Rotten Creek Headwater Slopes	106	Polk	R3	C4	Collinsonia verticillata
Round Mountain	140	Polk	R3	C4	Collinsonia tuberosa, Collinsonia verticillata, Verbesina walteri
Sandy Springs Church Springhead Swamp	21	Polk	R3	C4	Low Elevation Seep (Piedmont/Mountain Springhead Subtype)
Walnut Flats	34	Polk	R3	C5	Montane Alluvial Forest (Large River Subtype)
White Oak Creek Non-Alluvial Wetland	24	Polk	R3	C4	Low Elevation Seep (Piedmont/Mountain Springhead Subtype)
White Oak Mountain/Tryon Peak	5,097	Polk	R2	C1	Low Elevation Acidic Glade (Biltmore Sedge Subtype), Low Elevation Basic Glade (Montane Subtype), Packera millefolium
Worlds Edge/Sugarloaf Mountain	2,102	Polk	R1	C1	Sisyrinchium dichotomum
Bachelor Creek Slopes	329	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Back Creek Mafic Knoll	156	Randolph	R3	C5	Cardamine dissecta
Back Creek Mountain	366	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Back Creek Ravines	126	Randolph	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Barnes Creek/Poison Fork Aquatic Habitat	29	Randolph	R2	C3	Alasmidonta robusta, Alasmidonta sp. 2
Betty McGees Creek Mafic Forest	164	Randolph	R3	C5	Cardamine dissecta
Birkhead Upland Forest Natural Area	2,158	Randolph	R3	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Brush Creek Slopes	91	Randolph	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Cable Creek Basic Knoll	11	Randolph	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Camp Caraway Ridge	109	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Camp Woodfield Forests	336	Randolph	R5	C4	Basic Mesic Forest (Piedmont Subtype), Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Caraway Creek Aquatic Habitat	38	Randolph	R3	C3	Alasmidonta sp. 2
Caraway Creek Forests	180	Randolph	R3	C4	Cardamine dissecta
Caraway Mountain Sunflower Site	14	Randolph	R5	C5	Helianthus schweinitzii
Caraway Mountain/Mundo Vista	204	Randolph	R3	C4	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Cliff (Acidic Subtype)
Caviness Road Basic Forest	45	Randolph	R5	C5	Dry Basic Oak--Hickory Forest
Central Falls Slope	86	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Cody Mountain	249	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Coleridge Bluffs	60	Randolph	R3	C5	Rocky Bar and Shore (Water Willow Subtype)
Dutchman Mountain	115	Randolph	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
East Jackson Creek Forest	171	Randolph	R4	C5	Cardamine dissecta
Faith Rock	15	Randolph	R5	C5	Piedmont Cliff (Acidic Subtype)
Fork Creek Bluffs	33	Randolph	R5	C5	Piedmont/Coastal Plain Heath Bluff
Glady Fork Forest	33	Randolph	R5	C5	Dry Basic Oak--Hickory Forest
Harvest Field Sunflower Site	53	Randolph	R5	C5	Helianthus schweinitzii
Harveys Mountain	271	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Kies Mountain Hardpans	341	Randolph	R5	C4	Upland Depression Swamp Forest, Xeric Hardpan Forest (Basic Hardpan Subtype)
Kies Mountain Hardwood Forests	81	Randolph	R3	C4	Floodplain Pool, Piedmont Headwater Stream Forest (Typic Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Little Caraway Creek Forest	93	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Log Cabin Road Slopes	70	Randolph	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Long Mountain/King Mountain	650	Randolph	R3	C4	Piedmont Monadnock Forest (Pine Subtype)
Middle Deep River Aquatic Habitat	1,451	Randolph	R1	C1	Notropis mekistocholas, Toxolasma pullus
Narrows Branch Ridge	255	Randolph	R2	C4	Piedmont Monadnock Forest (Pine Subtype)
NC Zoo Natural Areas	1,023	Randolph	R2	C4	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype), Upland Pool (Typic Piedmont Subtype)
Pilot Mountain Forests	250	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Pine Hill Church Forest	154	Randolph	R5	C4	Dry Basic Oak--Hickory Forest, Hexalectris spicata
Pinson Monadnock Forest	257	Randolph	R5	C5	Piedmont Monadnock Forest (Typic Subtype)
Pisgah Covered Bridge Natural Area	73	Randolph	R5	C5	Helianthus schweinitzii
Polecat Creek Aquatic Habitat	60	Randolph	R5	C4	Villosa constricta, Villosa delumbis, Villosa vaughaniana
Polecat Creek/Salem Tributary Natural Area	108	Randolph	R2	C5	Lilium canadense ssp. editorum
Richland Creek Slopes	158	Randolph	R2	C5	Rocky Bar and Shore (Mixed Bar Subtype)
Ridges Mountain	204	Randolph	R2	C3	Dry Basic Oak--Hickory Forest, Upland Pool (Typic Piedmont Subtype)
Sandy Creek Aquatic Habitat	70	Randolph	R5	C4	Elliptio roanokensis, Villosa constricta, Villosa delumbis, Villosa vaughaniana
Second Creek Slopes	28	Randolph	R5	C5	Cardamine dissecta, Floodplain Pool
Shepherd Mountain	409	Randolph	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Sols and Bell Mountain	205	Randolph	R5	C5	Hexalectris spicata, Piedmont Monadnock Forest (Typic Subtype)
South Fork Second Creek Aquatic Habitat	44	Randolph	R3	C4	Alasmidonta sp. 2
South Prong Little River Forests	81	Randolph	R5	C4	Dry Oak--Hickory Forest (Piedmont Subtype), Hemidactylium scutatum, Upland Depression Swamp Forest
Toms Creek Basic Forest	41	Randolph	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Upper Little River (Randolph/Montgomery) Aquatic Habitat	335	Randolph	R1	C2	Alasmidonta sp. 2
Uwharrie River Aquatic Habitat	462	Randolph	R1	C2	Alasmidonta sp. 2
Walkers Creek Confluence Forests	49	Randolph	R4	C4	Cardamine dissecta
Walkers Creek Rare Plant Site	100	Randolph	R2	C5	Symphyotrichum georgianum
West Fork Little River Aquatic Habitat	60	Randolph	R2	C3	Alasmidonta sp. 2
Worthville Woods	95	Randolph	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype)
Beaver Dam Creek Shrub Community	391	Richmond	R5	C4	Picoides borealis, Pine/Scrub Oak Sandhill (Blackjack Subtype), Streamhead Pocosin
Big Branch Streamheads	452	Richmond	R3	C3	Lindera subcoriacea
Block C Upland Depressions and Flatwoods	263	Richmond	R3	C3	Mesic Pine Savanna (Sandhills Subtype), Muhlenbergia torreyana
Bones Fork Pine and Shrub Community	150	Richmond	R4	C3	Mesic Pine Savanna (Sandhills Subtype), contact Natural Heritage Program for more information.
Camp Mackall Auxiliary Airfield Buffer	157	Richmond	R2	C3	Galactia mollis, Polygala grandiflora, Rhus michauxii
Camp Mackall Drowning Creek Natural Area	830	Richmond	R3	C5	Cypress--Gum Swamp (Blackwater Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Crawford Lake Natural Area	201	Richmond	R2	C3	Potamogeton confervoides
Currie Road/Crawford Lake Road Sandhills	2,209	Richmond	R2	C2	Crocanthemum rosmarinifolium, Hesperia attalus slossonae, Hesperia meskei
Drowning Creek Aquatic Habitat	180	Richmond	R2	C4	Etheostoma mariae
Falling Creek Headwaters	307	Richmond	R3	C4	Sphagnum torreyanum
Gibson Pond	146	Richmond	R2	C4	Coastal Plain Semipermanent Impoundment (Sandhills Marsh Subtype)
Grassy Islands/Smith Lake	2,242	Richmond	R1	C2	Piedmont Cliff (Basic Subtype)
Gum Swamp Lake and Tributaries	855	Richmond	R3	C3	Luziola fluitans, Potamogeton confervoides, Schoenoplectus etuberculatus, Sphagnum torreyanum
Hinson Wildlife Conservation Area	339	Richmond	R4	C5	Hesperia attalus slossonae
Hitchcock Creek White Cedar Forest	270	Richmond	R1	C4	Streamhead Atlantic White Cedar Forest
Hitchcock Creek/Pee Dee River Slopes	813	Richmond	R2	C4	Eurybia mirabilis
Lower Little River (Richmond) Corridor	1,704	Richmond	R2	C4	Piedmont Bottomland Forest (High Subtype), Piedmont Bottomland Forest (Typic Low Subtype)
Lower Pee Dee River Aquatic Habitat	1,552	Richmond	R1	C1	Cyprinella sp. 1, Elliptio folliculata, Moxostoma robustum, Moxostoma sp. 3, Villosa vaughaniana
Marks Creek and Floodplain	2,858	Richmond	R2	C4	Clinopodium georgianum, Coastal Plain Small Stream Swamp
Marks Creek Powerline	365	Richmond	R2	C3	Salvia azurea, contact Natural Heritage Program for more information.
Marston Pond and Uplands	262	Richmond	R2	C3	Persicaria hirsuta
Middle Pee Dee River Aquatic Habitat	1,460	Richmond	R3	C3	Anodonta implicata, Elliptio folliculata, Ligumia nasuta, Moxostoma sp. 3
Millstone Creek Natural Area	430	Richmond	R3	C3	Hesperia meskei, Salvia azurea, Satyrium favonius ontario
Mount Calvert Church Powerline Seeps	262	Richmond	R3	C4	Salvia azurea, Xyris chapmanii, contact Natural Heritage Program for more information.
Mountain Creek Corridor	1,805	Richmond	R2	C5	Viola walteri var. walteri
Naked Creek Aquatic Habitat	63	Richmond	R2	C4	Cyprinella sp. 1, Etheostoma mariae
Naked Creek Atlantic White Cedar Stand	400	Richmond	R1	C4	Streamhead Atlantic White Cedar Forest
Nursery Lane Streamheads	210	Richmond	R2	C2	Rhus michauxii, Tridens chapmanii
Pee Dee River Gabbro Slopes	421	Richmond	R2	C3	Carex decomposita, Euphorbia mercurialina, Lycopus angustifolius, Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype), Ruellia strepens
Pee Dee River Marsh Ponds	898	Richmond	R2	C4	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype)
Pee Dee River Skunk Cabbage Seep	145	Richmond	R3	C5	Low Elevation Seep (Typic Subtype)
Pines of Carolina Girl Scout Camp	498	Richmond	R5	C5	Contact Natural Heritage Program for more information.
Rock Ford Branch Bog	69	Richmond	R4	C3	Lindera subcoriacea, Xyris chapmanii, Xyris scabrifolia, contact Natural Heritage Program for more information.
Rocky Ford Creek Mountain Laurel Bluff	43	Richmond	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Rocky Fork Creek Piedmont Forest	279	Richmond	R2	C5	Smilax hugeri
Tater Hole/Three Creeks	522	Richmond	R2	C3	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Tucker Lane Woodland	153	Richmond	R3	C3	Astragalus michauxii

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Upper Drowning Creek Swamp Forest	4,213	Richmond	R2	C4	Choroterpes basalis, Coastal Plain Small Stream Swamp, contact Natural Heritage Program for more information.
White Cedar Branch Head	19	Richmond	R5	C5	Streamhead Atlantic White Cedar Forest
Wiregrass Road Powerline	129	Richmond	R2	C4	Eriocaulon texense
Ashpole Swamp Aquatic Habitat	2,728	Robeson	R3	C5	Elliptio marsupiobesa
Ashpole Swamp/Flat Swamp Confluence	3,142	Robeson	R3	C4	Gelsemium rankinii
Ashpole Swamp/NC 41	2,693	Robeson	R3	C5	Helianthus floridanus
Beulah Church Flatwoods	130	Robeson	R3	C4	Mesic Pine Savanna (Lumbee Subtype)
Big Marsh Swamp	3,091	Robeson	R3	C5	Coastal Plain Semipermanent Impoundment (Typic Marsh Subtype)
Big Swamp/NC 211	2,416	Robeson	R4	C5	Blackwater Bottomland Hardwoods (Low Subtype)
Big Swamp/Old Whiteville Road	556	Robeson	R2	C4	Blackwater Bottomland Hardwoods (High Subtype)
Bluff Swamp/Princess Ann Swamp	5,374	Robeson	R2	C3	Ditrysinia fruticosa, contact Natural Heritage Program for more information.
Britt Road Bay	17	Robeson	R2	C3	Solidago leavenworthii, Stylisma aquatica
Bullard and Branch Hunting Preserve	884	Robeson	R2	C4	Crocanthemum carolinianum
Camp Rockfish Natural Area	557	Robeson	R2	C3	Eupatorium resinosum
Coy Road Sandhill/Flatwoods	41	Robeson	R5	C5	Pine/Scrub Oak Sandhill (Blackjack Subtype)
Cypress Bay	48	Robeson	R4	C4	Iva microcephala, Rhexia aristosa
Deep Branch Sandhill	15	Robeson	R3	C4	Ditrysinia fruticosa, Polygala grandiflora
Dunahoe Bay	93	Robeson	R2	C4	Small Depression Pond (Open Lily Pond Subtype)
Floral College Bay Complex	279	Robeson	R3	C4	Cypress Savanna (Typic Subtype)
Flowers Swamp	581	Robeson	R5	C5	Cypress--Gum Swamp (Blackwater Subtype)
Goose Pond Bay	548	Robeson	R2	C3	Boltonia asteroides var. glastifolia, contact Natural Heritage Program for more information.
Great Desert Bay Rim	112	Robeson	R4	C4	Sandy Pine Savanna (Typic Subtype)
Gully Bay and Flatwoods	101	Robeson	R3	C4	Coastal Plain Depression Swamp (Mixed Subtype)
Gum Pond Bay	53	Robeson	R3	C4	Cypress Savanna (Typic Subtype), Eupatorium leptophyllum, Iva microcephala, Rhexia aristosa
Harpers Ferry Church Sand Ridge	7	Robeson	R3	C4	Chrysoma pauciflosculosa
Highland Games Road Bay	24	Robeson	R5	C4	Pseudacris ornata, Small Depression Pocosin (Typic Subtype)
Horse Neck Pond Bay	17	Robeson	R2	C4	Echinodorus tenellus, Iva microcephala
Lennons Bridge Flatwoods	258	Robeson	R5	C4	Nonriverine Swamp Forest (Sweetgum Subtype), Wet Loamy Pine Savanna
Lumber River Swamp/Avent Landing	1,398	Robeson	R3	C5	Ditrysinia fruticosa
Lumber River Swamp/Devils Elbow	842	Robeson	R3	C4	Ditrysinia fruticosa
Lumber River Swamp/Matthews Bluff	2,475	Robeson	R1	C4	Macbridea caroliniana
Lumber River/Bear Swamp Aquatic Habitat	453	Robeson	R1	C4	Cyprinella sp. 1
Lumber River/High Hill	43	Robeson	R3	C4	Ditrysinia fruticosa, Dry Oak--Hickory Forest (Coastal Plain Subtype)
Middle Lumber River Swamp	1,698	Robeson	R3	C5	Blackwater Bottomland Hardwoods (High Subtype), Ditrysinia fruticosa
Mill Branch Sand Ridge	47	Robeson	R2	C4	Chrysoma pauciflosculosa, Coastal Plain Depression Swamp (Mixed Subtype)
Mill Swamp Beech Forest	56	Robeson	R4	C4	Low Elevation Seep (Floodplain Subtype)
Moss Neck Savanna	88	Robeson	R2	C4	Mesic Pine Savanna (Lumbee Subtype), Quercus elliottii
Mount Tabor Road Bay Rims	186	Robeson	R5	C5	Xeric Sandhill Scrub (Typic Subtype)
Net Hole/Buck Landing Swamp	2,082	Robeson	R2	C3	Acmella repens, Macbridea caroliniana

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Oak Savanna Bay	88	Robeson	R2	C3	Mesic Pine Savanna (Lumbee Subtype), Muhlenbergia torreyana
O'Quinn Road Flatwoods and Bays	556	Robeson	R1	C4	Mesic Pine Savanna (Lumbee Subtype)
Pretty Pond Bay	38	Robeson	R2	C3	Amphicarpum muhlenbergianum
Raft Swamp/Shannon	379	Robeson	R5	C5	Coastal Plain Small Stream Swamp
Rex-Rennert Bay/Chain Pond Bay	71	Robeson	R1	C4	Cypress Savanna (Acid Subtype)
Salt Marsh Bay	48	Robeson	R1	C4	Cypress Savanna (Acid Subtype)
Shoe Heel Creek Floodplain	2,098	Robeson	R5	C5	Coastal Plain Small Stream Swamp
Townsendville Road Flatwoods	340	Robeson	R1	C4	Mesic Pine Savanna (Lumbee Subtype)
Upper Lumber River Swamp	2,987	Robeson	R3	C3	Blackwater Bottomland Hardwoods (Swamp Transition Subtype), Blackwater Levee/Bar Forest
Warwick Mill Bay	1,252	Robeson	R3	C4	Coastal Plain Semipermanent Impoundment (Typic Marsh Subtype), Nonriverine Swamp Forest (Cypress-Gum Subtype)
Bear Slide Bluff	12	Rockingham	R2	C5	Tradescantia virginiana
Benaja Alluvial Forest	177	Rockingham	R5	C5	Piedmont Alluvial Forest
Benaja Creek Wetlands	50	Rockingham	R5	C5	Piedmont Alluvial Forest
Betsy-Jeff Penn 4-H Camp Forest	82	Rockingham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Big Beaver Island Creek Slopes	26	Rockingham	R5	C5	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype)
Candy Creek Beaver Pond	21	Rockingham	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Cedar Mountain	141	Rockingham	R1	C3	Piedmont Basic Glade (Typic Subtype)
Collins Bridge Bluffs	49	Rockingham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Dan River Aquatic Habitat	1,240	Rockingham	R1	C2	Noturus gilberti, Percina rex, Pleurobema collina
Fitzgerald Woodland	88	Rockingham	R2	C4	Solidago rigida var. glabrata
Hogans Creek Floodplain and Slopes	941	Rockingham	R4	C4	Piedmont Levee Forest (Typic Subtype)
Jacobs Creek Slopes	15	Rockingham	R2	C4	Polemonium reptans var. reptans
Leaksville Loam Forests	138	Rockingham	R3	C4	Solidago rigida var. glabrata
Mayo River Anglin Mill Bluffs	124	Rockingham	R3	C4	Lysimachia tonsa, Polemonium reptans var. reptans
Mayo River Aquatic Habitat	207	Rockingham	R1	C3	Percina rex, Pleurobema collina
Mayodan Bluffs	48	Rockingham	R2	C4	Sedum glaucophyllum
Mebane Bridge Slope	19	Rockingham	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Pine Hall Slopes	130	Rockingham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Pleasantville Basic Forest	137	Rockingham	R2	C5	Polemonium reptans var. reptans
Rock House Creek Slopes	201	Rockingham	R3	C4	Hydrastis canadensis
Rocky Branch Conglomerate Exposure	60	Rockingham	R5	C4	Basic Mesic Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff, Sedum glaucophyllum
Roundhouse Road Forest	75	Rockingham	R5	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Upland Depression Swamp Forest
Smith River Bluffs	21	Rockingham	R3	C4	Piedmont Cliff (Basic Subtype)
Smith River Slopes	40	Rockingham	R5	C5	Sedum glaucophyllum
Tate Road Forest	239	Rockingham	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Troublesome Creek Forests/Witty Crossroads Alluvial Forests	396	Rockingham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Troublesome Creek Marsh	93	Rockingham	R5	C5	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Troublesome Creek/Ogburns Crossroads Alluvial Forests	58	Rockingham	R5	C5	Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Upper Haw River Floodplain and Slopes	699	Rockingham	R4	C5	Piedmont Swamp Forest
Warf Airfield Forest	58	Rockingham	R5	C5	Dry Basic Oak--Hickory Forest
Wide Mouth Creek Conglomerate Exposure	24	Rockingham	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Williamsburg Alluvial Forest	150	Rockingham	R5	C5	Piedmont Levee Forest (Typic Subtype)
Wolf Island Creek/Dan River Slopes	45	Rockingham	R2	C4	Erigenia bulbosa
Barber Hardpan Forest	18	Rowan	R5	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Upland Depression Swamp Forest
Barber Oak-Hickory Forest	27	Rowan	R5	C4	Dry Basic Oak--Hickory Forest, Upland Depression Swamp Forest
Beaverdam Branch Mafic Slopes and Flats	37	Rowan	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Dunn Mountain	26	Rowan	R5	C4	Granitic Flatrock (Annual Herb Subtype), Granitic Flatrock (Perennial Herb Subtype)
Dutch Buffalo Creek Aquatic Habitat	67	Rowan	R5	C4	Etheostoma collis, Villosa constricta, Villosa delumbis, Villosa vaughaniana
Fourth Creek Floodplain Pool	50	Rowan	R4	C5	Floodplain Pool
Gold Hill Flats	136	Rowan	R1	C4	Xeric Hardpan Forest (Acidic Hardpan Subtype)
High Rock Reservoir Wetlands	1,455	Rowan	R4	C5	Colonial Wading Bird Colony
Honeycutt Road Woods	159	Rowan	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Leonard Road Slopes	62	Rowan	R5	C4	Basic Mesic Forest (Piedmont Subtype), Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Oak Mountain Quartzite Ridge	155	Rowan	R2	C4	Piedmont Monadnock Forest (Pine Subtype)
Rock Grove Church Granite Outcrops	31	Rowan	R4	C4	Granitic Flatrock Border Woodland
Salisbury Nature Study Area	47	Rowan	R3	C5	Piedmont Swamp Forest
Second Creek Natural Area	74	Rowan	R2	C5	Quercus prinoides
Second Creek Wetlands	137	Rowan	R2	C4	Piedmont Alluvial Forest
South Yadkin Beech Slopes	21	Rowan	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
South Yadkin River Heath Bluffs	22	Rowan	R3	C5	Piedmont/Coastal Plain Heath Bluff
Tuckertown Bluffs	42	Rowan	R3	C5	Piedmont/Coastal Plain Heath Bluff
Yadkin River/Grants Creek Forests	686	Rowan	R5	C5	Piedmont Levee Forest (Typic Subtype), Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Youngs Mountain	70	Rowan	R5	C4	Dry Oak--Hickory Forest (Piedmont Subtype), Piedmont Monadnock Forest (Typic Subtype), Upland Depression Swamp Forest
Zion Church/Eastern Gold Hill Flatwoods	466	Rowan	R2	C4	Dry Oak--Hickory Forest (Piedmont Subtype)
Alexander's Ford	184	Rutherford	R5	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Low Elevation Seep (Typic Subtype), Piedmont Alluvial Forest

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Anderson Shoal	410	Rutherford	R5	C5	Acidic Cove Forest (Typic Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Bald Mountain/Round Top Mountain	1,298	Rutherford	R2	C2	Hypochilus coylei, Solidago simulans
Bat Cave/Bluerock Mountain	549	Rutherford	R1	C1	Plethodon yonahlossee pop. 1, Rich Cove Forest (Foothills Rich Subtype), Solidago simulans
Big Horse Creek Rare Plant Site	17	Rutherford	R5	C5	Hexastylis naniflora
Big Island Carolina Hemlock Bluff	272	Rutherford	R5	C4	Carolina Hemlock Forest (Typic Subtype), Hexastylis naniflora
Bovender Farm	264	Rutherford	R2	C5	Quercus prinoides
Box Creek Wilderness Natural Area	2,448	Rutherford	R1	C1	Campylopus oerstedianus, Frullania appalachiana, Low Elevation Basic Glade (Montane Subtype), Oxyrrhynchium pringlei
Brice Rare Plant Site	185	Rutherford	R2	C4	Hexastylis naniflora
Brindletown Forests	446	Rutherford	R3	C4	Liatris turgida
Camel Knob	1,042	Rutherford	R4	C5	Helianthus laevigatus
Camp Bud Schiele/BSA Reservation	381	Rutherford	R5	C5	Chestnut Oak Forest (Herb Subtype), Dry Oak--Hickory Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Cane Creek Mountain	583	Rutherford	R2	C2	Low Elevation Rocky Summit (Acidic Subtype), Plethodon amplus, Plethodon yonahlossee pop. 1
Cherry Mountain	2,121	Rutherford	R2	C4	Lysimachia tonsa, Packera paupercula var. paupercula
Chimney Rock Natural Area	1,487	Rutherford	R1	C1	Solidago simulans
Cloven Cliffs/The Pinnacles	335	Rutherford	R2	C3	Carolina Hemlock Forest (Pine Subtype)
Davenport Road/Mountain View Rare Plant Site	217	Rutherford	R4	C5	Hexastylis naniflora
First Broad River Headwaters Aquatic Habitat	123	Rutherford	R1	C5	Cambarus lenati
Floyds Creek Tributary Rare Plant Site	54	Rutherford	R5	C5	Hexastylis naniflora, Mesic Mixed Hardwood Forest (Piedmont Subtype)
Hensons Creek Natural Area	881	Rutherford	R3	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Hexastylis naniflora, Piedmont Levee Forest (Typic Subtype)
Hogpen Branch Flatrocks	95	Rutherford	R5	C5	Hexastylis naniflora
Island Ford Flatrocks	147	Rutherford	R3	C4	Minuartia uniflora, Utricularia cornuta
Jenkins Flatrock	2	Rutherford	R3	C4	Cyperus granitophilus, Minuartia uniflora
Jonas Road Rare Plant Site	34	Rutherford	R5	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Hexastylis naniflora, Mesic Mixed Hardwood Forest (Piedmont Subtype)
Kudzu Farm Rare Plant Site	67	Rutherford	R4	C5	Hexastylis naniflora
Lisenberry Mountain	1,372	Rutherford	R3	C5	Chestnut Oak Forest (Dry Heath Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Lone Mountain Natural Area	1,419	Rutherford	R2	C3	Collinsonia tuberosa, Hackelia virginiana
McKinney Bridge Natural Area	21	Rutherford	R5	C5	Basic Mesic Forest (Piedmont Subtype), Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Matelea decipiens, Piedmont Alluvial Forest
McKinney Creek Low Elevation Seep	5	Rutherford	R4	C5	Low Elevation Seep (Montane Subtype)
New Bethel Rare Plant Site	20	Rutherford	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Hexastylis naniflora
Piney Knob Bog and Slope	10	Rutherford	R5	C4	Mesic Mixed Hardwood Forest (Piedmont Subtype), Southern Appalachian Bog (Low Elevation Subtype)
Pinnacle Mountain/Long Mountain	308	Rutherford	R3	C4	Carolina Hemlock Forest (Typic Subtype)
Riverbend	377	Rutherford	R5	C5	Chestnut Oak Forest (Dry Heath Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Rollins/South Mountains Natural Area	17,533	Rutherford	R1	C1	Low Elevation Rocky Summit (Basic Subtype), Plethodon meridianus
Rumbling Bald/Shumont Mountain/Cedar Knob	2,276	Rutherford	R1	C1	Low Elevation Granitic Dome, Plethodon yonahlossee pop. 1
Sandy Mush Outcrop	87	Rutherford	R2	C3	Granitic Flatrock (Annual Herb Subtype), Granitic Flatrock (Perennial Herb Subtype), Granitic Flatrock Border Woodland, Quercus georgiana
Shoal Ridge	693	Rutherford	R2	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
South Mountains Henry Fork Watershed	6,320	Rutherford	R1	C2	Contact Natural Heritage Program for more information.
Stony Mountain/Rich Mountain	427	Rutherford	R1	C3	Plethodon amplus
Upper Cathey's Creek/Harris Mountain	684	Rutherford	R3	C4	Woodsia appalachiana
Weed Patch Mountain/Joel Ridge	3,463	Rutherford	R5	C4	Montane Oak--Hickory Forest (Acidic Subtype), Pine--Oak / Heath (Typic Subtype), contact Natural Heritage Program for more information.
Worlds Edge/Sugarloaf Mountain	2,102	Rutherford	R1	C1	Sisyrinchium dichotomum
Yellowtop/Biggerstaff Mountain	3,054	Rutherford	R1	C1	Frullania appalachiana, Low Elevation Rocky Summit (Basic Subtype)
Youngs Mountain/Kens Rock	448	Rutherford	R2	C3	Arabis patens, Asplenium bradleyi, Asplenium pinnatifidum
Black River Aquatic Habitat	387	Sampson	R2	C3	Elliptio marsupiobesa, Noturus sp. 2, Sagittaria filiformis
Clear Run Flatwoods and Pocosin	39	Sampson	R3	C4	Drosera filiformis
Coharie/Six Runs Creek Aquatic Habitat	185	Sampson	R3	C4	Noturus sp. 2
Colvins Bay	2,311	Sampson	R5	C4	High Pocosin (Evergreen Subtype), Pond Pine Woodland (Typic Subtype), Wet Loamy Pine Savanna
Cutgrass Bay	22	Sampson	R2	C3	Drosera filiformis, Small Depression Pond (Cutgrass Prairie Subtype)
Great Coharie Creek Swamp	4,047	Sampson	R2	C4	Quercus austrina
Jumping Run Flatwoods	249	Sampson	R5	C4	Asclepias pedicellata, Picoides borealis, Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype), contact Natural Heritage Program for more information.
Newkirk Tower Carolina Bay	56	Sampson	R2	C4	Litsea aestivalis
Northwest Garland Sandhills and Streamheads	500	Sampson	R2	C4	Crataegus munda
Pondberry Bay/White Woods	2,126	Sampson	R1	C2	Lindera melissifolia
Pridgen Flats Pine Forests	1,623	Sampson	R5	C4	Pond Pine Woodland (Typic Subtype), Streamhead Pocosin, Wet Pine Flatwoods (Typic Subtype), Xeric Sandhill Scrub (Typic Subtype)
Shaky Bay Sandhills	397	Sampson	R2	C4	Pine/Scrub Oak Sandhill (Mixed Oak Subtype)
South Garland Sandhill	30	Sampson	R5	C5	Pond Pine Woodland (Typic Subtype), Xeric Sandhill Scrub (Typic Subtype)
South River Aquatic Habitat	413	Sampson	R2	C4	Cyprinella sp. 1
South River Swamp Forest	3,120	Sampson	R4	C5	Blackwater Bottomland Hardwoods (Swamp Transition Subtype)
Upper Black River Bottomlands	5,365	Sampson	R1	C3	Isoetes microvela
Upper South River Floodplain	3,013	Sampson	R5	C5	Cypress--Gum Swamp (Blackwater Subtype)
Aberdeen Road Sandhills	2,099	Scotland	R2	C3	Vaccinium virgatum
Beaver Dam Creek Swamp	194	Scotland	R2	C3	Streamhead Pocosin

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Beaver Dam Creek/Little Muddy Creek Natural Area	796	Scotland	R1	C2	Coastal Plain Semipermanent Impoundment (Sandhills Marsh Subtype), Pine/Scrub Oak Sandhill (Mesic Transition Subtype), Rhus michauxii
Beaver Dam Vernal Pool	50	Scotland	R4	C3	Polygala grandiflora, Stylisma aquatica
Bog Hole and Uplands	28	Scotland	R1	C3	Small Depression Pond (Cutgrass Prairie Subtype)
Camp Mackall Auxiliary Airfield Buffer	157	Scotland	R2	C3	Galactia mollis, Polygala grandiflora, Rhus michauxii
Camp Mackall Big Muddy Creek Natural Area	206	Scotland	R5	C4	Picoides borealis, Pine/Scrub Oak Sandhill (Mesic Transition Subtype), Streamhead Pocosin
Camp Mackall Big Muddy Lake and Tributary	110	Scotland	R4	C3	Sandhill Seep (Very Wet Subtype)
Camp Mackall Drowning Creek Natural Area	830	Scotland	R3	C5	Cypress--Gum Swamp (Blackwater Subtype)
Camp Mackall Little Muddy Lake	34	Scotland	R2	C4	Coastal Plain Semipermanent Impoundment (Sandhills Marsh Subtype)
Crawford Lake Natural Area	201	Scotland	R2	C3	Potamogeton confervoides
Creek and Corridor below Kinney Cameron Lake	204	Scotland	R3	C3	Coastal Plain Semipermanent Impoundment (Sandhills Marsh Subtype), Lindera subcoriacea, Pine/Scrub Oak Sandhill (Mesic Transition Subtype), Sandhill Streamhead Swamp, Schoenoplectus etuberculatus
Currie Road/Crawford Lake Road Sandhills	2,209	Scotland	R2	C2	Crocanthemum rosmarinifolium, Hesperia attalus slossonae, Hesperia meskei
Drowning Creek/Quewhiffle Creek Floodplain	1,721	Scotland	R2	C4	Blackwater Bottomland Hardwoods (High Subtype), Carex canescens ssp. disjuncta
East Prong Juniper Creek Pocosin and Savanna	414	Scotland	R4	C3	Danthonia epilis
Gardner Farm Lane Woodland	442	Scotland	R2	C2	Astragalus michauxii, contact Natural Heritage Program for more information.
George Drop Zone Natural Area	128	Scotland	R3	C3	Ruellia ciliosa
Good News Bay	7	Scotland	R2	C4	Sclerolepis uniflora
Green Pond Bay Rim	366	Scotland	R2	C4	Paronychia herniarioides
Gum Swamp Lake and Tributaries	855	Scotland	R3	C3	Luziola fluitans, Potamogeton confervoides, Schoenoplectus etuberculatus, Sphagnum torreyanum
Highland Road Sandhills	691	Scotland	R3	C5	Amblyscirtes alternata
Hills Creek Road Sandhills	404	Scotland	R4	C4	Callophrys irus
Horseshoe Road Sandhills	259	Scotland	R5	C4	Pine/Scrub Oak Sandhill (Mixed Oak Subtype), Pond Pine Woodland (Typic Subtype), Wet Pine Flatwoods (Typic Subtype)
Johns Pond/Leith Creek Swamp	236	Scotland	R5	C5	Coastal Plain Semipermanent Impoundment (Open Water Subtype)
Jordan Creek Floodplain	1,024	Scotland	R5	C5	Contact Natural Heritage Program for more information.
Jordan Creek Natural Area	212	Scotland	R2	C4	Pine/Scrub Oak Sandhill (Blackjack Subtype)
Juniper Creek Cedar Swamps	1,090	Scotland	R3	C4	Streamhead Atlantic White Cedar Forest
Laurel Hill Annual Burn	494	Scotland	R1	C2	Schwalbea americana
Laurel Hill Flats	165	Scotland	R4	C3	Mesic Pine Savanna (Sandhills Subtype), Polygala grandiflora, Ruellia ciliosa, Sandhill Seep (Very Wet Subtype)
Little Juniper Creek Bay	76	Scotland	R5	C5	High Pocosin (Evergreen Subtype)
Lumber River/Bear Swamp Aquatic Habitat	453	Scotland	R1	C4	Cyprinella sp. 1
Lumber River/Chalk Banks Flatwoods and Pocosins	2,295	Scotland	R3	C4	Amorpha georgiana

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Lumber River/Drowning Creek Flatwoods and Swamp	770	Scotland	R3	C3	Sphagnum torreyanum
Lytch's Pond	89	Scotland	R4	C5	Coastal Plain Semipermanent Impoundment (Typic Marsh Subtype)
McIntosh Bay Complex	498	Scotland	R1	C1	Coastal Plain Depression Swamp (Pocosin Subtype), Cypress Savanna (Typic Subtype), Oxypolis canbyi, Small Depression Pond (Cutgrass Prairie Subtype)
Naomi Church Sandhills	530	Scotland	R5	C4	Picoides borealis, Rhus michauxii
Nashville Church Road Sandhills	1,171	Scotland	R3	C3	Hesperia attalus slossonae
Old Laurel Hill Road Sandhills	890	Scotland	R4	C4	Contact Natural Heritage Program for more information.
Pea Swales	126	Scotland	R2	C3	Pine/Scrub Oak Sandhill (Mesic Transition Subtype)
Piney Pools/Little Muddy Creek	870	Scotland	R2	C1	Streamhead Canebrake
Richmond Mill Natural Area	1,267	Scotland	R5	C5	Solidago verna
Riverton Road Bay Rim	402	Scotland	R4	C4	Sand Barren (Typic Subtype)
Scotch Meadows Bay Complex	125	Scotland	R2	C4	Iva microcephala
Scotland Lane Annual Burn Area	43	Scotland	R1	C2	Campylopus carolinae
Shoe Heel Creek Floodplain	2,098	Scotland	R5	C5	Coastal Plain Small Stream Swamp
Stateline Prairie Bay	34	Scotland	R1	C2	Eupatorium paludicola
Still Lane Seepage Slopes	550	Scotland	R2	C2	Sandhill Seep (Very Wet Subtype), Sandhill Seep (Wet Subtype)
Strausburg Road Pine Woods	184	Scotland	R2	C4	Ruellia ciliosa
Tucker Lane Woodland	153	Scotland	R3	C3	Astragalus michauxii
Upper Hills Creek Sandhills	1,092	Scotland	R3	C3	Danthonia epilis, Galactia mollis, Pine/Scrub Oak Sandhill (Mesic Transition Subtype), Rhynchospora macra
Upper Lumber River Swamp	2,987	Scotland	R3	C3	Blackwater Bottomland Hardwoods (Swamp Transition Subtype), Blackwater Levee/Bar Forest
Wagram Borrow Pit Amphibian Site	4	Scotland	R5	C5	Contact Natural Heritage Program for more information.
Watery Branch Sandhills	902	Scotland	R2	C3	Callophrys irus
Wilkes Branch Sandhills	502	Scotland	R4	C5	Liatris squarrulosa
Baucom Bluff	9	Stanly	R3	C4	Piedmont Cliff (Basic Subtype)
Big Bear Creek Aquatic Habitat	73	Stanly	R4	C4	Baptisia alba
Dennis Road Ridge	94	Stanly	R5	C5	Dry Basic Oak--Hickory Forest
East Badin Basic Forest	102	Stanly	R2	C4	Dichanthelium annulum
Fork Beaver Ponds	95	Stanly	R4	C5	Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Jacobs Creek Ravines	104	Stanly	R4	C4	Fothergilla major
Kinza Slate Bluffs	39	Stanly	R2	C4	Boechera missouriensis, Piedmont Cliff (Basic Subtype)
Locust Barrens	35	Stanly	R4	C5	Xeric Hardpan Forest (Acidic Hardpan Subtype)
Long Creek Slate Slopes	47	Stanly	R3	C4	Piedmont Basic Glade (Typic Subtype), Tradescantia virginiana
Middle Pee Dee River Aquatic Habitat	1,460	Stanly	R3	C3	Anodonta implicata, Elliptio folliculata, Ligumia nasuta, Moxostoma sp. 3
Morrow Mountain Natural Areas	3,765	Stanly	R1	C2	Carex impressinervia, Solidago plumosa, Xeric Hardpan Forest (Basic Rocky Subtype)
New London Ridges	188	Stanly	R2	C3	Solidago radula
Palestine Rare Plant Site	100	Stanly	R2	C4	Callitriche terrestris, Carex bushii
Plank Road Slate Knolls	46	Stanly	R3	C4	Boechera missouriensis, Viola walteri var. walteri
River Haven Ridge	264	Stanly	R4	C4	Xeric Hardpan Forest (Basic Rocky Subtype)
Rock Hole Creek Natural Area	123	Stanly	R2	C4	Primula meadia
Rocky River/Morgans Bluff	22	Stanly	R2	C4	Pellaea wrightiana

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Stanly Community College Basic Forest	42	Stanly	R5	C5	Dry Basic Oak--Hickory Forest
Stony Hill Church Hardwoods	288	Stanly	R1	C4	Carex impressinervia
Stony Mountain	443	Stanly	R2	C4	Ruellia purshiana, Xeric Hardpan Forest (Basic Rocky Subtype)
Union Chapel Enon Knolls	352	Stanly	R2	C2	Carex impressinervia, Liatris aspera, Matelea decipiens, Piedmont Headwater Stream Forest (Typic Subtype), Polygala senega, Solidago radula
Yadkin River Scour Banks	69	Stanly	R1	C4	Solidago plumosa
Aarons Corner Rare Plant Site	24	Stokes	R3	C4	Cardamine micranthera
Archies Knob	154	Stokes	R3	C5	Chestnut Oak Forest (White Pine Subtype)
Ash Camp Creek Wetland	51	Stokes	R5	C5	Helianthus schweinitzii, Piedmont Alluvial Forest
Bonds Branch Rare Plant Site	113	Stokes	R2	C5	Cardamine micranthera
Cascade Creek/Indian Creek (Hanging Rock) Aquatic Habitat	20	Stokes	R2	C5	Diplectrona metaqui
Dan River Aquatic Habitat	1,240	Stokes	R1	C2	Noturus gilberti, Percina rex, Pleurobema collina
Dan River Bends	531	Stokes	R4	C5	Cardamine micranthera
Dan River Cliffs	140	Stokes	R3	C4	Piedmont Cliff (Basic Subtype)
Dan River Hemlock Bluffs	83	Stokes	R1	C3	Piedmont Cliff (Basic Subtype)
Dan River Shores Rich Slope	117	Stokes	R4	C5	Rich Cove Forest (Foothills Rich Subtype)
Flat Rock Flatrock	12	Stokes	R5	C5	Granitic Flatrock (Annual Herb Subtype)
Flat Shoals Monadnock	810	Stokes	R3	C5	Pine--Oak / Heath (Typic Subtype)
Flint Mill Hole Natural Area	590	Stokes	R4	C4	Piedmont Basic Glade (Typic Subtype)
Georges Mill Bittercress Site	86	Stokes	R3	C4	Cardamine micranthera
Hanging Rock State Park and Vicinity	2,419	Stokes	R1	C3	Carolina Hemlock Forest (Typic Subtype)
Jessups Mill/Georges Mill Corridor (Dan River)	1,079	Stokes	R1	C4	Cardamine micranthera
Lackey Store/Snow Creek Forests	198	Stokes	R3	C4	Cardamine micranthera
Little Creek Bittercress Site	89	Stokes	R1	C4	Cardamine micranthera
Little Peters Creek Bluffs	96	Stokes	R3	C5	Cardamine micranthera
Lum Hall Forests	66	Stokes	R2	C4	Cardamine micranthera
Mills Creek Equisetum Wetland	14	Stokes	R5	C5	Piedmont Alluvial Forest
Moores Springs North Bluff	374	Stokes	R3	C4	Contact Natural Heritage Program for more information.
Mountain View Forest	282	Stokes	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
North Moratock Alluvial Forest	91	Stokes	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Ray Road Rich Forests	114	Stokes	R2	C5	Silphium connatum
Sauratown Mountain	2,447	Stokes	R2	C3	Spiraea corymbosa
Sheep Rock Slopes	278	Stokes	R5	C5	Dry Oak--Hickory Forest (Piedmont Subtype)
Snow Creek Wetland	5	Stokes	R5	C5	Hemidactylium scutatum
Town Fork Forest	217	Stokes	R5	C5	Piedmont Alluvial Forest
Vade Mecum Forest	279	Stokes	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Amburn Meadow Bog	13	Surry	R5	C5	Contact Natural Heritage Program for more information.
Cumberland Knob Recreation Area	1,303	Surry	R2	C4	Contact Natural Heritage Program for more information.
Fisher Peak	2,373	Surry	R3	C4	Calamagrostis porteri, Tradescantia virginiana, Woodsia ilvensis
Ford Cockerham Meadow Bog	18	Surry	R3	C4	Hemidactylium scutatum
Mitchell River Aquatic Habitat	137	Surry	R3	C5	Alasmidonta varicosa
Mitchell River Headwaters	5,714	Surry	R3	C4	Quercus ilicifolia
Pilot Mountain State Park/Pilot Mountain Section	969	Surry	R3	C3	Thermopsis fraxinifolia

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Pilot Mountain State Park/Yadkin River Section	31	Surry	R4	C4	Contact Natural Heritage Program for more information.
Saddle Mountain	2,205	Surry	R2	C4	Quercus ilicifolia, contact Natural Heritage Program for more information.
Schuyler Meadow Bog	24	Surry	R5	C5	Contact Natural Heritage Program for more information.
Yadkin River (Surry/Yadkin/Forsyth) Aquatic Habitat	696	Surry	R3	C4	Alasmidonta varicosa, Carpiodes cyprinus
Alarka Creek Aquatic Habitat	14	Swain	R3	C4	Cambarus georgiae
Alarka Laurel	2,051	Swain	R1	C2	High Elevation White Oak Forest
Berts Creek Lead	512	Swain	R2	C4	Scutellaria saxatilis
Cheoah Bald	1,921	Swain	R2	C4	Vaccinium angustifolium
Cowee Bald	131	Swain	R5	C5	Certhia americana, High Elevation Red Oak Forest (Typic Herb Subtype)
Great Smoky Mountains National Park	276,733	Swain	R1	C1	Contact Natural Heritage Program for more information.
Little Tennessee River (Lower) Aquatic Habitat	681	Swain	R1	C1	Alasmidonta raveneliana, Erimonax monachus, Moxostoma sp. 2, Pegias fabula, Pleurobema oviforme
Little Tennessee River Floodplain	4,503	Swain	R1	C1	Montane Alluvial Forest (Large River Subtype), Montane Floodplain Slough Forest
Nantahala Gorge/Blowing Spring	175	Swain	R1	C3	Nesticus cooperi, Patera clarki nantahala
Nantahala River/Appalachian Trail Slopes	52	Swain	R5	C5	Dicentra eximia
Oconaluftee River Aquatic Habitat	219	Swain	R1	C3	Megaleuctra williamsae
Shepherd Bald/Cedar Cliff Ridge	1,082	Swain	R4	C3	Macrocoma sullivantii, Pine--Oak / Heath (Typic Subtype)
Tuckasegee River Aquatic Habitat	769	Swain	R1	C2	Alasmidonta raveneliana, Cambarus tuckasegee, Moxostoma sp. 2
Wesser Bald	1,283	Swain	R3	C4	Montane Oak--Hickory Forest (Acidic Subtype)
Bald Rock/Bruce Ridge	1,641	Transylvania	R3	C4	Dendrolycopodium hickeyi, High Elevation Red Oak Forest (Typic Herb Subtype)
Big Pisgah Mountain/Dismal Falls	1,582	Transylvania	R2	C3	Acrobolbus ciliatus, Bryoxiphium norvegicum
Bird Rock Falls	3	Transylvania	R5	C5	Spray Cliff
Bracken Mountain/Wolfpen Cove	504	Transylvania	R3	C4	Rich Montane Seep
Bradley Creek Swamp Forest-Bog Complex	43	Transylvania	R3	C4	Solidago uliginosa
Buckhorn Creek Slopes and Bogs	1,086	Transylvania	R3	C3	Pckera millefolium, contact Natural Heritage Program for more information.
Case Camp Ridge/Seniard Mountain	2,137	Transylvania	R3	C4	Contact Natural Heritage Program for more information.
Catheys Creek Wetland	14	Transylvania	R5	C5	Contact Natural Heritage Program for more information.
Cedar Mountain Bog	15	Transylvania	R2	C3	French Broad Valley Bog, Sarracenia jonesii
Chestnut Bald/Silvermine Bald	426	Transylvania	R1	C3	Contact Natural Heritage Program for more information.
Clawhammer Mountain/Black Mountain	1,619	Transylvania	R2	C3	Woodsia appalachiana
Cox Branch Cove	53	Transylvania	R4	C4	Carex woodii
Dehon Mountain/Sherwood Forest	552	Transylvania	R4	C4	Arisaema triphyllum ssp. stewardsonii
Devils Courthouse	249	Transylvania	R1	C1	Contact Natural Heritage Program for more information.
Diamond Creek Natural Area	349	Transylvania	R1	C5	Canoparmelia amabilis
Dry Branch Bog	231	Transylvania	R5	C3	Contact Natural Heritage Program for more information.
Duncan Mountain	54	Transylvania	R3	C5	Low Elevation Seep (Montane Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Dunns Rock	270	Transylvania	R3	C3	Bryoxiphium norvegicum
Eagle's Nest/Hart Branch	462	Transylvania	R5	C4	Acidic Cove Forest (Typic Subtype), Canada Hemlock Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Chestnut Oak Forest (Mesic Subtype), Hexastylis rhombiformis, Low Elevation Seep (Floodplain Subtype), Montane Cliff (Acidic Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
East Fork French Broad River Slopes	6	Transylvania	R4	C5	Hexastylis rhombiformis
East Fork Headwaters	3,312	Transylvania	R3	C2	Hymenophyllum tayloriae
English Chapel Wetland	9	Transylvania	R5	C5	Contact Natural Heritage Program for more information.
Flat Laurel Gap Bog	83	Transylvania	R3	C4	Contact Natural Heritage Program for more information.
Frying Pan Gap	2,297	Transylvania	R1	C3	Contact Natural Heritage Program for more information.
Funneltop Mountain	707	Transylvania	R5	C5	Certhia americana
Gash Creek Headwaters and Slopes	431	Transylvania	R3	C4	Monotropsis odorata
Green River Headwaters	4,216	Transylvania	R2	C3	Low Elevation Granitic Dome
Hogsed Creek Natural Area	1,039	Transylvania	R5	C5	Hexastylis rhombiformis
Horsepasture River Gorge	5,513	Transylvania	R1	C1	Cheilolejeunea evansii, Lejeunea blomquistii, Oxyrrhynchium pringlei, Plagiochila echinata, Porella wataugensis, Shortia galacifolia var. galacifolia, Spray Cliff, White Pine Forest, contact Natural Heritage Program for more information.
Jim Raines Mountain/Connestee Falls	497	Transylvania	R5	C4	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Herb Subtype), Chestnut Oak Forest (Mesic Subtype), Hexastylis rhombiformis, Montane Oak--Hickory Forest (Acidic Subtype), Spray Cliff
Joanna Mountain	686	Transylvania	R2	C3	Contact Natural Heritage Program for more information.
John Rock/Cedar Rock Mountain	2,257	Transylvania	R2	C3	Gymnoderma lineare, High Elevation Granitic Dome
Lake Derra Marsh	15	Transylvania	R4	C4	Contact Natural Heritage Program for more information.
Laurel Creek Headwaters	467	Transylvania	R4	C4	Thermopsis fraxinifolia
Little River (Transylvania) Aquatic Habitat	26	Transylvania	R2	C3	Pleurobema oviforme
Little River Wetland Complex	70	Transylvania	R2	C3	Arisaema triphyllum ssp. stewardsonii
Little River/Cedar Mountain Natural Areas	1,342	Transylvania	R1	C1	Montane Floodplain Slough Forest
Looking Glass Rock	1,480	Transylvania	R2	C3	Carolina Hemlock Forest (Pine Subtype)
Merrill Creek Ridge	96	Transylvania	R5	C4	Chestnut Oak Forest (Dry Heath Subtype), Chestnut Oak Forest (Mesic Subtype), Hexastylis rhombiformis, Pine--Oak / Heath (Typic Subtype)
Mills River/South Fork Mills River Aquatic Habitat	157	Transylvania	R2	C3	Alasmidonta viridis, Lasmigona holstonia
Mount Pisgah	731	Transylvania	R1	C2	Contact Natural Heritage Program for more information.
Panthertown Valley	6,711	Transylvania	R1	C1	Drepanolejeunea appalachiana, Plagiochila caduciloba, Southern Appalachian Bog (Low Elevation Subtype)

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Pilot Rock/Pilot Cove	1,020	Transylvania	R5	C4	Chestnut Oak Forest (Dry Heath Subtype), High Elevation Granitic Dome, Rich Cove Forest (Montane Intermediate Subtype), contact Natural Heritage Program for more information.
Pisgah Fish Hatchery Bog	4	Transylvania	R5	C4	Contact Natural Heritage Program for more information.
Pisgah Ridge/Pilot Mountain	6,854	Transylvania	R1	C2	Contact Natural Heritage Program for more information.
Quebec Mountain Slope	49	Transylvania	R5	C5	Hexastylis rhombiformis, Rich Cove Forest (Montane Intermediate Subtype)
Rainy Knobs	74	Transylvania	R5	C5	Lysimachia fraseri
Reasonover Creek Cove	309	Transylvania	R2	C4	Polygala senega
Reasonover Creek Headwaters	1,061	Transylvania	R2	C3	Robinia viscosa, Verbesina walteri
Reasonover Swamp Forest-Bog Complex	23	Transylvania	R2	C3	Platanthera peramoena
Rich Mountain/High Rocks	1,144	Transylvania	R3	C3	Montane Cliff (Acidic Herb Subtype)
Richland Ridge Bog	391	Transylvania	R3	C4	Southern Appalachian Bog (Low Elevation Subtype)
Round Mountain/Round Mountain Gap	866	Transylvania	R1	C4	Low Mountain Pine Forest (Shortleaf Pine Subtype)
Savannah River Headwaters Aquatic Habitat	308	Transylvania	R1	C2	Cambarus chaugaensis
Sheep Mountain Slopes and Seeps	185	Transylvania	R4	C4	Low Elevation Seep (Montane Subtype)
Shining Rock Wilderness Area	16,182	Transylvania	R2	C2	Contact Natural Heritage Program for more information.
Silver Run Preserve/Sassafras Mountain	4,158	Transylvania	R2	C1	Plagiochila caduciloba
Soapstone Ridge	724	Transylvania	R5	C4	Montane Oak--Hickory Forest (Acidic Subtype), Montane Oak--Hickory Forest (Basic Subtype), Rich Montane Seep
South Fork Flat Creek Swamp Forest-Bog Complex	61	Transylvania	R3	C4	Thalictrum macrostylum
South Fork Mills River Riparian Area	2,132	Transylvania	R1	C2	Low Elevation Seep (Montane Subtype)
Spice Cove	333	Transylvania	R3	C5	Carex pedunculata
Tanasee Bald/Tanasee Ridge	1,499	Transylvania	R2	C2	Contact Natural Heritage Program for more information.
Tarkiln Mountain/Three Forks Mountain	619	Transylvania	R5	C5	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Herb Subtype), Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
The Pink Beds	2,593	Transylvania	R1	C2	Contact Natural Heritage Program for more information.
Thompson River Gorge	3,318	Transylvania	R1	C1	Bryocrumia vivicolor, Low Mountain Pine Forest (Shortleaf Pine Subtype)
Thompson River Headwater Bog	45	Transylvania	R5	C4	Acidic Cove Forest (Typic Subtype), Chelone cuthbertii, Southern Appalachian Bog (Low Elevation Subtype)
Toxaway Mountain	98	Transylvania	R3	C4	Huperzia porophila
Toxaway River Gorge	9,542	Transylvania	R1	C1	Geum lobatum, Plagiochila caduciloba, Shortia galacifolia var. galacifolia
Toxaway River Headwaters	1,216	Transylvania	R2	C3	Rhododendron vaseyi
Tucker Creek Bog	37	Transylvania	R4	C4	Montane Alluvial Forest (Small River Subtype)
West Fork French Broad River Aquatic Habitat	55	Transylvania	R3	C4	Cambarus reburrus, Matrioptila jeanae

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Whitewater River Falls and Gorge	1,603	Transylvania	R1	C1	Bryocrumia vivicolor, Carex radfordii, Cheilolejeunea evansii, Montane Oak--Hickory Forest (White Pine Subtype)
Alligator Creek/Second Creek Swamp Forest	16,829	Tyrrell	R2	C3	Picoides borealis
Buck Ridge Swamps	16,511	Tyrrell	R2	C3	Contact Natural Heritage Program for more information.
Bunton Creek Swamp	139	Tyrrell	R3	C5	Hottonia inflata
Frying Pan Swamps	7,538	Tyrrell	R4	C4	Peatland Atlantic White Cedar Forest
Harvester Road Tall Pocosin	17,420	Tyrrell	R2	C5	Pond Pine Woodland (Typic Subtype)
Lake Phelps Aquatic Habitat	15,914	Tyrrell	R1	C3	Fundulus cf. diaphanus
New Lake Fork Pocosin and New Lake	15,364	Tyrrell	R2	C4	Natural Lake Shoreline Swamp (Sweetgum Subtype)
Palmetto-Peartree Swamp Forest	12,110	Tyrrell	R2	C3	Eriocaulon parkeri
Pettigrew State Park	1,156	Tyrrell	R1	C3	Natural Lake Shoreline Swamp (Rich Subtype)
River Neck Swamp	229	Tyrrell	R5	C5	Cypress--Gum Swamp (Blackwater Subtype)
Roper Island	8,739	Tyrrell	R3	C4	Pond Pine Woodland (Typic Subtype), contact Natural Heritage Program for more information.
Scuppernong River Swamp Forest	14,261	Tyrrell	R2	C3	Peatland Atlantic White Cedar Forest
Upper Alligator River Marshes and Forests	14,955	Tyrrell	R1	C3	Estuarine Beach Forest
Upper Alligator River Pocosin	49,165	Tyrrell	R1	C2	Low Pocosin (Gallberry-Fetterbush Subtype)
Andrew Jackson Ridges	974	Union	R4	C4	Piedmont Alluvial Forest
Cane Creek Park	211	Union	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Crooked Creek (Union) Aquatic Habitat	130	Union	R2	C4	Toxolasma pullus
Crooked Creek Ledges	128	Union	R5	C5	Piedmont Alluvial Forest
Crooked Creek Woods	98	Union	R5	C5	Dry Basic Oak--Hickory Forest, Piedmont Alluvial Forest
East Fork Twelvemile Creek Floodplain	419	Union	R4	C5	Piedmont Alluvial Forest
Fish Road Basic Forest	115	Union	R5	C5	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Piedmont Alluvial Forest
Goose Creek Aquatic Habitat	100	Union	R1	C3	Lasmigona decorata
Goose Creek/Duck Creek Floodplain	216	Union	R3	C4	Cardamine dissecta
Jackson Blackjacks	39	Union	R3	C4	Acmispon helleri
Jackson Sunflower Site	7	Union	R3	C4	Acmispon helleri
Jesse Helms Memorial Park	44	Union	R5	C4	Dry-Mesic Basic Oak--Hickory Forest (Piedmont Subtype), Eurybia mirabilis, Piedmont Alluvial Forest
Lanes Creek Aquatic Habitat	45	Union	R3	C3	Choroterpes basalis
Lanes Creek Floodplain	80	Union	R5	C5	Piedmont Alluvial Forest
Mineral Springs Barrens	64	Union	R2	C3	Acmispon helleri, Dichanthelium aciculare ssp. neuranthum, Pseudognaphalium helleri, Xeric Hardpan Forest (Acidic Hardpan Subtype)
New Salem Branch	62	Union	R5	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest, Piedmont Levee Forest (Typic Subtype)
North Fork Crooked Creek Rare Plant Site	9	Union	R3	C4	Gillenia stipulata
Polk Mountain	391	Union	R4	C4	Piedmont Cliff (Basic Subtype)
Richardson Creek Ledges	83	Union	R1	C4	Piedmont Basic Glade (Typic Subtype)
Twelvemile Creek Aquatic Habitat	163	Union	R3	C4	Villosa vaughaniana
Waxhaw Creek Aquatic Habitat	51	Union	R1	C4	Lasmigona decorata

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Waxhaw Creek Floodplain	621	Union	R2	C5	Piedmont Levee Forest (Typic Subtype)
Waxhaw Sunflower Site	15	Union	R3	C5	Symphyotrichum georgianum
Cattail Creek Woods	43	Vance	R5	C4	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Granitic Flatrock (Annual Herb Subtype), Granitic Flatrock Border Woodland
Crooked Run Wildlife Management Area	461	Vance	R2	C4	Pseudognaphalium micradenium
Indian Creek Hardwood Forest	50	Vance	R4	C4	Contact Natural Heritage Program for more information.
Middle Tar River Aquatic Habitat	763	Vance	R2	C2	Elliptio lanceolata, Tortopus puella
Mill Creek Hardwood Forests	24	Vance	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Mine Road Upland Hardwood Forest	5	Vance	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Ruin Creek Slopes	728	Vance	R5	C4	Basic Mesic Forest (Piedmont Subtype), Enemion biternatum, Mesic Mixed Hardwood Forest (Piedmont Subtype)
Ruin Creek/Tabbs Creek Aquatic Habitat	77	Vance	R3	C3	Lampsilis sp. 2, Noturus furiosus
Steele Creek Hardwood Forest	71	Vance	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Swift Creek (Vance/Warren/Franklin/Nash/Edgecombe) Aquatic Habitat	545	Vance	R1	C1	Elliptio lanceolata
Tabbs Creek Rich Slopes	280	Vance	R3	C5	Basic Mesic Forest (Piedmont Subtype), Phacelia covillei
Tar River Camassia Slopes	211	Vance	R2	C4	Camassia scilloides
Tar River/Wilton Slopes	1,518	Vance	R1	C3	Ptilimnium nodosum
Tungsten Hardwood Forests	290	Vance	R5	C4	Piedmont Bottomland Forest (Typic Low Subtype), Piedmont/Coastal Plain Heath Bluff
Adam Mountain	41	Wake	R1	C4	Ultramafic Outcrop Barren (Piedmont Subtype)
Barham Granitic Flatrocks	27	Wake	R2	C5	Portulaca smallii
Beaver Creek Floodplain	172	Wake	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont Alluvial Forest
Blue Pond Salamander Site	3	Wake	R5	C5	Contact Natural Heritage Program for more information.
Crabtree Creek Aquatic Habitat	110	Wake	R5	C4	Alasmidonta undulata, Fusconaia masoni, Orconectes carolinensis, Strophitus undulatus, Villosa constricta
Crabtree Creek/Ebenezer Church Road Slopes	79	Wake	R3	C5	Matelea decipiens
Fowlers Mill Creek Granitic Flatrocks	13	Wake	R3	C4	Isoetes piedmontana
Great Bend of the Neuse Natural Area	81	Wake	R5	C5	Piedmont Cliff (Acidic Subtype)
Hemlock Bluffs State Natural Area	122	Wake	R4	C4	Piedmont Cliff (Acidic Subtype)
Hodges Mill Creek Granitic Flatrocks	12	Wake	R5	C5	Granitic Flatrock (Annual Herb Subtype)
Hollemans Crossroads Salamander Pools	3	Wake	R5	C5	Hemidactylium scutatum
Hollemans Crossroads Slopes	132	Wake	R5	C5	Dry Basic Oak--Hickory Forest, Dry Oak--Hickory Forest (Piedmont Subtype)
Jim Branch/Buckhorn Creek Forests	26	Wake	R5	C5	Colonial Wading Bird Colony
Lake Johnson Nature Park	132	Wake	R5	C5	Magnolia macrophylla
Lake Mirl Granitic Flatrocks	4	Wake	R4	C5	Portulaca smallii
Lake Raleigh Hardwood Forest	89	Wake	R4	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Little Beaverdam Creek Slopes	96	Wake	R3	C5	Cardamine douglassii

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Little River (Franklin/Wake/Johnston/ Wayne) Aquatic Habitat	527	Wake	R2	C1	Alasmidonta undulata, Dibusa angata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Marks Creek Floodplain	740	Wake	R4	C4	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Middle Creek (Wake/Johnston) Aquatic Habitat	217	Wake	R3	C3	Alasmidonta heterodon, Lampetra aepyptera
Middle Creek Bluffs and Floodplain	358	Wake	R2	C4	Piedmont Bottomland Forest (High Subtype)
Mitchells Mill State Natural Area	128	Wake	R1	C3	Campylopus oerstedianus
Moccasin Creek Aquatic Habitat	70	Wake	R3	C3	Alasmidonta undulata, Didiplis diandra
Neuse River (Clayton) Forests	1,672	Wake	R5	C4	Piedmont Bottomland Forest (Typic Low Subtype), Piedmont Levee Forest (Typic Subtype)
New Light Creek Slopes	50	Wake	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype)
Old Still Creek Natural Area	56	Wake	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
Old US 64 Granitic Flatrock	2	Wake	R5	C5	Portulaca smallii
Old Weaver Trail Slopes	318	Wake	R4	C5	Cardamine douglassii
Pulleytown Road Granitic Flatrocks and Beaver Pond	58	Wake	R2	C5	Portulaca smallii
Richland Creek Hardwood Forest	74	Wake	R5	C5	Dry-Mesic Oak--Hickory Forest (Piedmont Subtype)
Robertsons Pond and Buffalo Creek Floodplain	838	Wake	R5	C5	Coastal Plain Semipermanent Impoundment (Cypress-Gum Subtype), Coastal Plain Small Stream Swamp, Hemidactylium scutatum
Shearon Harris Longleaf Pine Forest	357	Wake	R4	C5	Dry Piedmont Longleaf Pine Forest
Six Forks Longleaf Pine Forest	42	Wake	R4	C4	Dry Piedmont Longleaf Pine Forest, Piedmont Boggy Streamhead
Southwest Rolesville Granitic Outcrops	19	Wake	R5	C4	Granitic Flatrock (Annual Herb Subtype), Granitic Flatrock (Perennial Herb Subtype)
Swift Creek (Wake/Johnston) Aquatic Habitat	242	Wake	R1	C3	Alasmidonta undulata, Elliptio lanceolata, Elliptio marsupiobesa
Swift Creek Bluffs	49	Wake	R4	C5	Basic Mesic Forest (Piedmont Subtype)
Temple Rock	6	Wake	R3	C4	Granitic Flatrock Border Woodland
The Rocks	20	Wake	R3	C4	Portulaca smallii
Upper Barton Creek Bluffs and Ravine	73	Wake	R5	C5	Basic Mesic Forest (Piedmont Subtype)
Upper Neuse River Floodplain	1,677	Wake	R3	C4	Gomphus septima, Paspalum fluitans
Utley Creek Slopes	459	Wake	R3	C5	Tradescantia virginiana
Walnut Creek Bottomland Forests	301	Wake	R5	C5	Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Walnut Creek Sumac Site	5	Wake	R5	C5	Rhus michauxii
White Oak Creek Floodplain	614	Wake	R2	C4	Piedmont/Mountain Semipermanent Impoundment (Open Water Subtype), Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype)
Wild Cat Hollow	26	Wake	R5	C5	Mesic Mixed Hardwood Forest (Piedmont Subtype)
William B. Umstead State Park	5,579	Wake	R2	C3	Heteranthera multiflora

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Yates Millpond	162	Wake	R1	C4	Trillium pusillum var. virginianum
Fishing Creek Aquatic Habitat	822	Warren	R1	C1	Alasmidonta heterodon, Baetisca becki, Elliptio lanceolata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Fishing Creek/Arcola Hardwood Forest	406	Warren	R3	C4	Piedmont Bottomland Forest (High Subtype), Piedmont Bottomland Forest (Typic Low Subtype)
Little Fishing Creek Aquatic Habitat	183	Warren	R1	C2	Elliptio steinstansana
Little Fishing Creek/Odell Hardwood Forest	502	Warren	R5	C5	Piedmont Swamp Forest
Little Shocco Creek Hardwood Forest	307	Warren	R5	C5	Piedmont Alluvial Forest, Piedmont/Mountain Semipermanent Impoundment (Piedmont Marsh Subtype), Piedmont/Mountain Semipermanent Impoundment (Shrub Subtype)
Lower Shocco Creek Bluffs and Floodplain	1,153	Warren	R2	C4	Callophrys irus, Erynnis martialis
Maple Branch Floodplain Forest	243	Warren	R3	C5	Platanthera peramoena
Reedy Creek Aquatic Habitat	79	Warren	R3	C4	Lampetra aepyptera
Reedy Creek Hardwood Forests	329	Warren	R3	C5	Piedmont Bottomland Forest (High Subtype)
Shocco Creek Aquatic Habitat	117	Warren	R2	C3	Alasmidonta heterodon, Elliptio lanceolata
Shocco Creek/Centerville Floodplain Forest	880	Warren	R5	C5	Piedmont Boggy Streamhead
Shocco Creek/Lickskillet Hardwood Forest	741	Warren	R5	C5	Colonial Wading Bird Colony, Platanthera peramoena
Swift Creek (Vance/Warren/Franklin/Nash/Edgecombe) Aquatic Habitat	545	Warren	R1	C1	Elliptio lanceolata
Bull Neck Swamp	6,023	Washington	R2	C4	Lilaeopsis carolinensis
Bunton Creek Swamp	139	Washington	R3	C5	Hottonia inflata
Conaby Creek/Swan Bay Swamp	4,188	Washington	R4	C4	Canis rufus
Conaby Swamp Natural Area	95	Washington	R5	C5	Cypress--Gum Swamp (Brownwater Subtype)
East Dismal Swamp	3,661	Washington	R1	C3	Nonriverine Swamp Forest (Poplar-Pawpaw Subtype)
Harvester Road Tall Pocosin	17,420	Washington	R2	C5	Pond Pine Woodland (Typic Subtype)
Lake Phelps Aquatic Habitat	15,914	Washington	R1	C3	Fundulus cf. diaphanus
Lower Roanoke River Aquatic Habitat	2,005	Washington	R2	C4	Anodonta implicata, Leptodea ochracea, Orconectes virginiensis
Pettigrew State Park	1,156	Washington	R1	C3	Natural Lake Shoreline Swamp (Rich Subtype)
Pungo Lake Natural Areas	5,054	Washington	R1	C3	Natural Lake Shoreline Swamp (Rich Subtype), Nonriverine Swamp Forest (Poplar-Pawpaw Subtype)
Scuppernong River Swamp Forest	14,261	Washington	R2	C3	Peatland Atlantic White Cedar Forest
Van Swamp	3,667	Washington	R3	C4	Nonriverine Swamp Forest (Cypress-Gum Subtype)
Beech Creek Bog Natural Area	201	Watauga	R1	C2	Contact Natural Heritage Program for more information.
Deep Gap Bog	11	Watauga	R5	C4	Contact Natural Heritage Program for more information.
Doe Fork Seeps and Forests	252	Watauga	R4	C4	Lilium grayi, Meehania cordata
Dun Vegan Mountain	308	Watauga	R3	C3	Cetraria arenaria
Dutch Creek Falls	2	Watauga	R5	C4	Montane Cliff (Acidic Herb Subtype), Spray Cliff
Gilley Field Station Forests	199	Watauga	R3	C5	Vireo gilvus
Grandfather Mountain	6,367	Watauga	R1	C1	Contact Natural Heritage Program for more information.
Grandview Overlook Slopes	224	Watauga	R5	C4	Contact Natural Heritage Program for more information.
Hanging Rock Mountain	774	Watauga	R1	C2	Houstonia montana
Howards Creek Floodplain	46	Watauga	R2	C4	Gentianopsis crinita, Turritis glabra

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Julian Price Park Wetlands Natural Area	300	Watauga	R2	C3	Contact Natural Heritage Program for more information.
Long Hope Valley/Elk Knob/The Peak	8,678	Watauga	R1	C1	High Elevation Rocky Summit (Typic Subtype), Northern Hardwood Forest (Beech Gap Subtype), Southern Appalachian Bog (Long Hope Valley Subtype), contact Natural Heritage Program for more information.
Moses Cone Park/Flat Top Mountain	298	Watauga	R5	C5	Contact Natural Heritage Program for more information.
Moses Cone Park/Rich Mountain	291	Watauga	R5	C5	Contact Natural Heritage Program for more information.
Potato Hill Bog and Seeps/Rich Mountain Bald/Harmon Knob	3,230	Watauga	R1	C1	High Elevation Red Oak Forest (Rich Subtype), Southern Appalachian Bog (Long Hope Valley Subtype)
Rocky Face	18	Watauga	R5	C5	High Elevation Rocky Summit (Typic Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Sims Creek Old Growth Forest	47	Watauga	R3	C5	Contact Natural Heritage Program for more information.
Snake Mountain	1,094	Watauga	R1	C2	Grassy Bald (Sedge Subtype)
Snakeden Mountain	97	Watauga	R5	C5	Montane Oak--Hickory Forest (Basic Subtype)
South Fork Laurel Creek/Dugger Mountain	1,855	Watauga	R5	C4	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (Dry Heath Subtype), Chestnut Oak Forest (Mesic Subtype), Neotoma magister, Pine--Oak / Heath (Typic Subtype), Rich Cove Forest (Montane Intermediate Subtype), Setophaga cerulea
South Fork New River Aquatic Habitat	1,385	Watauga	R2	C2	Attaneuria ruralis, Bolotoperla rossi, Ceraclea slossonae, Cyclonaias tuberculata, Elliptio dilatata, Etheostoma kanawhae, Exoglossum laurae, Leptoxis dilatata, Notropis sp. 1, Ophiogomphus aspersus, Ophiogomphus howei, Percina caprodes, Percina oxyrhynchus, Phenacobius teretulus, Vireo gilvus, contact Natural Heritage Program for more information.
Stone Mountain (Locust Gap)	1,149	Watauga	R2	C4	Low Montane Red Oak Forest
Trivett Branch Forests and Seeps	310	Watauga	R3	C4	Micranthes pensylvanica
Valle Mountain	308	Watauga	R5	C5	Acidic Cove Forest (Typic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Watauga River Aquatic Habitat	169	Watauga	R2	C4	Eurycea longicauda
White Rock	25	Watauga	R5	C4	High Elevation Red Oak Forest (Heath Subtype), High Elevation Rocky Summit (Typic Subtype)
Cliffs of the Neuse State Park	913	Wayne	R1	C3	Coastal Plain Cliff
Garris Chapel Cypress Pond	38	Wayne	R4	C5	Small Depression Pond (Open Lily Pond Subtype)
Green Branch Sandhills	209	Wayne	R5	C5	Pine/Scrub Oak Sandhill (Mixed Oak Subtype)
Juniper Pond	177	Wayne	R4	C4	Litsea aestivalis
Little River (Franklin/Wake/Johnston/ Wayne) Aquatic Habitat	527	Wayne	R2	C1	Alasmidonta undulata, Dibusa angata, Elliptio steinstansana, Necturus lewisi, Noturus furiosus
Mill Creek Aquatic Habitat	127	Wayne	R4	C4	Elliptio lanceolata
Mill Creek Cypress Forest	144	Wayne	R5	C5	Cypress--Gum Swamp (Blackwater Subtype)
Walnut Creek Sandhills	302	Wayne	R5	C5	Pine/Scrub Oak Sandhill (Mixed Oak Subtype)
Absher Meadow Bog	25	Wilkes	R4	C5	Contact Natural Heritage Program for more information.
Bald Rock Mountain	179	Wilkes	R4	C4	Fleischmannia incarnata, Low Elevation Basic Glade (Brushy Mountain Subtype), Orthotrichum keeverae
Brushy Mountain Road Meadow Bog	3	Wilkes	R5	C5	Contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Brushy Mountains/Vannoy Ridge	1,517	Wilkes	R3	C4	Low Elevation Basic Glade (Brushy Mountain Subtype)
Buffalo Cove Forests	10,254	Wilkes	R3	C4	Eumeces anthracinus, Hexastylis contracta
Doughton Park Natural Area	5,203	Wilkes	R1	C3	Contact Natural Heritage Program for more information.
Elkin Creek Meadow Bogs	21	Wilkes	R4	C5	Contact Natural Heritage Program for more information.
Gambill Creek Meadow Bog	26	Wilkes	R2	C5	Contact Natural Heritage Program for more information.
Heaven Rock Outcrop	28	Wilkes	R3	C4	Allium cuthbertii, Low Elevation Basic Glade (Brushy Mountain Subtype)
Jerry Mountain	343	Wilkes	R3	C4	Montane Oak--Hickory Forest (White Pine Subtype)
Joines Meadow Bog	16	Wilkes	R5	C5	Contact Natural Heritage Program for more information.
Little Fork Forests	2,443	Wilkes	R5	C4	Acidic Cove Forest (Typic Subtype), Chestnut Oak Forest (White Pine Subtype), Montane Oak--Hickory Forest (Basic Subtype), Rich Cove Forest (Foothills Intermediate Subtype)
Mulberry Mill Meadow Bog	15	Wilkes	R5	C5	Contact Natural Heritage Program for more information.
Pores Knob	110	Wilkes	R3	C4	Celastrus scandens, Low Elevation Granitic Dome
Rendezvous Mountain State Forest Natural Area	1,130	Wilkes	R4	C4	Rich Cove Forest (Foothills Intermediate Subtype)
Stone Mountain State Park	14,689	Wilkes	R1	C2	Contact Natural Heritage Program for more information.
Upper Fork Little River/Brushy Mountains	1,106	Wilkes	R3	C4	Allium cuthbertii, Lysimachia tonsa, Trichostema setaceum
Wildcat Road Meadow Bog	7	Wilkes	R5	C5	Contact Natural Heritage Program for more information.
Buckhorn Reservoir	2,624	Wilson	R5	C5	Alasmidonta heterodon
Contentnea Creek Aquatic Habitat	105	Wilson	R3	C4	Noturus furiosus
Moccasin Creek Aquatic Habitat	70	Wilson	R3	C3	Alasmidonta undulata, Didiplis diandra
Stantonsburg Oxbow	46	Wilson	R3	C5	Oxbow Lake (Brownwater Subtype)
Turkey Creek Aquatic Habitat	57	Wilson	R5	C4	Alasmidonta heterodon, Alasmidonta undulata, Orconectes carolinensis, Villosa constricta
Donnaha Slopes	49	Yadkin	R5	C5	Basic Mesic Forest (Piedmont Subtype)
North Deep Creek Bluffs	380	Yadkin	R5	C4	Dry Oak--Hickory Forest (Piedmont Subtype), Mesic Mixed Hardwood Forest (Piedmont Subtype), Piedmont/Coastal Plain Heath Bluff
Shallowford Road Bluff	37	Yadkin	R5	C5	Basic Mesic Forest (Piedmont Subtype), Piedmont Alluvial Forest
Yadkin Islands Forest	144	Yadkin	R4	C4	Piedmont/Coastal Plain Heath Bluff
Yadkin River (Surry/Yadkin/Forsyth) Aquatic Habitat	696	Yadkin	R3	C4	Alasmidonta varicosa, Carpiodes cyprinus
Bacchus Spiraea Sites	93	Yancey	R2	C5	Spiraea virginiana
Beartree Ridge	107	Yancey	R3	C4	Contact Natural Heritage Program for more information.
Big Bald Mountain	122	Yancey	R1	C3	Grassy Bald (Grass Subtype)
Big Crabtree Creek Bog	5	Yancey	R4	C4	Southern Appalachian Bog (Typic Subtype)
Big Crabtree Creek Forests	472	Yancey	R5	C5	Montane Oak--Hickory Forest (Acidic Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Big Fork Ridge--Cattail Creek	310	Yancey	R4	C4	Aconitum reclinatum
Black Mountain Overlook Natural Area	43	Yancey	R5	C5	Contact Natural Heritage Program for more information.

Significant Natural Heritage Area (SNHA) Name	Acres	County	Representational Value	Collective Value	Occurrences of Highest Significance within SNHA
Black Mountains/Bald Knob	254	Yancey	R1	C3	Contact Natural Heritage Program for more information.
Black Mountains/Celo Knob Natural Area	5,397	Yancey	R1	C1	Bazzania nudicaulis, Fraser Fir Forest (Rhododendron Subtype), Glyphyalinia clingmani, High Elevation Rocky Summit (High Peak Lichen Subtype), Microhexura montivaga, Red Spruce--Fraser Fir Forest (Birch Transition Herb Subtype), Red Spruce--Fraser Fir Forest (Birch Transition Shrub Subtype), Red Spruce--Fraser Fir Forest (Low Rhododendron Subtype), Sphenolobopsis pearsonii
Bluerock Knob/Sevenmile Ridge	85	Yancey	R5	C5	Low Elevation Rocky Summit (Acidic Subtype), Montane Oak--Hickory Forest (Acidic Subtype)
Brush Fence Ridge/Point Misery	1,006	Yancey	R1	C1	Contact Natural Heritage Program for more information.
Cane River Aquatic Habitat	340	Yancey	R2	C3	Alasmidonta raveneliana, Carpiodes carpio, Etheostoma acuticeps, Luxilus chrysocephalus
Cane River Upper Watershed	10,499	Yancey	R1	C1	Contact Natural Heritage Program for more information.
Celo Community Natural Area	444	Yancey	R1	C3	Packera crawfordii
Crabtree Creek Falls Natural Area	9	Yancey	R1	C5	Contact Natural Heritage Program for more information.
Elk Shoal Creek Headwaters	128	Yancey	R3	C5	Meehania cordata
Eskota--Big Fork Ridge	92	Yancey	R5	C5	Rich Cove Forest (Montane Intermediate Subtype)
Georges Fork Headwaters	301	Yancey	R5	C5	Acidic Cove Forest (Typic Subtype), High Elevation Red Oak Forest (Typic Herb Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Hensley Branch Headwaters	255	Yancey	R5	C5	Northern Hardwood Forest (Rich Subtype), Rich Cove Forest (Montane Intermediate Subtype)
Laurel Ridges	250	Yancey	R3	C4	Contact Natural Heritage Program for more information.
Mount Mitchell State Park	1,319	Yancey	R1	C1	Calamagrostis cainii, Fraser Fir Forest (Herb Subtype), Red Spruce--Fraser Fir Forest (Low Rhododendron Subtype)
Nolichucky River Gorge	5,156	Yancey	R2	C2	Dicentra eximia, Scutellaria saxatilis, Spiraea virginiana, Verbesina walteri
North Fork Watershed	5,663	Yancey	R2	C1	Contact Natural Heritage Program for more information.
North Toe River/Nolichucky River Aquatic Habitat	753	Yancey	R1	C2	Percina burtoni
Ogle Meadows	23	Yancey	R2	C4	Crocanthemum propinquum
Pinnacle Mountain/Mill Creek	1,460	Yancey	R2	C3	Contact Natural Heritage Program for more information.
Price Creek/Coxcomb Mountain	694	Yancey	R3	C3	Aconitum reclinatum, Lonicera canadensis, Northern Hardwood Forest (Rich Subtype)
Sevenmile Ridge Swamp Forest-Bog Complex	192	Yancey	R1	C4	Contact Natural Heritage Program for more information.
South Toe River Aquatic Habitat	296	Yancey	R3	C3	Ichthyomyzon bdellium
South Toe Swamp Forest-Bog Complex	4	Yancey	R5	C5	Contact Natural Heritage Program for more information.
Toodies Creek Headwaters	486	Yancey	R5	C4	High Elevation Birch Boulderfield Forest, Rich Cove Forest (Montane Intermediate Subtype), Rich Montane Seep
Upper Bowlens Creek Forests	2,173	Yancey	R2	C2	Cardamine rotundifolia
Woods Mountain/Singecat Ridge	216	Yancey	R1	C3	Contact Natural Heritage Program for more information.