Ambient Monitoring System Station Summaries
NCDENR, Division of Water Quality
Basinwide Assessment Report

Location: FOURTH CRK AT SR 2316 BELL FARM RD NR STATESVILLE

Station #: Q3720000 **Hydrologic Unit Code:** 03040102

Latitude: 35.77607 **Longitude:** -80.79582 **Stream class:** C

Agency: YPDRBA **NC stream index:** 12-108-20

Time period: 01/24/2005 to 12/14/2009

	# results	# ND	EL	Results not meeting EL #	%	%Conf	Min	Percentiles 10th	25th	50th	75th	90th	Max
Field													
D.O. (mg/L)	85	0	<4	0	0		5.3	6.1	6.5	7.5	9.7	10.7	11.4
	85	0	<5	0	0		5.3	6.1	6.5	7.5	9.7	10.7	11.4
pH (SU)	85	0	<6	0	0		6.6	6.8	6.9	7	7.1	7.2	7.3
	85	0	>9	0	0		6.6	6.8	6.9	7	7.1	7.2	7.3
Spec. conductance (umhos/cm at 25°C)	85	0	N/A				83	111	130	149	174	207	228
Water Temperature (°C)	85	0	>32	0	0		5.5	7.7	12.2	19.9	24.2	25.4	27.5
Other													
Turbidity (NTU)	60	0	>50	5	8.3		3.6	5.5	7.6	13	21	50	130

Fecal Coliform Screening(#/100mL)

# results:	Geomean:	# > 400:	% > 400:	%Conf:
60	52.4	0	0	

Key:
result: number of observations
ND: number of observations reported to be below detection level (non-detect)
EL: Evaluation Level; applicable numeric or narrative water quality standard or action level
Results not meeting EL: number and percentages of observations not meeting evaluation level
%Conf : States the percent statistical confidence that the actual percentage of exceedances is at least 10% (20% for Fecal Coliform)
Stations with less than 10 results for a given parameter were not evaluated for statistical confidence