

**ECONOMIC ANALYSIS:
Incorporation Of PM_{2.5} NAAQS Into PSD & NA NSR (493)**

Contact Information

1. Division of Air Quality File Number	(493)
2. Analyst:	Paul Grable paul.grable@ncdenr.gov
3. Office	DENR, Air Quality Planning, Rule Branch
4. Phone	919/715-3743 or 919/ 715-4398
5. Comments to Agency Contact	Joelle Burleson joelle.burleson@ncdenr.gov
6. Title of the Amended Rule	PSD & Sources in Nonattainment Areas
7. Rule Citation	15A NCAC 02D .0530 & 02D .0531
8. Brief Description of the Proposed Rule	Incorporate PM _{2.5} emissions into North Carolina's NSR program.
9. Rule Category	Division 1 – Regulatory Behavior

Screening Analysis

Rule Actions	General Statute	Yes or No
10. Federal Law Certification Required - Does the proposed rule purport to implement a federal law requiring a certification statement by the rule-making coordinator under?	NCGS 150B-21(f)(1)	Yes
11. Temporary Rules - Does this rule meet the criteria listed relating to temporary rules?	NCGS 150B-21.1	No
12. Emergency Rules - Does this rule meet the criteria relating to emergency rules?	NCGS 150B-21.1(a)	No
13. Establishes or Increases Fees - Is the agency required to comply with the requirements of G.S. 12-3.1?	NCGS 150B-12-3.1 NCGS 150B-21.3(c1)	No
14. State Funds - Does the proposed rule require the expenditure or distribution of funds subject to the Executive Budget Act, Article 1 of Chapter 143?	NCGS 150B-21.4(a)	No
15. NC DOT Analysis - Does the proposed rule affect NC DOT environmental permitting that will result in an increased cost?	NCGS 150B-21.4(a1)	No
16. Local Government Unit Funds - Does the proposed rule affect the expenditures or revenues of a unit of local government?	NCGS 150B-21.4(b)	No
17. Substantial Economic Impact Analysis - Federal Rule Exemption - Does this rule meet the criterion of Federal Exemption found in?	NCGS 150B-21.4(b1)	No
18. Technical Change - Are <u>only</u> technical changes being incorporated such that public notice and rule-making hearings are not required?	NCGS 150B-21.5	No
19. Repeal of Regulatory Deadwood - Is the Rule Obsolete?	NCGS 150B-21.5(b)	No

ECONOMIC ANALYSIS

ADDING PM_{2.5} TO NORTH CAROLINA'S NEW SOURCE REVIEW PROGRAM

I. Executive Summary

The purpose of this analysis is to conduct an evaluation of the costs and benefits that will be incurred by affected facilities to comply with the proposed rule amendments.

Under the federal Clean Air Act, a program known as “New Source Review” (NSR) requires an analysis of emissions from new sources or significant modifications of existing sources to protect the country by meeting the National Ambient Air Quality Standards (NAAQS) for various airborne pollutants. The United State Environmental Protection Agency (USEPA) has added Particulate Matter (PM) that is less than 2.5 microns in diameter (PM_{2.5}) to the NAAQS pollutants.

North Carolina (NC) operates a fully approved NSR program through State Rules 15A NCAC 02D .0530, Prevention of Significant Deterioration; and 15A NCAC 02D .0531, Sources in Nonattainment Areas. These two rules are proposed for amendment to incorporate the pollutant PM_{2.5}. This amendment action is required by federal law and may impact air quality through a reduction of PM_{2.5}.

There may be only a few, if any, NSR permits that will be written as a result of incorporating the PM_{2.5} NAAQS into the State's NSR program. The proposed increase of the NO_x significance level from 40 tpy to 140 tpy may be advantageous to nonattainment area.

The amendments to 15A NCAC 02D .0530 and .0531 incorporate the addition of PM_{2.5} into the State NSR program as discussed in 40 CFR 51.165 and .166. This fiscal note does not show a substantial economic impact on State or local funds. Nor does it affect environmental permitting of Department of Transportation projects. The only modification to the required federal action is to change the significance level for the PM_{2.5} precursor Nitrogen Oxide (NO_x) from 40 tpy to 140 tpy based on scientific equivalence. This change is not anticipated to cause fewer or more NSR permits to be processed, thus no additional cost or effort by NCDAQ is expected.

II. Background and Rationale for Action

The USEPA’s Clean Air Fine Particulate Implementation Rule (72 FR 20586) commonly referred to as the PM_{2.5} Implementation Rule, guides States as they develop State Implementation Plans (SIP) in response to annual or daily PM_{2.5} NAAQS.

USEPA issued final rules governing the implementation of the NSR program for particulate PM_{2.5} on May 8, 2008. The State operates the NSR programs and is required to revise its existing NSR program to conform to the minimum program elements at 40 CFR § 51.166. There is a transitional period that is scheduled by USEPA to end January 1, 2011. This date represents when a final PM_{2.5} modeling rule is anticipated by USEPA to become available.

During the transitional period, NCDAQ will require sources to demonstrate compliance with NAAQS for PM_{2.5} as adopted by NC in 15A NCAC 2D .0400. This demonstration is based on the source's direct PM_{2.5} emissions and uses the most representative available PM_{2.5} ambient monitoring background concentration. The facility will not be required to include off-site inventory during the transitional period.

The NAAQS exist for particulate matter (PM₁₀ and PM_{2.5}), ozone, carbon monoxide, nitrogen dioxide, sulfur dioxide, and lead. Each standard is listed as an average ambient air concentration over a defined time period. The 24-hour PM_{2.5} standard is 35 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) and an annual standard of 15 $\mu\text{g}/\text{m}^3$. If either or both NAAQS is exceeded, then the area is designated as nonattainment for PM_{2.5}.

PM_{2.5} are particles less than 2.5 micrometers in diameter and are interchangeably referred to as "fine" particles. Fine particles in the atmosphere are made up of a complex mixture of directly emitted and secondarily formed components. Common constituents include; sulfate, nitrate, ammonium, elemental carbons, a great variety of organic compounds, and other inorganic materials.

The PM_{2.5} Implementation Rule establishes a hierarchy of precursor pollutants. Precursors are gaseous emissions of compounds that chemically combine with other compounds some time later in the atmosphere to form PM_{2.5}. In NC, Sulfur Dioxide (SO₂) and NO_x are considered to be significant precursor. USEPA has determined that Volatile Organic Compounds (VOCs) and ammonia (NH₃) are presumed not to be significant precursors. NCDAQ proposes that the Rule amendments follow USEPA's assertions and presumptions of significant and insignificant precursor pollutants established in the PM_{2.5} Implementation Rule.

The NSR program consists of two permitting programs. The first permitting program is the Nonattainment New Source Review (NA NSR) program. The second NSR program is called Prevention of Significant Deterioration (PSD). These two programs are contained in NC's SIP in Rules 15A NCAC 02D .0530 and .0531.

NA NSR and PSD permit applications are required from new or existing stationary point sources that plan increased emissions above particular pollutant significant levels as a result of installing a major modification. Major modification means any physical change or change in the method of operation of a major stationary source that would result in a significant emissions increase of a regulated NSR pollutant and a significant net emissions increase of that pollutant from the major stationary source.

The NA NSR program requirements are used for screening permit applications from major sources located in nonattainment areas. A nonattainment area is an area designated by USEPA as not meeting the NAAQS minimal concentration for one or more of the NAAQS pollutants.

Nonattainment areas are always designated as nonattainment for one or more NAAQS such as nonattainment for ozone or nonattainment for VOC and ozone. The area's particular nonattainment designation influences the permit screening process. An NA NSR permit

screening determines permit requirements to control the specific NAAQS pollutant for which the area is in nonattainment.

PSD permit applications are screened for major sources located in attainment areas. Attainment areas are areas determined by USEPA as meeting all NAAQS. The PSD program is designed to maintain that classification. However, while the NA NSR screening determines the permit requirements to control the nonattainment NAAQS pollutant, the PSD screening reviews all the NAAQS pollutants.

Offsets

NA NSR permitted facilities are required to obtain emission offsets, which are emission reductions from existing sources in nonattainment area. Offsets are credited to existing facilities that reduce emissions by installing emission control equipment beyond rule requirements; modifying the process, resulting in fewer emissions; or by shutting down one or more emission sources. These offsets ensure that NAAQS emissions within the nonattainment area do not increase and nonattainment area continues to work toward reaching attainment.

USEPA has found that modeling $PM_{2.5}$ generation by precursors in the atmosphere is very difficult. There are many variables in the modeling equations. As a result, states are given leeway to establish precursor offset ratios for SO_2 and NO_x after appropriate demonstrations. Offset ratios represent ratios of pollutants used to equate precursors to primary $PM_{2.5}$ emissions.

USEPA finalized the offset ratio for direct $PM_{2.5}$ emissions at one for one on a mass basis because the $PM_{2.5}$ program is being implemented under subpart 1 of the Act. EPA does not believe a higher ratio is necessary for $PM_{2.5}$ in each area of the country.

USEPA's presumptive ratios of SO_2 to primary $PM_{2.5}$ is 40 to 1 (i.e., 40 SO_2 tons for 1 $PM_{2.5}$ ton). The presumptive ratio of NO_x to primary $PM_{2.5}$ is 200 to 1 (200 NO_x tons for 1 $PM_{2.5}$ tons). NCDAQ recommends that North Carolina use these presumptive offset ratios.

Significant Emission Rates

USEPA's significance levels means, in reference to a net emissions increase or the potential of a source to emit any of the following pollutants, a rate of emissions that would equal or exceed any of the following rates: $PM_{2.5}$; 10 tpy of direct $PM_{2.5}$ emissions, 40 tpy of sulfur dioxide emissions, or 40 tpy of nitrogen oxide emissions. Direct $PM_{2.5}$ consist of both solid and condensable $PM_{2.5}$ emissions leaving the stack and entering the atmosphere. Direct $PM_{2.5}$ does not include the $PM_{2.5}$ precursors (SO_2 and NO_x).

NCDAQ recommends the use of these significance levels with the proposed exception to the USEPA's 40 tons per year (tpy) of NO_x emissions. Instead, NCDAQ proposes a significance level of 140 tpy of NO_x .

NCDAQ's ambient monitoring data shows sulfate and organic carbon as the main contributors to $PM_{2.5}$, each with approximately 30 percent of the total. Based on the latest (2009) average

speciated PM_{2.5} data, nitrates contribute 3.5 times less to the total PM_{2.5} mass than sulfates. Given the sulfate contributes 3.5 times more than the nitrates to total PM_{2.5}, NCDAQ recommends the significance level for NO_x be set at 140 tpy (3.5 times higher than 40 tpy).

Additionally, this proposed different significant level for the PM 2.5 precursor NO_x is further reinforced by USEPA's offset preferred ratio of NO_x to primary PM_{2.5} which is 200 to 1 while the USEPA's preferred offset ratio of SO₂ to primary PM_{2.5} is 40 to 1.

Thus the science demonstrates that in NC the significance level to evaluate major modifications for the PM_{2.5} precursor NO_x should be 140 tpy.

Guidance Information

There are facts and assumptions relevant to estimating the costs to the affected parties.

- In calendar year 2009, NCDAQ closed out four NSR permit applications and had three NSR permits under active review.
- There are considerations in the NSR program that reduce the number of facilities required to submit a PSD permit application.

For Attainment Areas (PSD)

1. If a minor source installs a combustion unit in an attainment area that has the potential to emit of up to 250 tpy NO_x, it will be redesignated a NSR major source (Title V facility) for NO_x but will not require a PSD permit until the facility makes a change exceeding the significance levels. A facility must first be a major facility for one or more NAAQS pollutants when it submits a PSD permit application for a major modification.
2. If a minor source installs a combustion unit in an attainment area that has the potential to emit less than 250 tpy NO_x, it will be continue to be a minor source (non-Title V facility).
3. A major stationary source must evaluate all NAAQS pollutant significance level when they submit a permit application for a modification.
4. If a major stationary source for NO_x (emits, or has the potential to emit, 250 tpy or more of NO_x) installs a combustion unit as a major modification with emission increases equal to or greater than 40 tpy of NO_x or equal to or greater than 10 tpy of direct PM_{2.5} emissions, then the facility is a major source for NO_x, ozone and PM_{2.5}.
5. If a minor stationary source agrees to a permit conditions (fuel, firing rate, operating hour restrictions) that would limit NO_x to less than 250 tpy, then the

facility would be classified as a PSD synthetic minor and therefore not be classified as major facility.

For Nonattainment Areas (NA NSR)

1. If a minor source installs a combustion unit in an attainment area that has the potential to emit not greater than 100 tpy NO_x, it will be redesignated a major source for NO_x. Subsequent modifications will be compared against the significance level to determine NA NSR applicability.
 2. If a minor source installs a combustion unit in a nonattainment area that has the potential to emit less than 100 tpy NO_x, it will be continue to be a minor source (non-Title V facility).
 3. A major stationary source must evaluate only NAAQS pollutant significance level for which the area is in nonattainment when they submit a permit application for a major modification.
- To demonstrate the affect of raising the significance level of NO_x from 40 tpy to 140 tpy, a boiler burning #6 fuel oil and sized at 25 million Btu per hour would be classified as a significant source with a potential to emit 40 tons of NO_x¹. However, at a significance level of NO_x of 140 tpy, a boiler burning #6 fuel oil is sized at 120 million Btu per hour.¹
 - A similar calculation for boilers burning natural gas has a boiler sized at of 95 million Btu per hour with a potential to emit 40 tons of NO_x, while a significance level of 140 tons of NO_x burning natural gas is sized at 235 million Btu per hour.
 - Raising the NO_x significance level from 40 tpy to 140 tpy reflects the demonstrated North Carolina atmospheric contribution to PM_{2.5} by NO_x as a precursor, equating it to SO₂. Requiring NSR permit applications at a significance of 140 tpy will minimize costs to company expansions without deleterious results to the environment.
 - Facts On Comparison Of Utility And Industrial Boilers²
 1. The average new industrial boiler is a dwarf compared to the utility boiler.
 2. Today's typical utility unit produces 3,500,000 pounds of steam an hour; the industrial boiler 100,000. Most industrial boilers range in size from 10,000 to 1,200,000 pounds of steam per hour.
 3. The size of the utility boiler allows it to enjoy significant economies of scale, especially in the control of emissions, which are simply not available to the industrial unit.

¹ Calculations made based on potential to emit from <http://daq.state.nc.us/permits/spreadsheets/>.

² <http://www.epa.gov/airmarkets/progsregs/nox/docs/bessette.pdf>

4. The smaller industrial boilers are more numerous and tailored to meet the unique needs and constraints of widely varying industrial processes. There are about 70,000 industrial boilers in use today, compared to approximately 4,000 utility boilers.
5. Industrial units produce less than ten percent of the emissions from the nation's boiler population, but they must pay more than utilities to remove a given amount of emissions because of their smaller size and uniqueness.
6. In general, the industrial boiler will have a much lower annual operating load or capacity factor than a typical utility boiler. As a result, any added control costs have a much greater effect on the final output steam cost.

Rule Amendments:

Subparagraph 15A NCAC 02D .0530(b)(4) is added to incorporate Subparagraph 40 CFR 51.166(b)(23)(i), making PM_{2.5} as a NAAQS in the State Rule. Additionally, the Subparagraph increases the significant level for NO_x to 140 tons per year.

Paragraph 15A NCAC 02D .0530(t) has been technically modified without changing any requirements to better reflect USEPA's rule language.

Paragraph 15A NCAC 02D .0530(v) has been modified from changes that are included in the proposed rule amendments published March 1, 2010, for which the public comment period will close April 30, 2010. The phrase, "*...and does not include any subsequent amendments or editions to the referenced material.*" was inadvertently recommended for removed during the March 1, 2009 earlier but active rule action.

North Carolina operates the NSR program in the State and reviews all amendments to the NSR program prior to incorporating them into the State's air quality rules. Flexibility is built into the federal NSR program by USEPA due to the variable nature of each state's environment. The proposed amendment to set the significant level for NO_x in North Carolina to 140 tpy instead of 40 tpy is an example. In this case, North Carolina will demonstrate that the precursor NO_x plays a more minor roll in the formation and concentration of PM_{2.5}.

Subparagraph 15A NCAC 02D .0531(a)(3) is added to incorporate by reference 40 CFR 51.165(a)(1)(x)(A), making PM_{2.5} as a NAAQS in the State Rule. Additionally, the Subparagraph sets the significant level for NO_x at 140 tons per year.

Paragraph 15A NCAC 02D .0531(m) has been technically modified without changing any requirements to better reflect USEPA's rule language.

Paragraph 15A NCAC 02D .0531(o) has been modified from changes that are included in the proposed rule amendments published March 1, 2010, for which the public comment period will close April 30, 2010. The phrase, "*...and does not include any subsequent amendments or*

editions to the referenced material." was inadvertently recommended for removal during the earlier but active rule action.

III. Implementation

These rule amendments are required by federal regulations. There are no additional NSR permits anticipated for two reasons. In attainment areas, existing PSD permits already capture emission sources with 15 tons of PM₁₀, of which PM_{2.5} is a subset. Therefore, it appears reasonable to expect that major sources reaching the PM_{2.5} significance level of 10 tpy may be already captured. Additionally, PSD permit reviews include a significance level of 40 tpy of NO_x for ozone, so the PM_{2.5} precursor NO_x significance level of 140 tpy is captured. The same is true for the PM_{2.5} precursor SO₂ that has significance level of 40 tpy unrelated to the PM_{2.5} significance level.

In nonattainment areas, a major stationary source must be located in the nonattainment area and the major modification's emissions meets or exceeds the NAAQS pollutant significance level for the NAAQS that caused the area to be nonattainment. NC currently has one area that is nonattainment area for PM_{2.5}. However, that area has been requested by NC to be reclassified as attainment.

In the future, due to the recent number of lower NAAQS concentrations being published, there may be large areas of the State designated as nonattainment area for PM_{2.5}. If so, there may be some reluctance on the part of major facilities in new nonattainment areas to expand operations through major modifications. Under such circumstances, the number of NA NSR permit applications to be written it is pure speculation.

IV. Identification of the Affected Parties

The affected parties include all State, local governments, or private facilities that are major stationary source proposing major modifications of new or modified emission sources in nonattainment areas for PM_{2.5} with net emission increases or the potential to emit (PTE) of 10 tpy of PM_{2.5} or PM_{2.5} precursors of 40 tons of SO₂ or 140 tons of NO_x.

General Statute Chapter 150B, Administrative Procedure Act, Article 1, General Provisions, § 150B-21.4, Fiscal notes on rules, requires that before an agency publishes in the North Carolina Register the proposed text of a permanent rule change that would have a substantial economic impact and that is not identical to a federal regulation that the agency is required to adopt, the agency must obtain a fiscal note for the proposed rule change from the Office of State Budget and Management or prepare a fiscal note for the proposed rule change and have the note approved by that Office.

The amendments to 15A NCAC 02D .0530 and .0531 incorporates the addition of PM_{2.5} as an additional NAAQS in the State NSR program as discussed in 40 CFR 51.165 and .166. The only modification to the required federal action is to change the significance level for the PM_{2.5}

precursor NOx from 40 tpy to 140 tpy based on scientific equivalence. This change is not anticipated to cause fewer or more NSR permits to be processed, thus no additional cost or effort by NCDAQ is expected.

V. Establishment of the Baseline

The baseline for this analysis is based on the current PSD and NSR rules found in Rule 15A NCAC 02D .0530, Prevention of Significant Deterioration; and 02D .0531, Sources in Nonattainment Areas, along with the new federal requirements in USEPA's Clean Air Fine Particulate Implementation Rule (72 FR 20586) or 40 CFR 51.165 and 166.

VI. Changes from the Baseline

The change from the baseline is an increase the significance level on the precursor NOx from the USEPA's 40 tpy to 140 tpy. This change may reduce the population of major facilities in North Carolina that will be affected by these amendments in nonattainment areas only. The change in the significance level of NOx will not affect the baseline in attainment areas as NOx is triggered as significant for ozone at 40 tpy. However, if the major facility is located in an area of nonattainment for PM_{2.5}, then the 140 tpy of NOx would trigger the facility as significant for NA NSR for PM_{2.5}.

VII. Estimating the cost to Affected Parties

The estimated environmental cost for a major facility to install a major modification in a nonattainment area with a significance level equal or exceeding the significance level for the NAAQS which the area the area is in nonattainment is estimated at rough average of \$100,000. These costs include consultant fees, permit application fees, offset fees, and suitable emission control equipment for a relatively small modifications.

VIII. Benefits

The change from the baseline is to increase the significance level of the PM_{2.5} precursor NOx from 40 tpy to 140 tpy and is based on science. This increase is based on State ambient monitor data that shows NOx as a precursor to PM_{2.5} to be less effective than the PM_{2.5} precursor SO₂ by a factor of 3.5 (3.5 times 40 tpy NOx = 140 tpy). Additionally, USEPA's offset preferred ratio of NOx to primary PM_{2.5} is 200 to 1 while the USEPA's preferred offset ratio of SO₂ to primary PM_{2.5} is 40 to 1.

Thus in NC, the demonstration to be presented to USEPA will show that the PM_{2.5} concentrations generated by NOx as a precursor to PM_{2.5} is equivalent to USEPA's significance NOx standard in both 40 CFR 51.165 and 166.

Benefits to the public from having a higher significance level for the precursor to PM_{2.5} NOx as the area strives toward attainment is a possible increase in employment in a nonattainment area

as the area strives toward attainment. Public safety is meet as the equivalent standards for the generation of PM_{2.5} from precursors are the same as USEPA's standard.

IX. Conclusion

For the reasons iterated above, there maybe only very few, if any, NSR permits that will be written as a result of incorporating the PM_{2.5} NAAQS into the State's NSR program. The proposed increase of the NOx significance level from 40 tpy to 140 tpy may be advantageous to nonattainment areas for PM_{2.5} under special circumstance when a Title V facility's major modification has PM_{2.5} emissions less than 10 tpy and NOx emissions are less than 140 tpy.

This fiscal note does not show a substantial economic impact on State or local funds. Nor does it affect environmental permitting of Department of Transportation projects. The only modification to the required federal action is to change the significance level for the PM_{2.5} precursor Nitrogen Oxide (NOx) from 40 tpy to 140 tpy based on scientific equivalence. This change is not anticipated to cause fewer or more NSR permits to be processed, thus no additional cost or effort by NCDAQ is expected.

This fiscal note does not show a substantial economic impact on unit of local government or state funds. Nor does it affect environmental permitting of Department of Transportation projects.

NOTE: Text shown in italics reflects changes that are included in the proposed rule published 03-01-2010 on OAH's website for which the public comment period closes 04-30-2010.

15A NCAC 02D .0530 is proposed for amendment as follows:

15A NCAC 02D .0530 PREVENTION OF SIGNIFICANT DETERIORATION

(a) The purpose of the Rule is to implement a program for the prevention of significant deterioration of air quality as required by 40 CFR 51.166.

(b) For the purposes of this Rule the definitions contained in 40 CFR 51.166(b) and 40 CFR 51.301 shall apply except the definition of "baseline actual emissions."

(1) "Baseline actual emissions" means the rate of emissions, in tons per year, of a regulated new source review (NSR) pollutant, as determined in accordance with Parts (A) through (C) of this Subparagraph:

(A) For an existing emissions unit, baseline actual emissions means the average rate, in tons per year, at which the emissions unit actually emitted the pollutant during any consecutive 24-month period selected by the owner or operator within the 5-year period immediately preceding the date that a complete permit application is received by the Division for a permit required under this Rule. The Director shall allow a different time period, not to exceed 10 years immediately preceding the date that a complete permit application is received by the Division, if the owner or operator demonstrates that it is more representative of normal source operation. For the purpose of determining baseline actual emissions, the following shall apply:

(i) The average rate shall include fugitive emissions to the extent quantifiable, and emissions associated with startups, shutdowns, and malfunctions.

(ii) The average rate shall be adjusted downward to exclude any non-compliant emissions that occurred while the source was operating above any emission limitation that was legally enforceable during the consecutive 24-month period.

(iii) For an existing emission unit (other than an electric utility steam generating unit), the average rate shall be adjusted downward to exclude any emissions that would have exceeded an emission limitation with which the major stationary source must currently comply. However, if the State has taken credit in an attainment demonstration or maintenance plan consistent with the requirements of 40 CFR 51.165(a)(3)(ii)(G) for an emission limitation that is part of a maximum achievable control technology standard that the Administrator proposed or promulgated under part 63 of the Code of Federal Regulations, the baseline actual emissions shall be adjusted to account for such emission reductions.

(iv) For an electric utility steam generating unit, the average rate shall be adjusted downward to reflect any emissions reductions under G. S. 143-215.107D and for which cost recovery is sought pursuant to G. S. 62-133.6.

(v) For a regulated NSR pollutant, when a project involves multiple emissions units, only one consecutive 24-month period shall be used to determine the baseline actual emissions for all the emissions units being changed. A different consecutive 24-month period for each regulated NSR pollutant can be used for each regulated NSR pollutant.

(vi) The average rate shall not be based on any consecutive 24-month period for which there is inadequate information for determining annual emissions, in tons per year, and for adjusting this amount if required by Subparts (ii) and (iii) of this Part.

(B) For a new emissions unit, the baseline actual emissions for purposes of determining the emissions increase that will result from the initial construction and operation of such unit shall equal zero; and thereafter, for all other purposes, shall equal the unit's potential to emit.

(C) For a plantwide applicability limit (PAL) for a stationary source, the baseline actual emissions shall be calculated for existing emissions units in accordance with the

procedures contained in Part (A) of this Subparagraph, and for a new emissions unit in accordance with the procedures contained in Part (B) of this Subparagraph.

- (2) In the definition of "net emissions increase," the reasonable period specified in 40 CFR 51.166(b)(3)(ii) shall be seven years.
 - (3) The limitation specified in 40 CFR 51.166(b)(15)(ii) shall not apply.
 - (4) Particulate matter PM_{2.5} significant levels in 40 CFR 51.166(b)(23)(i) are incorporated by reference except as otherwise provided in this Rule. A net emission increase or the potential of a source to emit nitrogen oxide emissions shall be significant if the rate of emissions would equal or exceed 140 tons per year. Sulfur dioxide and nitrogen oxides are precursor to PM_{2.5} in all attainment and unclassifiable areas. Volatile organic compounds and ammonia are not significant precursors to PM_{2.5}.
- (c) All areas of the State shall be classified as Class II except that the following areas are Class I:
- (1) Great Smoky Mountains National Park;
 - (2) Joyce Kilmer Slickrock National Wilderness Area;
 - (3) Linville Gorge National Wilderness Area;
 - (4) Shining Rock National Wilderness Area;
 - (5) Swanquarter National Wilderness Area.
- (d) Redesignations of areas to Class I or II may be submitted as state proposals to the Administrator of the Environmental Protection Agency (EPA), if the requirements of 40 CFR 51.166(g)(2) are met. Areas may be proposed to be redesignated as Class III, if the requirements of 40 CFR 51.166(g)(3) are met. Redesignations may not, however, be proposed which would violate the restrictions of 40 CFR 51.166(e). Lands within the boundaries of Indian Reservations may be redesignated only by the appropriate Indian Governing Body.
- (e) In areas designated as Class I, II, or III, increases in pollutant concentration over the baseline concentration shall be limited to the values set forth in 40 CFR 51.166(c). However, concentration of the pollutant shall not exceed standards set forth in 40 CFR 51.166(d).
- (f) Concentrations attributable to the conditions described in 40 CFR 51.166(f)(1) shall be excluded in determining compliance with a maximum allowable increase. However, the exclusions referred to in 40 CFR 51.166(f)(1)(i) or (ii) shall be limited to five years as described in 40 CFR 51.166(f)(2).
- (g) Major stationary sources and major modifications shall comply with the requirements contained in 40 CFR 51.166(i) and (a)(7) and by extension in 40 CFR 51.166(j) through (o) and (w). The transition provisions allowed by 40 CFR 52.21 (i)(11)(i) and (ii) and (m)(1)(vii) and (viii) are hereby adopted under this Rule. The minimum requirements described in the portions of 40 CFR 51.166 referenced in this Paragraph are hereby adopted as the requirements to be used under this Rule, except as otherwise provided in this Rule. Wherever the language of the portions of 40 CFR 51.166 referenced in this Paragraph speaks of the "plan," the requirements described therein shall apply to the source to which they pertain, except as otherwise provided in this Rule. Whenever the portions of 40 CFR 51.166 referenced in this Paragraph provide that the State plan may exempt or not apply certain requirements in certain circumstances, those exemptions and provisions of nonapplicability are also hereby adopted under this Rule. However, this provision shall not be interpreted so as to limit information that may be requested from the owner or operator by the Director as specified in 40 CFR 51.166(n)(2).
- (h) New natural gas-fired electrical utility generating units for which cost recovery is sought pursuant to G. S. 62-133.6 shall install best available control technology for NO_x and ~~SO₂~~ regardless of applicability of the rest of this rule.
- (i) 40 CFR 51.166(w)(10)(iv)(a) is changed to read: "If the emissions level calculated in accordance with Paragraph (w)(6) of this Section is equal to or greater than 80 percent of the PAL [plant wide applicability limit] level, the Director shall renew the PAL at the same level." 40 CFR 51.166(w)(10)(iv)(b) is not incorporated by reference.
- (j) 15A NCAC 02Q .0102 and .0302 are not applicable to any source to which this Rule applies. The owner or operator of the sources to which this Rule applies shall apply for and receive a permit as required in 15A NCAC 02Q .0300 or .0500.
- (k) When a particular source or modification becomes a major stationary source or major modification solely by virtue of a relaxation in any enforceable limitation which was established after August 7, 1980, on the capacity of the source or modification to emit a pollutant, such as a restriction on hours of operation, then the provisions of this Rule shall apply to the source or modification as though construction had not yet begun on the source or modification.
- (l) The provisions of 40 CFR 52.21(r)(2) regarding the period of validity of approval to construct are incorporated by reference except that the term "Administrator" is replaced with "Director".

(m) Volatile organic compounds exempted from coverage in 40 CFR 51.100(s) shall also be exempted when calculating source applicability and control requirements under this Rule.

(n) The degree of emission limitation required for control of any air pollutant under this Rule shall not be affected in any manner by:

- (1) that amount of a stack height, not in existence before December 31, 1970, that exceeds good engineering practice; or
- (2) any other dispersion technique not implemented before then.

(o) A substitution or modification of a model as provided for in 40 CFR 51.166(l) shall be subject to public comment procedures in accordance with the requirements of 40 CFR 51.102.

(p) Permits may be issued on the basis of innovative control technology as set forth in 40 CFR 51.166(s)(1) if the requirements of 40 CFR 51.166(s)(2) have been met, subject to the condition of 40 CFR 51.166(s)(3), and with the allowance set forth in 40 CFR 51.166(s)(4).

(q) If a source to which this Rule applies impacts an area designated Class I by requirements of 40 CFR 51.166(e), notice to EPA will be provided as set forth in 40 CFR 51.166(p)(1). If the Federal Land Manager presents a demonstration described in 40 CFR 51.166(p)(3) during the public comment period or public hearing to the Director and if the Director concurs with this demonstration, the permit application shall be denied. Permits may be issued on the basis that the requirements for variances as set forth in 40 CFR 51.166(p)(4), (p)(5) and (p)(7), or (p)(6) and (p)(7) have been satisfied.

(r) A permit application subject to this Rule shall be processed in accordance with the procedures and requirements of 40 CFR 51.166(q). Within 30 days of receipt of the application, applicants shall be notified if the application is complete as to initial information submitted. Commencement of construction before full prevention of significant deterioration approval is obtained constitutes a violation of this Rule.

(s) Approval of an application with regard to the requirements of this Rule shall not relieve the owner or operator of the responsibility to comply fully with applicable provisions of other rules of this Subchapter or Subchapter 02Q of this Title and any other requirements under local, state, or federal law.

(t) When a source or modification is subject to this Rule ~~may affect the visibility of a Class I area named in Paragraph (c) of this Rule~~, the following procedures shall apply:

- (1) When a source or modification may affect visibility of a Class I area named in Paragraph (c) of this Rule, the Director shall provide written notification to all affected Federal Land Managers within 30 days of receiving the permit application or within 30 days of receiving advance notification of an application. The notification shall be at least 30 days prior to the publication of notice for public comment on the application. The notification shall include a copy of all information relevant to the permit application including an analysis provided by the source of the potential impact of the proposed source on visibility.
- (2) The Director shall consider any analysis concerning visibility impairment performed by the Federal Land Manager if the analysis is received within 30 days of notification. If the Director finds that the analysis of the Federal Land Manager fails to demonstrate to his satisfaction that an adverse impact on visibility will result in the Class I area, the Director shall provide in the notice of public hearing on the application, an explanation of his decision or notice as to where the explanation can be obtained.
- (3) The Director may require monitoring of visibility in or around any Class I area by the proposed new source or modification when the visibility impact analysis indicates possible visibility impairment.

(u) If the owner or operator of a source is using projected actual emissions to avoid applicability of prevention of significant deterioration requirements, the owner or operator shall notify the Director of the modification before beginning actual construction. The notification shall include:

- (1) a description of the project,
- (2) identification of sources whose emissions could be affected by the project,
- (3) the calculated projected actual emissions and an explanation of how the projected actual emissions were calculated, including identification of emissions excluded by 40 CFR 51.166(b)(40)(ii)(c),
- (4) the calculated baseline actual emissions and an explanation of how the baseline actual emissions were calculated, and
- (5) any netting calculations if applicable.

If upon reviewing the notification, the Director finds that the project will cause a prevention of significant deterioration evaluation, then the Director shall notify the owner or operator of his findings. The owner or operator shall not make the modification until it has received a permit issued pursuant to this Rule. If a permit revision is not

required pursuant to this rule, the owner or operator shall maintain records of annual emissions in tons per year, on a calendar year basis related to the modifications for 10 years following resumption of regular operations after the change if the project involves increasing the emissions unit's design capacity or its potential to emit the regulated NSR pollutant; otherwise these records shall be maintained for five years following resumption of regular operations after the change. The owner or operator shall submit a report to the director within 60 days after the end of each year during which these records must be generated. The report shall contain the items listed in 40 CFR 51.166(r)(6)(v)(a) through (c). The owner or operator shall make the information documented and maintained under this Paragraph available to the Director or the general public pursuant to the requirements in 40 CFR 70.4(b)(3)(viii).

(v) The reference to the Code of Federal Regulations (CFR) in this Rule are incorporated by reference unless a specific reference states otherwise. The version of the Code of Federal Regulations incorporated in this Rule is that as of ~~June 13, 2007-2007. 2007. May 16, 2008~~ ~~except those provisions noticed as stayed in 69 FR 40274, and does not include any subsequent amendments or editions to the referenced material.~~ and does not include any subsequent amendments or editions to the referenced material.

History Note: Authority G.S. 143-215.3(a)(1); 143-215.107(a)(3); 143-215.107(a)(5); 143-215.107(a)(7); 143-215.108(b); 150B-21.6;
 Eff. June 1, 1981;
 Amended Eff. December 1, 1992; August 1, 1991;
 Temporary Amendment Eff. March 8, 1994, for a period of 180 days or until the permanent rule is effective, whichever is sooner;
 Amended Eff. _____; May 1, 2008; July 28, 2006; July 1, 1997; February 1, 1995; July 1, 1994.

NOTE: Text shown in italics reflects changes that are included in the proposed rule published 03-01-2010 on OAH's website for which the public comment period closes 04-30-2010.

15A NCAC 02D .0531 is proposed for amendment as follows:

15A NCAC 02D .0531 SOURCES IN NONATTAINMENT AREAS

(a) For the purpose of this Rule the definitions contained in 40 CFR 51.165(a)(1) and 40 CFR 51.301 shall apply except the definition of "baseline actual emissions."

- (1) "Baseline actual emissions" means the rate of emissions, in tons per year, of a regulated new source review (NSR) pollutant, as determined in accordance with Parts (A) through (C) of this Subparagraph:
 - (A) For an existing emissions unit, baseline actual emissions means the average rate, in tons per year, at which the emissions unit actually emitted the pollutant during any consecutive 24-month period selected by the owner or operator within the 5-year period immediately preceding the date that a complete permit application is received by the Division for a permit required under this Rule. The Director shall allow a different time period, not to exceed 10 years immediately preceding the date that a complete permit application is received by the Division, if the owner or operator demonstrates that it is more representative of normal source operation. For the purpose of determining baseline actual emissions, the following shall apply:
 - (i) The average rate shall include fugitive emissions to the extent quantifiable, and emissions associated with startups, shutdowns, and malfunctions.
 - (ii) The average rate shall be adjusted downward to exclude any non-compliant emissions that occurred while the source was operating above any emission limitation that was legally enforceable during the consecutive 24-month period.
 - (iii) For an existing emission unit (other than an electric utility steam generating unit), the average rate shall be adjusted downward to exclude any emissions that would have exceeded an emission limitation with which the major stationary source must currently comply. However, if the State has taken credit in an attainment demonstration or maintenance plan consistent with the requirements of 40 CFR 51.165(a)(3)(ii)(G) for an emission limitation that is part of a maximum achievable control technology standard that the Administrator proposed or promulgated under part 63 of the Code of Federal Regulations, the baseline actual emissions shall be adjusted to account for such emission reductions.
 - (iv) For an electric utility steam generating unit, the average rate shall be adjusted downward to reflect any emissions reductions under G.S. 143-215.107D and for which cost recovery is sought pursuant to G.S. 62-133.6.
 - (v) For a regulated NSR pollutant, when a project involves multiple emissions units, only one consecutive 24-month period shall be used to determine the baseline actual emissions for all the emissions units being changed. A different consecutive 24-month period for each regulated NSR pollutant.
 - (vi) The average rate shall not be based on any consecutive 24-month period for which there is inadequate information for determining annual emissions, in tons per year, and for adjusting this amount if required by Subparts (ii) and (iii) of this Part.
 - (B) For a new emissions unit, the baseline actual emissions for purposes of determining the emissions increase that will result from the initial construction and operation of such unit shall equal zero; and thereafter, for all other purposes, shall equal the unit's potential to emit.
 - (C) For a plantwide applicability limit (PAL) for a stationary source, the baseline actual emissions shall be calculated for existing emissions units in accordance with the procedures contained in Part (A) of this Subparagraph, and for a new emissions unit in accordance with the procedures contained in Part (B) of this Subparagraph.
- (2) In the definition of "net emissions increase," the reasonable period specified in 40 CFR 51.165(a)(1)(vi)(C)(1) shall be seven years.

- (3) Particulate matter PM_{2.5} significant levels in 40 CFR 51.165(a)(1)(x)(A) are incorporated by reference except as otherwise provided in this Rule. A net emission increase or the potential of a source to emit nitrogen oxide emissions shall be significant if the rate of emissions would equal or exceed 140 tpy. Sulfur dioxide and nitrogen oxides are precursor to PM_{2.5} in all nonattainment areas. Volatile organic compounds and ammonia are not significant precursors to PM_{2.5}.
- (b) Redesignation to Attainment. If any county or part of a county to which this Rule applies is later designated in 40 CFR 81.334 as attainment ~~for ozone or carbon monoxide~~, all sources in that county subject to this Rule before the redesignation date shall continue to comply with this Rule.
- (c) Applicability. 40 CFR 51.165(a)(2) is incorporated by reference. This Rule applies to areas designated as nonattainment in 40 CFR 81.334, including any subsequent amendments or editions.
~~the following areas:~~
- ~~(1) Ozone Nonattainment Areas, to major stationary sources and major modifications of sources of volatile organic compounds or nitrogen oxides for which construction commences after the area in which the source is located is designated according to Part (A) or (B) of this Subparagraph:~~
- ~~(A) areas designated in 40 CFR 81.334 as nonattainment for ozone, or~~
- ~~(B) any of the following areas and in that area only when the Director notices in the North Carolina Register that the area is in violation of the ambient air quality standard for ozone:~~
- ~~(i) Charlotte/Gastonia, consisting of Mecklenburg and Gaston Counties; with the exception allowed under Paragraph (l) of this Rule;~~
- ~~(ii) Greensboro/Winston Salem/High Point, consisting of Davidson, Forsyth, and Guilford Counties and that part of Davie County bounded by the Yadkin River, Dutchmans Creek, North Carolina Highway 801, Fulton Creek and back to Yadkin River; or~~
- ~~(iii) Raleigh/Durham, consisting of Durham and Wake Counties and Dutchville Township in Granville County.~~
- ~~Violations of the ambient air quality standard for ozone shall be determined according to 40 CFR 50.9.~~
- ~~(2) Carbon Monoxide Nonattainment Areas. This Rule applies to major stationary sources and major modifications of sources of carbon monoxide located in areas designated in 40 CFR 81.334 as nonattainment for carbon monoxide and for which construction commences after the area in which the source is located is listed in 40 CFR 81.334 as nonattainment for carbon monoxide.~~
- (d) This Rule is not applicable to:
- (1) complex sources of air pollution regulated only under Section .0800 of this Subchapter and not under any other rule in this Subchapter;
 - (2) emission of pollutants at the new major stationary source or major modification located in the nonattainment area that are pollutants other than the pollutant or pollutants for which the area is nonattainment. (A major stationary source or major modification that is major for volatile organic compounds or nitrogen oxides is also major for ozone.);
 - (3) emission of pollutants for which the source or modification is not major;
 - (4) a new source or modification that qualifies for exemption under the provision of 40 CFR 51.165(a)(4); or
 - (5) emission of compounds listed under 40 CFR 51.100(s) as having been determined to have negligible photochemical reactivity except carbon monoxide.
- (e) 15A NCAC 02Q .0102 and .0302 are not applicable to any source to which this Rule applies. The owner or operator of the source shall apply for and receive a permit as required in 15A NCAC 02Q .0300 or .0500.
- (f) To issue a permit to a source to which this Rule applies, the Director shall determine that the source meets the following requirements:
- (1) The new major stationary source or major modification will emit the nonattainment pollutant at a rate no more than the lowest achievable emission rate;
 - (2) The owner or operator of the proposed new major stationary source or major modification has demonstrated that all major stationary sources in the State that are owned or operated by this person (or any entity controlling, controlled by, or under common control with this person) are subject to emission limitations and are in compliance, or on a schedule for compliance that is federally enforceable or contained in a court decree, with all applicable emission limitations and

standards of this Subchapter that EPA has authority to approve as elements of the North Carolina State Implementation Plan for Air Quality;

- (3) The owner or operator of the proposed new major stationary source or major modification will obtain sufficient emission reductions of the nonattainment pollutant from other sources in the nonattainment area so that the emissions from the new major source and associated new minor sources will be less than the emissions reductions by a ratio of at least 1.00 to 1.15 for volatile organic compounds and nitrogen oxides and by a ratio of less than one to one for carbon monoxide. The baseline for this emission offset shall be the actual emissions of the source from which offset credit is obtained. Emission reductions shall not include any reductions resulting from compliance (or scheduled compliance) with applicable rules in effect before the application. The difference between the emissions from the new major source and associated new minor sources of carbon monoxide and the emission reductions shall be sufficient to represent reasonable further progress toward attaining the *National* Ambient Air Quality Standards. The emissions reduction credits shall also conform to the provisions of 40 CFR 51.165(a)(3)(ii)(A) through (G) and (J); and
 - (4) The North Carolina State Implementation Plan for Air Quality is being carried out for the nonattainment area in which the proposed source is located.
- (g) New natural gas-fired electrical utility generating units *for which cost recovery is sought pursuant to G. S. 62-133.6* shall install lowest achievable emission rate technology for NO_x and ~~SO₂~~ *SO₂, regardless of the applicability of the rest of this Rule.*
- (h) 40 CFR 51.165(f) is incorporated by reference except that 40 CFR 51.165(f)(10)(iv)(A) is changed to read: "If the emissions level calculated in accordance with Paragraph (f)(6) of this Section is equal to or greater than 80 percent of the PAL level, the Director shall renew the PAL at the same level." 40 CFR 51.165(f)(10)(iv)(B) is not incorporated by reference.
- (i) When a particular source or modification becomes a major stationary source or major modification solely by virtue of a relaxation in any enforceable limitation established after August 7, 1980, on the capacity of the source or modification to emit a pollutant, such as a restriction on hours of operation, then the provisions of this Rule shall apply to the source or modification as though construction had not yet begun on the source or modification.
- (j) To issue a permit to a source of a nonattainment pollutant, the Director shall determine, in addition to the other requirements of this Rule, that an analysis (produced by the permit applicant) of alternative sites, sizes, production processes, and environmental control techniques for the source demonstrates that the benefits of the source significantly outweigh the environmental and social costs imposed as a result of its location, construction, or modification.
- (k) The provisions of 40 CFR 52.21(r)(2) regarding the period of validity of approval to construct are incorporated by reference except that the term "Administrator" is replaced with "Director".
- (l) Approval of an application regarding the requirements of this Rule shall not relieve the owner or operator of the responsibility to comply fully with applicable provisions of other rules of this Chapter and any other requirements under local, state, or federal law.
- (m) ~~Except as provided in 40 CFR 52.28(c)(6), when for a source or modification subject to this Rule may affect the visibility of a Class I area named in Paragraph (c) of Rule .0530 of this Section, the following procedures shall be followed:~~
- (1) The owner or operator of the source shall provide an analysis of the impairment to visibility that would occur because of the source or modification and general commercial, industrial and other growth associated with the source or modification;
 - (2) When a source or modification may affect the visibility of in a Class I area named in Paragraph (c) of Rule .0530 of this Section, The the Director shall provide written notification to all affected Federal Land Managers within 30 days of receiving the permit application or within 30 days of receiving advance notification of an application. The notification shall be at least 30 days before the publication of the notice for public comment on the application. The notification shall include a copy of all information relevant to the permit application including an analysis provided by the source of the potential impact of the proposed source on visibility;
 - (3) The Director shall consider any analysis concerning visibility impairment performed by the Federal Land Manager if the analysis is received within 30 days of notification. If the Director finds that the analysis of the Federal Land Manager fails to demonstrate to his satisfaction that an adverse impact on visibility will result in the Class I area, the Director shall provide in the notice

of public hearing on the application, an explanation of his decision or notice where the explanation can be obtained;

- (4) The Director shall issue permits only to those sources whose emissions will be consistent with making reasonable progress toward the national goal of preventing any future, and remedying any existing, impairment of visibility in mandatory Class I areas when the impairment results from manmade air pollution. In making the decision to issue a permit, the Director shall consider the cost of compliance, the time necessary for compliance, the energy and nonair quality environmental impacts of compliance, and the useful life of the source; and
- (5) The Director may require monitoring of visibility in or around any Class I area by the proposed new source or modification when the visibility impact analysis indicates possible visibility impairment.

The requirements of this Paragraph shall not apply to nonprofit health or nonprofit educational institutions.

~~(n) Paragraphs (f) and (j) of this Rule shall not apply to a new major stationary source or a major modification of a source of volatile organic compounds or nitrogen oxides for which construction commences after the area in which the source is located has been designated according to Part (e)(1)(B) of this Rule and before the area is designated in 40 CFR 81.334 as nonattainment for ozone if the owner or operator of the source demonstrates, using the Urban Airshed Model (UAM), that the new source or modification will not contribute to or cause a violation. The model used shall be that maintained by the Division. The Division shall run the model only after the permit application has been submitted. The permit application shall be incomplete until the modeling analysis is completed. The owner or operator of the source shall apply such degree of control and obtain such offsets necessary to demonstrate the new source or modified source will not cause or contribute to a violation.~~

~~(n)~~ (n) If the owner or operator of a source is using projected actual emissions to avoid applicability of nonattainment new source review, the owner or operator shall notify the director of the modification before beginning actual construction. The notification shall include:

- (1) a description of the project,
- (2) identification of sources whose emissions could be affected by the project,
- (3) the calculated projected actual emissions and an explanation of how the projected actual emissions were calculated, including identification of emissions excluded by 40 CFR 51.165(a)(1)(xxviii)(B)(3),
- (4) the calculated baseline actual emissions and an explanation of how the baseline actual emissions were calculated, and
- (5) any netting calculations if applicable.

If upon reviewing the notification, the Director finds that the project will cause a nonattainment new source review evaluation, then the Director shall notify the owner or operator of his findings. The owner or operator shall not make the modification until it has received a permit issued pursuant to this Rule. If a permit revision is not required pursuant to this Rule, the owner or operator shall maintain records of annual emissions in tons per year on a calendar year basis related to the modifications for 10 years following resumption of regular operations after the change if the project involves increasing the emissions unit's design capacity or its potential to emit the regulated NSR pollutant; otherwise these records shall be maintained for five years following resumption of regular operations after the change. The owner or operator shall submit a report to the director within 60 days after the end of each year during which these records must be generated. The report shall contain the items listed in 40 CFR 51.165(a)(6)(v)(A) through (C). The owner or operator shall make the information documented and maintained under this Paragraph available to the Director or the general public pursuant to the requirements in 40 CFR 70.4(b)(3)(viii).

~~(p)(o) The reference to the Code of Federal Regulations (CFR) in this Rule are incorporated by reference unless a specific reference states otherwise. Except for 40 CFR 81.334, **The the version of the Code of Federal Regulations CFR incorporated in this Rule is that as of June 13, 2007 2007. 2007. May 16, 2008 except those provisions noticed as stayed in 69 FR 40274, and does not include any subsequent amendments or editions to the referenced material.** and does not include any subsequent amendments or editions to the referenced material.~~

History Note: Authority G.S. 143-215.3(a)(1); 143-215.107(a)(5); 143-215.108(b);
Eff. June 1, 1981;
Amended Eff. December 1, 1993; December 1, 1992;
Temporary Amendment Eff. March 8, 1994 for a period of 180 days or until the permanent rule is effective, whichever is sooner;
Amended Eff. _____: May 1, 2008; May 1, 2005; July 1, 1998; July 1, 1996; July 1, 1995;
July 1, 1994.