| BASIN NAME | DESCRIPTION | COUNTY | DATE | DWQ SAMPLE NO | SPECIES | COMMON NAME | LENGTH (mm) | WEIGHT (g) | Hg (mg/Kg) | As (mg/Kg) | Cd (mg/Kg) | Crt (mg/Kg) | Cu (mg/Kg) | Ni (mg/Kg) | Pb (mg/Kg) | Zn (mg/Kg) | Se (mg/Kg) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| White Oak | Atlantic Beach | Carteret | 26-Nov-02 | 02-9088 | Pomatomus saltatrix | Bluefish | 287.00 | | 0.15 | | | | | | | | |
| White Oak | Atlantic Beach | Carteret | 26-Nov-02 | 02-9089 | Pomatomus saltatrix | Bluefish | 277.00 | | 0.14 | | | | | | | | |
| White Oak | Atlantic Beach | Carteret | 26-Nov-02 | 02-9090 | Pomatomus saltatrix | Bluefish | 282.00 | | 0.16 | | | | | | | | |
| White Oak | Atlantic Beach | Carteret | 26-Nov-02 | 02-9091 | Pomatomus saltatrix | Bluefish | 259.00 | | 0.07 | | | | | | | | |
| White Oak | Atlantic Beach | Carteret | 26-Nov-02 | 02-9092 | Pomatomus saltatrix | Bluefish | 280.00 | | 0.14 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8988 | Cynoscion nebulosus | Spotted Sea Trout | 765.00 | | 0.62 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8989 | Cynoscion nebulosus | Spotted Sea Trout | 599.00 | | 0.28 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8990 | Cynoscion nebulosus | Spotted Sea Trout | 540.00 | | 0.13 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8991 | Cynoscion nebulosus | Spotted Sea Trout | 517.00 | | 0.09 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8992 | Cynoscion nebulosus | Spotted Sea Trout | 513.00 | | 0.17 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8993 | Cynoscion nebulosus | Spotted Sea Trout | 500.00 | | 0.11 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8994 | Cynoscion nebulosus | Spotted Sea Trout | 309.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8995 | Cynoscion nebulosus | Spotted Sea Trout | 281.00 | | 0.06 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-8996 | Cynoscion nebulosus | Spotted Sea Trout | 294.00 | | 0.06 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9041 | Leiostomus xanthurus | Spot | 259.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9042 | Leiostomus xanthurus | Spot | 283.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9043 | Leiostomus xanthurus | Spot | 253.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9044 | Leiostomus xanthurus | Spot | 268.00 | | 0.04 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9045 | Leiostomus xanthurus | Spot | 242.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9046 | Leiostomus xanthurus | Spot | 246.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9047 | Leiostomus xanthurus | Spot | 243.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9048 | Leiostomus xanthurus | Spot | 242.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9049 | Leiostomus xanthurus | Spot | 233.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9050 | Leiostomus xanthurus | Spot | 215.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9051 | Leiostomus xanthurus | Spot | 232.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9052 | Leiostomus xanthurus | Spot | 226.00 | | 0.04 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9053 | Leiostomus xanthurus | Spot | 237.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9054 | Leiostomus xanthurus | Spot | 215.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9055 | Leiostomus xanthurus | Spot | 210.00 | | 0.04 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9056 | Leiostomus xanthurus | Spot | 205.00 | | 0.02 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9057 | Leiostomus xanthurus | Spot | 239.00 | | 0.01 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9058 | Leiostomus xanthurus | Spot | 200.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9059 | Leiostomus xanthurus | Spot | 201.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9060 | Leiostomus xanthurus | Spot | 214.00 | | 0.06 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9061 | Leiostomus xanthurus | Spot | 210.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9062 | Leiostomus xanthurus | Spot | 200.00 | | 0.04 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9063 | Leiostomus xanthurus | Spot | 188.00 | | 0.02 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9018 | Micropogon undulatus | Croaker | 315.00 | | 0.07 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9019 | Micropogon undulatus | Croaker | 307.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9020 | Micropogon undulatus | Croaker | 306.00 | | 0.13 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9021 | Micropogon undulatus | Croaker | 313.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9022 | Micropogon undulatus | Croaker | 304.00 | | 0.11 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9023 | Micropogon undulatus | Croaker | 302.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9024 | Micropogon undulatus | Croaker | 297.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9025 | Micropogon undulatus | Croaker | 272.00 | | 0.03 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9026 | Micropogon undulatus | Croaker | 283.00 | | 0.07 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9027 | Micropogon undulatus | Croaker | 320.00 | | 0.02 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9028 | Micropogon undulatus | Croaker | 286.00 | | 0.05 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9029 | Micropogon undulatus | Croaker | 300.00 | | 0.09 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9030 | Micropogon undulatus | Croaker | 283.00 | | 0.07 | | | | | | | | |
| White Oak | Back Sound | Carteret | 16-Oct-02 | 02-9031 | Micropogon undulatus | Croaker | 261.00 | | 0.01 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9093 | Menticirrhus americanus | Souithern Kingfish | 288.00 | | 0.14 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9094 | Menticirrhus americanus | Souithern Kingfish | 285.00 | | 0.11 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9095 | Menticirrhus americanus | Souithern Kingfish | 276.00 | | 0.08 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9096 | Menticirrhus americanus | Souithern Kingfish | 263.00 | | 0.04 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9097 | Menticirrhus americanus | Souithern Kingfish | 272.00 | | 0.07 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9098 | Menticirrhus americanus | Souithern Kingfish | 267.00 | | 0.07 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9099 | Menticirrhus americanus | Souithern Kingfish | 273.00 | | 0.06 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9100 | Menticirrhus americanus | Souithern Kingfish | 267.00 | | 0.06 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9101 | Menticirrhus americanus | Souithern Kingfish | 262.00 | | 0.05 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9102 | Menticirrhus americanus | Souithern Kingfish | 272.00 | | 0.07 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9076 | Pomatomus saltatrix | Bluefish | 308.00 | | 0.13 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9077 | Pomatomus saltatrix | Bluefish | 295.00 | | 0.13 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9078 | Pomatomus saltatrix | Bluefish | 300.00 | | 0.12 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9079 | Pomatomus saltatrix | Bluefish | 309.00 | | 0.04 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9080 | Pomatomus saltatrix | Bluefish | 316.00 | | 0.16 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9081 | Pomatomus saltatrix | Bluefish | 310.00 | | 0.18 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 19-Nov-02 | 02-9082 | Pomatomus saltatrix | Bluefish | 373.00 | | 0.19 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9074 | Leiostomus xanthurus | Spot | 306.00 | | 0.01 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9075 | Leiostomus xanthurus | Spot | 218.00 | | 0.03 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9064 | Micropogon undulatus | Croaker | 248.00 | | 0.07 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9065 | Micropogon undulatus | Croaker | 247.00 | | 0.07 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9066 | Micropogon undulatus | Croaker | 242.00 | | 0.08 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9067 | Micropogon undulatus | Croaker | 238.00 | | 0.04 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9068 | Micropogon undulatus | Croaker | 251.00 | | 0.06 | | | | | | | | |

| BASIN NAME | DESCRIPTION | COUNTY | DATE | DWQ SAMPLE NO | SPECIES | COMMON NAME | LENGTH (mm) | WEIGHT (g) | Hg (mg/Kg) | As (mg/Kg) | Cd (mg/Kg) | Crt (mg/Kg) | Cu (mg/Kg) | Ni (mg/Kg) | Pb (mg/Kg) | Zn (mg/Kg) | Se (mg/Kg) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9069 | Micropogon undulatus | Croaker | 244.00 | | 0.08 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9070 | Micropogon undulatus | Croaker | 258.00 | | 0.16 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9071 | Micropogon undulatus | Croaker | 245.00 | | 0.06 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9072 | Micropogon undulatus | Croaker | 234.00 | | 0.03 | | | | | | | | |
| White Oak | Bogue Inlet | Carteret | 26-Nov-02 | 02-9073 | Micropogon undulatus | Croaker | 234.00 | | 0.03 | | | | | | | | |
| White Oak | Bogue Sound | Carteret | 09-Oct-02 | 02-8983 | Pomatomus saltatrix | Bluefish | 227.00 | | 0.08 | | | | | | | | |
| White Oak | Bogue Sound | Carteret | 09-Oct-02 | 02-8984 | Pomatomus saltatrix | Bluefish | 303.00 | | 0.09 | | | | | | | | |
| White Oak | Bogue Sound | Carteret | 09-Oct-02 | 02-8985 | Pomatomus saltatrix | Bluefish | 255.00 | | 0.12 | | | | | | | | |
| White Oak | Bogue Sound | Carteret | 09-Oct-02 | 02-8986 | Pomatomus saltatrix | Bluefish | 244.00 | | 0.07 | | | | | | | | |
| White Oak | Bogue Sound | Carteret | 09-Oct-02 | 02-8987 | Pomatomus saltatrix | Bluefish | 244.00 | | 0.08 | | | | | | | | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7721 | Amia calva | Bowfin | 553.00 | 1562.00 | 0.29 | <1.0 | <0.10 | <0.25 | 0.21 | <0.50 | <0.50 | 3.6 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7722 | Amia calva | Bowfin | 608.00 | 2300.00 | 0.25 | <1.0 | <0.10 | <0.25 | 0.24 | <0.50 | <0.50 | 4.6 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7723 | Lepomis gibbosus | Pumpkinseed | 152.00 | 93.00 | 0.08 | <1.0 | <0.10 | <0.25 | 0.26 | <0.50 | <0.50 | 6.0 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7724 | Lepomis gibbosus | Pumpkinseed | 160.00 | 98.00 | 0.10 | <1.0 | <0.10 | <0.25 | 0.47 | 0.57 | <0.50 | 11.0 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7725 | Lepomis gibbosus | Pumpkinseed | 99.50 | 20.50 | 0.04 | <1.0 | <0.10 | <0.25 | 0.59 | <0.50 | <0.50 | 21.0 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7705 | Micropterus salmoides | Largemouth Bass | 300.00 | 417.00 | 0.26 | <1.0 | <0.10 | <0.25 | 0.35 | <0.50 | <0.50 | 3.6 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7706 | Micropterus salmoides | Largemouth Bass | 345.00 | 520.00 | 0.92 | <1.0 | <0.10 | <0.25 | 0.19 | <0.50 | <0.50 | 3.2 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7707 | Micropterus salmoides | Largemouth Bass | 315.00 | 598.00 | 0.12 | <1.0 | <0.10 | <0.25 | 0.22 | <0.50 | <0.50 | 3.2 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7708 | Micropterus salmoides | Largemouth Bass | 325.00 | 465.00 | 0.31 | <1.0 | <0.10 | <0.25 | 0.25 | <0.50 | <0.50 | 3.6 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7709 | Micropterus salmoides | Largemouth Bass | 330.00 | 589.00 | 0.16 | <1.0 | <0.10 | <0.25 | 0.26 | <0.50 | <0.50 | 3.9 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7710 | Micropterus salmoides | Largemouth Bass | 360.00 | 666.00 | 0.25 | <1.0 | <0.10 | <0.25 | 0.27 | <0.50 | <0.50 | 4.0 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7711 | Micropterus salmoides | Largemouth Bass | 367.00 | 733.00 | 0.34 | <1.0 | <0.10 | <0.25 | 0.19 | <0.50 | <0.50 | 3.2 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7712 | Micropterus salmoides | Largemouth Bass | 345.00 | 605.00 | 0.25 | <1.0 | <0.10 | <0.25 | 0.25 | <0.50 | <0.50 | 4.0 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7713 | Micropterus salmoides | Largemouth Bass | 367.00 | 734.00 | 0.27 | <1.0 | <0.10 | <0.25 | 0.30 | <0.50 | <0.50 | 5.0 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7714 | Micropterus salmoides | Largemouth Bass | 345.00 | 695.00 | 0.28 | <1.0 | <0.10 | <0.25 | 0.24 | <0.50 | <0.50 | 3.9 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7715 | Micropterus salmoides | Largemouth Bass | 337.00 | 579.00 | 0.14 | <1.0 | <0.10 | <0.25 | 0.24 | <0.50 | <0.50 | 3.7 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7716 | Micropterus salmoides | Largemouth Bass | 360.00 | 677.00 | 0.27 | <1.0 | <0.10 | <0.25 | 0.26 | <0.50 | <0.50 | 4.2 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7717 | Micropterus salmoides | Largemouth Bass | 375.00 | 878.00 | 0.32 | <1.0 | <0.10 | <0.25 | 0.20 | <0.50 | <0.50 | 3.6 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7718 | Micropterus salmoides | Largemouth Bass | 400.00 | 875.00 | 0.32 | <1.0 | <0.10 | <0.25 | 0.25 | <0.50 | <0.50 | 4.1 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7719 | Micropterus salmoides | Largemouth Bass | 388.00 | 1036.00 | 0.30 | <1.0 | <0.10 | <0.25 | 0.28 | <0.50 | <0.50 | 4.2 | |
| White Oak | Brinson Creek | Onslow | 01-Apr-98 | 98-7720 | Micropterus salmoides | Largemouth Bass | 412.00 | 1275.00 | 0.30 | <1.0 | <0.10 | <0.25 | 0.21 | <0.50 | <0.50 | 3.4 | |
| White Oak | Cape Lookout | Carteret | 03-Nov-02 | 02-8997 | Cynoscion nebulosus | Spotted Sea Trout | 543.00 | | 0.24 | | | | | | | | |
| White Oak | Cape Lookout | Carteret | 03-Nov-02 | 02-8998 | Cynoscion nebulosus | Spotted Sea Trout | 462.00 | | 0.09 | | | | | | | | |
| White Oak | Cape Lookout | Carteret | 03-Nov-02 | 02-8999 | Cynoscion nebulosus | Spotted Sea Trout | 462.00 | | 0.07 | | | | | | | | |
| White Oak | Cape Lookout | Carteret | 03-Nov-02 | 02-9000 | Cynoscion nebulosus | Spotted Sea Trout | 475.00 | | 0.09 | | | | | | | | |
| White Oak | Cape Lookout | Carteret | 03-Nov-02 | 02-9001 | Cynoscion nebulosus | Spotted Sea Trout | 470.00 | | 0.12 | | | | | | | | |
| White Oak | Cape Lookout | Carteret | 03-Nov-02 | 02-9002 | Cynoscion nebulosus | Spotted Sea Trout | 495.00 | | 0.08 | | | | | | | | |
| White Oak | Cape Lookout | Carteret | 03-Nov-02 | 02-9003 | Cynoscion nebulosus | Spotted Sea Trout | 425.00 | | 0.11 | | | | | | | | |
| White Oak | Cape Lookout | Carteret | 03-Nov-02 | 02-9004 | Cynoscion nebulosus | Spotted Sea Trout | 400.00 | | 0.04 | | | | | | | | |
| White Oak | Core Sound | Carteret | 26-Oct-99 | 99-8484 | Cynoscion nebulosus | Spotted Sea Trout | | | 0.12 | 0.49 | <0.04 | 0.79 | 0.54 | 0.35 | <0.20 | 3.2 | 0.59 |
| White Oak | Core Sound | Carteret | 26-Oct-99 | 99-8475 | Cynoscion regalis | Weakfish | | | 0.16 | 0.26 | <0.04 | <0.50 | <0.50 | <0.20 | <0.20 | 3.1 | 0.51 |
| White Oak | Core Sound | Carteret | 26-Oct-99 | 99-8480 | Leiostomus xanthurus | Spot | | | 0.02 | 2.0 | <0.04 | <0.50 | <0.50 | <0.20 | <0.20 | 3.8 | 0.54 |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9005 | Pomatomus saltatrix | Bluefish | 391.00 | | 0.16 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9006 | Pomatomus saltatrix | Bluefish | 437.00 | | 0.12 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9007 | Pomatomus saltatrix | Bluefish | 422.00 | | 0.16 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9008 | Pomatomus saltatrix | Bluefish | 422.00 | | 0.14 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9009 | Pomatomus saltatrix | Bluefish | 290.00 | | 0.11 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9010 | Pomatomus saltatrix | Bluefish | 265.00 | | 0.06 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9011 | Pomatomus saltatrix | Bluefish | 342.00 | | 0.17 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9012 | Pomatomus saltatrix | Bluefish | 282.00 | | 0.22 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9013 | Pomatomus saltatrix | Bluefish | 270.00 | | 0.07 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9014 | Pomatomus saltatrix | Bluefish | 398.00 | | 0.15 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9015 | Pomatomus saltatrix | Bluefish | 305.00 | | 0.16 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9016 | Pomatomus saltatrix | Bluefish | 438.00 | | 0.10 | | | | | | | | |
| White Oak | Core Sound | Carteret | 16-Oct-02 | 02-9017 | Pomatomus saltatrix | Bluefish | 333.00 | | 0.16 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6081 | Amia calva | Bowfin | 670.00 | 2794.00 | 4.80 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6082 | Micropterus salmoides | Largemouth Bass | 520.00 | 2762.00 | 1.10 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6083 | Micropterus salmoides | Largemouth Bass | 380.00 | 895.00 | 0.57 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6084 | Micropterus salmoides | Largemouth Bass | 410.00 | 1094.00 | 0.74 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6085 | Micropterus salmoides | Largemouth Bass | 360.00 | 956.00 | 0.89 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6086 | Micropterus salmoides | Largemouth Bass | 390.00 | 1014.00 | 0.79 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6087 | Micropterus salmoides | Largemouth Bass | 345.00 | 630.00 | 0.40 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6088 | Micropterus salmoides | Largemouth Bass | 370.00 | 730.00 | 0.40 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6089 | Micropterus salmoides | Largemouth Bass | 360.00 | 712.00 | 0.42 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6090 | Micropterus salmoides | Largemouth Bass | 350.00 | 727.00 | 0.40 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6091 | Micropterus salmoides | Largemouth Bass | 380.00 | 793.00 | 0.53 | | | | | | | | |
| White Oak | Great Lake | Craven | 27-Jul-94 | 94-6092 | Micropterus salmoides | Largemouth Bass | 310.00 | 450.00 | 0.18 | | | | | | | | |
| White Oak | New River | Onslow | 26-Oct-99 | 99-8469 | Mugil cephalus | Striped Mullet | | | 0.01 | 0.34 | <0.04 | <0.50 | <0.50 | <0.20 | <0.20 | 2.9 | 0.30 |
| White Oak | New River | Onslow | 26-Oct-99 | 99-8474 | Paralichthys lethostigma | Southern Flounder | | | 0.05 | <0.20 | <0.04 | <0.50 | <0.50 | <0.20 | <0.20 | 26.0 | 0.23 |
| White Oak | New River | Onslow | 26-Oct-99 | 99-8468 | Penaeus setiferus | White Shrimp | | | 0.01 | 6.5 | <0.04 | <0.50 | 2.4 | <0.20 | <0.20 | 10.0 | 0.45 |
| White Oak | New River | Onslow | 26-Oct-99 | 99-8487 | Sciaenops ocellata | Red Drum | | | 0.06 | 0.44 | <0.04 | <0.50 | <0.50 | <0.20 | <0.20 | 2.7 | 0.36 |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7421 | Amia calva | Bowfin | 557.00 | 1847.00 | 0.43 | <1.0 | <0.1 | <0.25 | 0.19 | <0.50 | <0.50 | 4.0 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7422 | Amia calva | Bowfin | 538.00 | 1713.00 | 0.19 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7423 | Amia calva | Bowfin | 548.00 | 1647.00 | 0.31 | <1.0 | <0.1 | <0.25 | 0.15 | <0.50 | <0.50 | 3.8 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7424 | Amia calva | Bowfin | 528.00 | 1425.00 | 0.32 | | | | | | | | |

| BASIN NAME | DESCRIPTION | COUNTY | DATE | DWQ SAMPLE NO | SPECIES | COMMON NAME | LENGTH (mm) | WEIGHT (g) | Hg (mg/Kg) | As (mg/Kg) | Cd (mg/Kg) | Crt (mg/Kg) | Cu (mg/Kg) | Ni (mg/Kg) | Pb (mg/Kg) | Zn (mg/Kg) | Se (mg/Kg) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7425 | Amia calva | Bowfin | 477.00 | 1020.00 | 0.24 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7426 | Amia calva | Bowfin | 484.00 | 1097.00 | 0.30 | <1.0 | <0.1 | <0.25 | 0.13 | <0.50 | <0.50 | 3.7 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7427 | Amia calva | Bowfin | 442.00 | 839.00 | 0.16 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7434 | Ictalurus catus | White Catfish | 298.00 | 366.50 | 0.12 | <1.0 | <0.1 | <0.25 | 0.19 | <0.50 | <0.50 | 2.7 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7442 | Lepomis auritus | Redbreast Sunfish | 254.00 | 358.00 | 0.36 | <1.0 | <0.1 | <0.25 | 0.28 | <0.50 | <0.50 | 20 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7443 | Lepomis auritus | Redbreast Sunfish | 240.00 | 285.00 | 0.10 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7444 | Lepomis auritus | Redbreast Sunfish | 230.00 | 245.00 | 0.15 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7445 | Lepomis auritus | Redbreast Sunfish | 205.00 | 274.00 | 0.07 | <1.0 | <0.1 | <0.25 | 0.21 | <0.50 | <0.50 | 15 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7446 | Lepomis auritus | Redbreast Sunfish | 187.00 | 121.00 | 0.08 | <1.0 | <0.1 | <0.25 | 0.32 | <0.50 | <0.50 | 15 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7447 | Lepomis gibbosus | Pumpkinseed | 180.00 | 129.00 | 0.15 | <1.0 | <0.1 | <0.25 | 0.15 | <0.50 | <0.50 | 12 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7448 | Lepomis gibbosus | Pumpkinseed | 162.00 | 96.00 | 0.08 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7449 | Lepomis gibbosus | Pumpkinseed | 158.00 | 91.50 | 0.08 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7450 | Lepomis gibbosus | Pumpkinseed | 133.00 | 55.50 | 0.24 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7435 | Lepomis macrochirus | Bluegill Sunfish | 215.00 | 267.00 | 0.15 | <1.0 | <0.1 | <0.25 | 0.56 | <0.50 | <0.50 | 15 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7436 | Lepomis macrochirus | Bluegill Sunfish | 217.00 | 281.00 | 0.20 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7437 | Lepomis macrochirus | Bluegill Sunfish | 232.00 | 326.00 | 0.24 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7438 | Lepomis macrochirus | Bluegill Sunfish | 218.00 | 264.00 | 0.16 | <1.0 | <0.1 | <0.25 | 0.33 | <0.50 | <0.50 | 21 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7439 | Lepomis macrochirus | Bluegill Sunfish | 220.00 | 265.00 | 0.28 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7440 | Lepomis macrochirus | Bluegill Sunfish | 211.00 | 228.00 | 0.18 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7441 | Lepomis macrochirus | Bluegill Sunfish | 193.00 | 189.00 | 0.09 | <1.0 | <0.1 | <0.25 | 0.15 | <0.50 | <0.50 | 11 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7428 | Micropterus salmoides | Largemouth Bass | 369.00 | 703.00 | 0.30 | <1.0 | <0.1 | <0.25 | 0.14 | <0.50 | <0.50 | 5.1 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7429 | Micropterus salmoides | Largemouth Bass | 337.00 | 559.00 | 0.25 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7430 | Micropterus salmoides | Largemouth Bass | 332.00 | 514.00 | 0.23 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7431 | Micropterus salmoides | Largemouth Bass | 290.00 | 361.00 | 0.16 | <1.0 | <0.1 | <0.25 | 0.15 | <0.50 | <0.50 | 3.9 | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7432 | Micropterus salmoides | Largemouth Bass | 278.00 | 334.00 | 0.22 | | | | | | | | |
| White Oak | New River above Jacksonville | Onslow | 16-Jul-97 | 97-7433 | Micropterus salmoides | Largemouth Bass | 265.00 | 240.00 | 0.19 | <1.0 | <0.1 | <0.25 | 0.12 | <0.50 | <0.50 | 6.4 | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5833 | Ictalurus catus | White Catfish | 285.00 | 323.00 | 0.09 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5834 | Ictalurus catus | White Catfish | 290.00 | 443.00 | 0.09 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5835 | Ictalurus catus | White Catfish | 340.00 | 571.00 | 0.11 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5836 | Ictalurus catus | White Catfish | 350.00 | 539.00 | 0.13 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5832 | Ictalurus nebulosus | Brown Bullhead | 325.00 | 562.00 | 0.05 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5837 | Lepomis macrochirus | Bluegill Sunfish | 205.00 | 259.00 | 0.13 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5838 | Lepomis microlophus | Redear Sunfish | 226.00 | 227.00 | 0.11 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5839 | Lepomis microlophus | Redear Sunfish | 270.00 | 407.00 | 0.45 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5840 | Lepomis microlophus | Redear Sunfish | 260.00 | 379.00 | 0.54 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5819 | Micropterus salmoides | Largemouth Bass | 300.00 | 420.00 | 0.18 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5820 | Micropterus salmoides | Largemouth Bass | 310.00 | 426.00 | 0.18 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5821 | Micropterus salmoides | Largemouth Bass | 330.00 | 522.00 | 0.16 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5822 | Micropterus salmoides | Largemouth Bass | 350.00 | 604.00 | 0.30 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5823 | Micropterus salmoides | Largemouth Bass | 365.00 | 786.00 | 0.17 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5824 | Micropterus salmoides | Largemouth Bass | 320.00 | 526.00 | 0.20 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5825 | Micropterus salmoides | Largemouth Bass | 350.00 | 632.00 | 0.24 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5826 | Micropterus salmoides | Largemouth Bass | 340.00 | 568.00 | 0.38 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5827 | Micropterus salmoides | Largemouth Bass | 375.00 | 801.00 | 0.36 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5828 | Micropterus salmoides | Largemouth Bass | 355.00 | 677.00 | 0.44 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5829 | Micropterus salmoides | Largemouth Bass | 390.00 | 795.00 | 0.40 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5830 | Micropterus salmoides | Largemouth Bass | 440.00 | 1416.00 | 0.41 | | | | | | | | |
| White Oak | New River near Jacksonville | Onslow | 27-Apr-94 | 94-5831 | Micropterus salmoides | Largemouth Bass | 410.00 | 1022.00 | 0.43 | | | | | | | | |
| White Oak | Newport River | Carteret | 20-Oct-02 | 02-9032 | Cynoscion nebulosus | Spotted Sea Trout | 510.00 | | 0.07 | | | | | | | | |
| White Oak | Newport River | Carteret | 20-Oct-02 | 02-9033 | Cynoscion nebulosus | Spotted Sea Trout | 446.00 | | 0.05 | | | | | | | | |
| White Oak | Newport River | Carteret | 20-Oct-02 | 02-9034 | Cynoscion nebulosus | Spotted Sea Trout | 380.00 | | 0.05 | | | | | | | | |
| White Oak | Newport River near mouth | Carteret | 20-Oct-02 | 02-9035 | Cynoscion nebulosus | Spotted Sea Trout | 303.00 | | 0.03 | | | | | | | | |
| White Oak | Newport River near mouth | Carteret | 20-Oct-02 | 02-9036 | Cynoscion nebulosus | Spotted Sea Trout | 300.00 | | 0.07 | | | | | | | | |
| White Oak | Newport River near mouth | Carteret | 20-Oct-02 | 02-9037 | Cynoscion nebulosus | Spotted Sea Trout | 306.00 | | 0.04 | | | | | | | | |
| White Oak | Newport River near mouth | Carteret | 20-Oct-02 | 02-9038 | Cynoscion nebulosus | Spotted Sea Trout | 287.00 | | 0.04 | | | | | | | | |
| White Oak | Newport River near mouth | Carteret | 20-Oct-02 | 02-9039 | Cynoscion nebulosus | Spotted Sea Trout | 307.00 | | 0.03 | | | | | | | | |
| White Oak | Newport River near mouth | Carteret | 20-Oct-02 | 02-9040 | Cynoscion nebulosus | Spotted Sea Trout | 425.00 | | 0.09 | | | | | | | | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7733 | Lepomis gibbosus | Pumpkinseed | 137.00 | 59.60 | 0.12 | <1.0 | <0.10 | 0.39 | 0.32 | <0.50 | <0.50 | 18.0 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7734 | Lepomis gibbosus | Pumpkinseed | 149.00 | 84.30 | 0.09 | <1.0 | <0.10 | 0.35 | 0.41 | <0.50 | <0.50 | 18.0 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7735 | Lepomis gibbosus | Pumpkinseed | 159.00 | 98.30 | 0.09 | <1.0 | <0.10 | <0.25 | 0.29 | <0.50 | <0.50 | 6.7 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7727 | Lepomis microlophus | Redear Sunfish | 178.00 | 142.50 | 0.10 | <1.0 | <0.10 | <0.25 | 0.16 | <0.50 | <0.50 | 5.3 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7728 | Lepomis microlophus | Redear Sunfish | 200.00 | 172.00 | 0.06 | <1.0 | <0.10 | <0.25 | 0.18 | <0.50 | <0.50 | 7.7 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7729 | Lepomis microlophus | Redear Sunfish | 210.00 | 215.00 | 0.23 | <1.0 | <0.10 | <0.25 | 0.14 | <0.50 | <0.50 | 4.8 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7730 | Lepomis microlophus | Redear Sunfish | 220.00 | 224.00 | 0.27 | <1.0 | <0.10 | <0.25 | 0.15 | <0.50 | <0.50 | 4.5 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7731 | Lepomis microlophus | Redear Sunfish | 242.00 | 309.00 | 0.27 | <1.0 | <0.10 | <0.25 | 0.16 | <0.50 | <0.50 | 4.6 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7732 | Lepomis microlophus | Redear Sunfish | 250.00 | 362.00 | 0.27 | <1.0 | <0.10 | <0.25 | 0.15 | <0.50 | <0.50 | 4.6 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7736 | Micropterus salmoides | Largemouth Bass | 261.00 | 247.00 | 0.91 | <1.0 | <0.10 | <0.25 | 0.20 | <0.50 | <0.50 | 3.2 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7737 | Micropterus salmoides | Largemouth Bass | 276.00 | 317.00 | 0.20 | <1.0 | <0.10 | <0.25 | 0.25 | <0.50 | <0.50 | 3.8 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7738 | Micropterus salmoides | Largemouth Bass | 284.00 | 326.00 | 0.21 | <1.0 | <0.10 | <0.25 | 0.17 | <0.50 | <0.50 | 3.3 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7739 | Micropterus salmoides | Largemouth Bass | 286.00 | 336.00 | 0.27 | <1.0 | <0.10 | <0.25 | 0.23 | <0.50 | <0.50 | 2.9 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7740 | Micropterus salmoides | Largemouth Bass | 335.00 | 530.00 | 0.50 | <1.0 | <0.10 | <0.25 | 0.15 | <0.50 | <0.50 | 3.0 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7741 | Micropterus salmoides | Largemouth Bass | 331.00 | 555.00 | 0.28 | <1.0 | <0.10 | 0.41 | 0.18 | <0.50 | <0.50 | 2.9 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7742 | Micropterus salmoides | Largemouth Bass | 378.00 | 833.00 | 0.71 | <1.0 | <0.10 | <0.25 | 0.19 | <0.50 | <0.50 | 3.1 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7743 | Micropterus salmoides | Largemouth Bass | 385.00 | 1004.00 | 0.30 | <1.0 | <0.10 | <0.25 | 0.22 | <0.50 | <0.50 | 3.1 | |
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7744 | Micropterus salmoides | Largemouth Bass | 405.00 | 1175.00 | 0.34 | <1.0 | <0.10 | <0.25 | 0.18 | <0.50 | <0.50 | 2.8 | |

| BASIN NAME | DESCRIPTION | COUNTY | DATE | DWQ SAMPLE NO | SPECIES | COMMON NAME | LENGTH (mm) | WEIGHT (g) | Hg (mg/Kg) | As (mg/Kg) | Cd (mg/Kg) | Crt (mg/Kg) | Cu (mg/Kg) | Ni (mg/Kg) | Pb (mg/Kg) | Zn (mg/Kg) | Se (mg/Kg) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| White Oak | Northeast Creek above NC-24 | Onslow | 01-Apr-98 | 98-7745 | Micropterus salmoides | Largemouth Bass | 425.00 | 1435.00 | 0.45 | <1.0 | <0.10 | <0.25 | 0.16 | <0.50 | <0.50 | 2.7 | |
| White Oak | Quarry Pond off Hibbs Road - Croatan Forest | Carteret | 26-May-05 | 05-9469 | Lepomis macrochirus | Bluegill Sunfish | 174.00 | 94.00 | 0.15 | <0.10 | <0.10 | 0.29 | 0.44 | <0.10 | <0.10 | 7.4 | 0.17 |
| White Oak | Quarry Pond off Hibbs Road - Croatan Forest | Carteret | 26-May-05 | 05-9468 | Micropterus Salmoides | Largemouth Bass | 321.00 | 451.00 | 0.44 | <0.10 | <0.10 | 0.32 | 0.42 | <0.10 | <0.10 | 5.8 | 0.16 |